
WARRANTY

We strive to offer high-quality products, and we also try our best to satisfy each and every customer that orders from us with product or service as needed. We provide 1 year warranty starting from the time you receive the item. Each customer must provide a record of their order such as the order number, or item receipt for any items that are out of the warranty period, you may also still receive replacement parts by purchasing them with our company if they are available.

Are you having difficulty with assembly? Missing parts? Please send email with your order No to <u>home@homeselecting.com</u> For return, please check the return policy with the retailer or market place you bought from.

Appreciate your purchasing from us. Pop up your life by our furniture piece!

Assembly Instructions



ITEM NO. E043-003-001&E043-004-001

NOTE: Please read these instructions carefully before starting assembly

HASSEL-FREE WARRANTY

We proudly provid 1-YEAR warranty, if there is any questions with the products, please feel free to contact with us.


MAINTAINANCE AND WARNING

- Keep furniture away from heat sources.
- Do not clean furniture with harsh cleaner or polishes. Do not use detergents, Solvents, abrasives, spray packs or leather cleaner. Use non-color mild soap with warm water to clean spills(Mix 1:10 soap to water)
- Do not place furniture under direct sunlight, material will possibly fade over time.
- Do not use on site dry Cleaning machine.
 Children should not climb or jump on the furniture.
- Do not write on furniture that is not protected by a padded barrier .



Weight Limitation

600 LBS






HARDWARE

LIST

①**x5**

ASSEMBLY

INSTRUCTIONS



SPARE


1x1




Be sure to check all packing material carefully for small parts, which may have come loose inside the carton during shipment.

STEP 1

Place the armrest A and B on clean padded surface. Align and insert the metal bracket of seat C downwards into the metal bracket of armrest A and B .Make sure they are connected tightly and secure.







STEP 2

Insert the Backrest D into sofa from the top down. Be sure to have adult partner help to hold both armrests while aligning metal brackets on backrest/armrests.

STEP 3

Clockwise rotate all legs into corresponding hole position with Plastic Pad (1).







STEP 4

Remove the compressed seat cushion E. Take care not to damage the product if you use scissors or a knife when opening the package. Pat it around evenly plump.

STEP 5

Tuck the seat cushion E totally into the cover F. Zip up the cover.





STEP 6

Put the seat cushions on the sofa.

Assembly completed.