

Patiowell, Store Your Patio Well

Patio**well**

ASSEMBLY INSTRUCTIONS

RESIN STORAGE CABINET

SKU: T-PS24-0590





Patio**well**


Resin Garden House Installation Tutorial https://www.patiowell.com/ pages/video-T-PS24-0590

🖂 saleservice@patiowell.com


www.patiowell.com

 $(\mathbf{f}) \mathbf{D} (\mathbf{0})$


FLOOR PARTS




WALL PARTS




ROOF PARTS




DOOR PARTS





ACCESSORIES





SCREW








































STEP 12


Note: The screw holes of C1 need to be aligned.





10















11









Note: M1/M2 need to be installed securely with part M, otherwise, the subsequent steps cannot be completed.



Note: After installing M1, M2, and D1-2, measure to ensure the length is 1608mm and the width is 666mm. If the deviation is too large, it is recommended to press each part firmly into place before reinstalling.


STEP 18







Note: The screw holes of M1/M2 need to be aligned with D1-2.






STEP 20








Note: The screw holes of M1/M3 need to be aligned with D1-2.
















M2

















| | | \square |
|-----|-------------|-----------|
| NU. | S7 8 pcs | |

CARE & SAFETY

- In case of fire, do not attempt to extinguish any burning polypropylene with water Unsuitable for storage of flammable or corrosive substances.
- It is of utmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Please consult your local authorities if any permits are required to erect shed.
- Periodically check shed to assure that it remains stable and that the site remains level.
- It is highly recommended to secure the shed to an immovable object or to the ground by drilling holes in the floor at the pre-marked locations and inserting proper screws into the ground (size: 1.9"-3", screws are not included).
- Wear safety-goggles and always follow the manufacturer's instructions when using power tools.
- Wash shed with garden hose or a mild detergent solution. Using a stiff brush or abrasive cleaner could damage shed.
- Hot items such as recently used grills, blowtorches, etc. must not be stored in the shed.
- Heavy articles should not be leaned against the walls, as this may cause distortion.
- Keep roof clean of snow and leaves. Heavy amounts of snow on roof can damage the shed making it unsafe to enter.
- Although wind direction varies, it is an important factor when taking into account where to place your shed. Therefore, it is recommended to reduce wind exposure of the shed in general, and the door side in particular.
- Keep doors closed and locked to prevent wind damage.
- Do not stand on the roof.