

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.







- Dust and pick-up spills using a clean, non-colored, lint-free cloth.



Please look in chair for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.

Chair



Parts List

Label	Picture	Description	QTY
A		Back cushion	1
B		Seat cushion	1
C		Seat supporting coat	1
D		Arm and backrest wooden bar	3
E		Left front leg	1
F		Right front leg	1


G		Left hind leg	1
H		Right hind leg	1
I		Front and hind leg supporting bar	2
J		Front seat supporting bar	1
K		Hind leg supporting bar	1

Hardware

Label	Picture	Description	QTY
①		Bolt M6X15mm	23
②		Allen Wrench	1

Assembly Preparation

Before
Beginning
Assembly:





- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the chair parts, the above picture is provided to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly. Friendly reminder: Tighten all the screws after all holes are installed.

Step 1




Attached Arm and backrest wooden bar(D) to connect Right front leg (F) by using Bolt (①) and Allen Wrench(②). Repeat the same process to assembly Arm and backrest wooden bar(D) and Right back leg(H)
CAUTION: Make sure the holes on arm and backrest wooden bar(D) coincide with Right front leg (F) and Right back leg(H) while assembly.
 Repeat the same process to attach Arm and backrest wooden bar(D) to Left front leg(E) and Left back leg(G).
 Tighten the bolts

Step 2



2.1: Take Arm and backrest wooden bar(D) through the fabric cover of as picture showing
 2.2: Connect Arm and backrest wooden bar(D) to Left back leg (G) and Right back leg (H) by using Bolt (①) and Allen Wrench(②)
CAUTION: Make sure the holes on Arm and backrest wooden bar(D) coincide with Left back leg (G) and Right back leg (H) while assembly.
 Tighten the bolts


Step 3



3.1: Take Front and hind leg supporting bar(I) through the Seat supporting coat(C) as picture showing
CAUTION:The holes at both ends of Front and hind leg supporting bar(I) are flat and inclined respectively.
 Ensure that the inclined end is at the back


3.2: Attached Front and hind leg supporting bar(I) to left front leg(E) by using Bolt (①) and Allen Wrench(②).
 Repeat same process to assembly Front and hind leg supporting bar(I) to Left back leg(G), Right front leg(F) and Right back leg(H)
 Tighten Bolts

Step 4




Take Front seat supporting bar(J) file through the fabric cover of as picture showing
 Attached Front seat supporting bar(J) to Left front leg (E) and Right front leg(F) by using Bolt (①) and Allen Wrench(②)
 Tighten Bolts

Step 5




Attached Hind leg supporting bar(K) to Left back leg(G), Right back leg(H) by using Bolt (①) and Allen Wrench(②)
Tighten Bolts

Step 6



Put Seat Cushion(B) and Back cushion(A) as showing picture above. Your chair is now complete.



Place the CHAIR right side up and tested for stability before it is ready for use.
This CHAIR can only be used on a flat, level surface.