



MERANTI WOOD JACK AND JILL ATTACHED CHAIRS AND TABLE FRN-879


Read this manual carefully before using this product. Save this manual for future reference.
Assemble components on a soft, clean surface to avoid damaging the finish.



**2-PERSON
ASSEMBLY
RECOMMENDED**



Inspect packaging to ensure all parts are accounted for before disposing of packing materials.

| No. | PARTS | QTY. |
|-----|---|------|
| A |  Right Arm | 1 |
| B |  Right Inner Arm | 1 |
| C |  Left Inner Arm | 1 |
| D |  Left Arm | 1 |
| E |  Seat | 2 |
| F |  Backrest | 2 |
| G |  Tabletop | 2 |
| H |  JCBC M6x40 Bolt | 16 |
| I |  JCBC M6x60 Bolt | 8 |
| J |  Barrel Nut | 8 |
| K |  Hex Key | 1 |
| L |  Barrel Nut Driver | 1 |

! WARNING !

CHOKING HAZARD — This item contains small parts that can be swallowed by children. Keep children away during assembly.

! HELPFUL HINTS

- Sunnydaze Decor advises reading this manual thoroughly and assembling the item soon after purchase.
- Do not fully tighten hardware until all components are assembled. If the hardware is tightened too soon, mounting holes may not align, and parts may not easily fit together.


ASSEMBLY

Read carefully and understand assembly before beginning.

Do not fully tighten bolts until all components have been loosely assembled.

STEP 1

B: 1
C: 1
G: 2
H: 8




- Fasten Left Inner Arm (C) to 2x Tabletop (G) by hand-tightening 4x M6x40 Bolt (H).
- Fasten Right Inner Arm (B) to the opposite side of the tabletops by hand-tightening 4x M6x40 Bolt (H).

Do not fully tighten any bolts until after Step 5 is complete.

STEP 2

D: 1
E: 1
F: 1
H: 2
I: 2
J: 4




- Insert 4x Barrel Nut (J) into Seat (E). Use the Barrel Nut Driver to align the barrel nut with hole on the side of the seat.
- Align the pegs on Seat (E) with the holes on the inside of Left Arm (D) and secure them by hand-tightening 2x M6x60 Bolt (I); ensure the bolt threads into the barrel nut.
- Fasten Backrest (F) to Left Arm (D) by hand-tightening 2x M6x40 Bolt (H).

Do not fully tighten any bolts until after Step 5 is complete.

STEP 3

H: 2
I: 2




- Align the pegs on Seat (E) with the holes on Left Inner Arm (C).
- Secure the assembled left-side chair to the table by hand-tightening 2x M6x40 Bolt (H) and 2x M6x60 Bolt (I), as shown.

Do not fully tighten any bolts until after Step 5 is complete.

STEP 4

A: 1
E: 1
F: 1
H: 2
I: 2
J: 4




- Insert 4x Barrel Nut (J) into Seat (E). Use the Barrel Nut Driver to align the barrel nut with hole on the side of the seat.
- Align the pegs on Seat (E) with the holes on the inside of Right Arm (A) and secure them by hand-tightening 2x M6x60 Bolt (I); ensure the bolt threads into the barrel nut.
- Fasten Backrest (F) to Right Arm (A) by hand-tightening 2x M6x40 Bolt (H).

Do not fully tighten any bolts until after Step 5 is complete.

STEP 5

H: 2

I: 2



- Align the pegs on Seat (E) with the holes on Right Inner Arm (B).
- Secure the assembled right-side chair to the table by hand-tightening 2x M6x40 Bolt (H) and 2x M6x60 Bolt (I), as shown.

Tighten all bolts after this step is complete.

Care & Maintenance

SAFE USE: For residential use only. Only use on a flat, level surface. Do not stand on the chairs. Do not sit or stand on the table.

INSPECT: Periodically check assembly points and tighten fittings as necessary.

CLEANING: Identify the direction of the woodgrain. Following the direction of the woodgrain, wipe surfaces with a soft, dry cloth. Do not use harsh chemicals or abrasive materials or a pressure washer to clean.

COVER: When not in use, cover furniture with a breathable cover to help protect it from the harmful effects of sunlight, inclement weather, dust build-up, and collecting debris.

WINTER CARE & STORAGE: Protect this item from inclement weather, especially ice and snow. Move to a cool, dry indoor location. Covering while in storage is recommended to help prevent dust build-up.

MAINTENANCE: If left untreated, the wood may weather. A suitable wood stain or oil may need to be applied yearly.

WARNING: THE ONE-YEAR WARRANTY DOES NOT COVER DAMAGES OR DEFECTS CAUSED BY THE USE OF CHEMICAL TREATMENTS OR PROTECTIVE COATINGS.

Any modification to the product or failure to follow recommended care will void the product warranty.

WARNING!

Manufacturer and seller expressly disclaim any and all liability from personal injury, property damage or loss, whether direct or indirect, or incidental, resulting from the incorrect attachment, improper use, inadequate maintenance, or neglect of this product.