

# SAFETY DATA SHEET **BIO-NEUTRALIZER® DECHLORINATION TABLETS**

EMERGENCY TELEPHONE: (800) 424-9300

**DATE PREPARED: JANUARY 2020** 

#### I. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Bio-Neutralizer® CHEMICAL NAME Sodium Sulfite Tablets CHEMICAL ABSTRACT SERVICE NO. CAS #7757-83-7 CHEMICAL FAMILY Sodium Sulfite **FORMULA** Na, SO, SUPPLIER Norweco, Inc. 220 Republic St.

Norwalk, OH USA 44857

**EMERGENCY TELEPHONE NUMBER** (800) 424-9300

TECHNICAL PHONE NUMBER (800) NORWECO, (800) 667-9326

#### **HAZARDOUS IDENTIFICATION**

EMERGENCY OVERVIEW May cause irritation to eyes, skin and respiratory system on contact. Ingestion may irritate gastrointestinal tract. Large doses may cause violent colic and diarrhea. Wash hands thoroughly after handling. REDUCING AGENT: Stable under normal conditions. Contact with strong oxidizers

can cause vigorous exothermic reactions. Contact with acids release sulfur dioxide gas. Non-flammable, but will decompose to dioxide gas in a fire. Use self-contained breathing apparatus when sulfur dioxide gas is present. Do not add this product to any dispensing device containing

remains of any other product. Do not allow this product to come in contact with chlorination tablets, granules or pellets.

POTENTIAL ACUTE HEALTH EFFECTS

INHALATION INGESTION

Inhalation of dust may irritate respiratory tract.

Ingestion may irritate gastrointestinal tract. May cause server allergic reaction in some asthmatics and sulfite sensitive individuals. Large doses

may cause violent colic and diarrhea, circulatory disturbances, central nervous system depression and even death.

SKIN Dust may cause skin irritation from prolonged contact. Solutions will irritate skin.

EYES Dust may irritate or burn eyes. Solutions will irritate or burn eyes.

OVER EXPOSURE SIGNS/SYMPTOMS INHALATION

Adverse symptoms may include the following:

respiratory tract irritation

Adverse symptoms may include the following: gastrointestinal tract irritation

toxic in large dose

SKIN Adverse symptoms may include the following:

pain or irritation

**EYES** Adverse symptoms may include the following:

pain

MEDICAL CONDITIONS AGGRAVATED Pre-existing disorders involving any target organs mentioned in this SDS as being at risk may be aggravated by overexposure to this product.

BY OVEREXPOSURE

INGESTION

#### CONSUMPTION/INFORMATION ON INGREDIENTS

SODIUM SULFITE 35% **INERT INGREDIENTS** 

THERE ARE NO ADDITIONAL INGREDIENTS PRESENT, WITHIN THE CURRENT KNOWLEDGE OF THE SUPPLIER AND IN THE CONCENTRATIONS APPLICABLE THAT ARE CLASSIFIED AS HAZARDOUS TO HEALTH OR THE ENVIRONMENT AND HENCE REQUIRE REPORTING IN THIS SECTION.

#### **FIRST AID PROCEDURES**

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person. EYE CONTACT

Flush immediately with water for at least 20 minutes. Hold eyelids apart to ensure complete irrigation of eye tissue. Seek medical attention. SKIN CONTACT Remove contaminated clothing. Wash affected area with soap and water. Seek medical attention if irritation occurs or persists.

INHALATION Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention if

INGESTION If conscious, immediately give 2 to 4 glasses of water or milk and induce vomiting under medical supervision. Seek immediate medical attention. NOTE TO PHYSICIAN No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### **FIRE-FIGHTING MEASURES**

FLAMMABILITY OF THE PRODUCT

EXTINGUISHING MEDIA

**SUITABLE** 

NOT SUITABLE

SPECIAL EXPOSURE HAZARDS

HAZARDOUS COMBUSTION PRODUCTS

REFERENCE TO OTHER SECTIONS

SPECIAL FIREFIGHTING PROCEDURES

Product does not burn.

Use any fire fighting agent appropriate for surrounding material; use water spray to cool fire-exposed surfaces

Not applicable

Isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Sodium sulfite is formed at 600°C, residue is flammable. May yield sulphur dioxide gas upon decomposition at 900°C. Inert ingredients could

support combustion by burning, yielding carbon dioxide and water. NIOSH/MSHA - Approved, positive pressure, self-contained breathing apparatus with full face piece.

### **ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS Wear appropriate personal protective equipment if required. Provide ventilation to clear sulphur dioxide fumes which may form. **ENVIRONMENTAL PRECAUTIONS** 

Do not flush to surface water.

Spills exceeding 100 pounds should be reported to the local authorities.

Place spilled material in clean, dry containers for disposal. Do not flush to surface water.

See Section I for emergency contact information.

See Section VIII for information on appropriate personal protective equipment.

See Section XIII for additional waste treatment information.

#### VII. HANDLING AND STORAGE

HANDI ING STORAGE

LARGE SPILL

Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.

Keep product dry and in a tightly closed container when not in use. Store in container where temperatures do not exceed 125°F. Partially used, wet or unwanted product may be disposed of in a sanitary landfill. Do not contaminate water, food, or feed by storage or disposal of this product.



## SAFETY DATA SHEET **BIO-NEUTRALIZER® DECHLORINATION TABLETS**

PAGE 2 **DATE PREPARED: JANUARY 2020** 

Soluble in the following materials: water

Not listed

VIII. EXPOSURE CONTROLS AND PERSONAL PROTECTION

CONSULT LOCAL AUTHORITIES FOR ACCEPTABLE EXPOSURE LIMITS

RECOMMENDED MONITORING PROCEDURES

Per OSHA no permissible exposure limits have been established

ENGINEERING MEASURES

Not applicable

HYGIENE MEASURES

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Ensure that evewash stations and safety showers are close to the workstation location

PERSONAL PROTECTION **EYES** 

Chemical splash goggles and face shield

HANDS Gloves should be worn. **GLOVES** Natural or synthetic rubber.

RESPIRATORY Respiratory protection is not required under normal use, however when necessary, use NIOSH/MSHA approved respirator following manufacturer's

recommendations. NIOSH approved dust mask is essential where dusting may occur.

SKIN Boots, aprons or chemical suits as required to prevent skin contact.

ENVIRONMENTAL EXPOSURE CONTROLS

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE DENSITY (lbs/gal) 125 lbs./cu.ft.3 FLASH POINT VAPOR PRESSURE Not applicable Not applicable **DECOMPOSITION TEMPERATURE** VAPOR DENSITY Not applicable 900°C MATERIAL SUPPORTS COMBUSTION VOLATILITY Not applicable Not applicable COLOR Green Tablet **EVAPORATION RATE** Not applicable Not applicable

ODOR Mild Odor VISCOSITY SOLUBILITY Alkaline

**BOILING/CONDENSATION POINT** Decomposes at 900°C WATER SOLUBILITY AT ROOM TEMPERATURE 28% at 80°C Not applicable MELTING/FREEZING POINT PARTITION COEFFICIENT NOCTANOL/WATER Not available

SPECIFIC GRAVITY  $2.63 (H_2O = 1)$ % SOLID (W/W) 100

X. STABILITY AND REACTIVITY

STABILITY

CONDITIONS TO AVOID Avoid moisture and high humidity. High temperatures yield sulfur dioxide gas and sodium sulfite residue

MATERIALS TO AVOID Strong oxidizers cause vigorous exothermic reactions. Acids release sulfur dioxide gas.

HAZARDOUS DECOMPOSITION PRODUCTS Sulfur dioxide gas (SO<sub>2</sub>) is toxic, corrosive and an oxidizer. Sodium sulfite residue (Na<sub>2</sub>S) is flammable and a strong irritant to skin and tissue. POSSIBILITY OF HAZARDOUS REACTIONS

Do not mix with acids or oxidizing agents. Fire or explosion could result.

TOXICOLOGICAL INFORMATION XI.

PERMISSIBI E No permissible exposure limits have been established by OSHA

ACUTE

**EINECS** 

INHALATION Inhalation of product dust or solution may cause respiratory tract irritation.

EYE/SKIN Dust or solution may burn eyes on contact. Product dust or solution may result in skin irritation upon prolonged contact.

INGESTION Ingestion may irritate gastrointestinal tract. Toxic if taken in large doses. CHRONIC There are no known or reported effects from chronic exposure.

XII. **ECOLOGICAL INFORMATION** 

**ECOLOGICAL TOXICITY VALUES** 

GOLDFISH Nominal, static - 96 h LC50 100 mg/l **FISHES** Nominal, static - 24, 48 and 96 h TLm

MOSQUITO FISH 2.600 ppm **ENVIRONMENTAL EFFECTS** Not applicable BIODEGRADABILITY Not applicable

XIII. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL Not rated a hazardous substance by USEPA. Collected material can be dissolved in water, exercising caution. Dissolved material can be discharged

into an appropriate industrial waste collection system but consult local, state and federal regulating agencies before disposing of any material.

XIV. TRANSPORTATION INFORMATION

**IDENTIFICATION NUMBER** Not applicable I.M.O. DESCRIPTION Reducer

PACKING GROUP Not applicable U.S. DOT SHIPPING NAME Non-Hazardous Tablets, Item NM503401 REPORTABLE QUANTITY 25 lb. and 45 lb.

U.S. DOT HAZARD CLASS Non-Hazardous HMIS/NFPA RATING Not applicable

REGULATORY INFORMATION

SARA (311, 312) HAZARD CLASS **UNITED STATES INVENTORY (TSCA 8b)** Yes, acute and chronic health hazard

231-821-4 SARA (313) CHEMICALS **CANADA INVENTORY (NSN)** SARA EXTREMELY HAZARDOUS SUBSTANCE DSL Not listed **CERCLA HAZARDOUS SUBSTANCE** SARA TITLE III Not listed No

CHINA INVENTORY (IECSC) Inventory of existing chemical substance CANADA REGULATIONS (WHIMIS) Class D2B - Material causing other toxic

or otherwise exempt effects

XVI. OTHER INFORMATION

OTHER SPECIAL Not applicable DATE OF ISSUE January 7, 2020

THIS SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION. THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON PRESENT THIS SAFETY DATASHEE ITS OFFERED SOLE TO REPORT TO BE BE ACCEPTED FOR ANY FAILURE TO OBSERVE THE PRECAUTIONARY MEASURES DESCRIBED IN THIS DATA SHEET OR FOR ANY MISUSE OF THIS PRODUCT.