



Premise™ | K-R33409-G

3-in-1 combo shower kit, 1.75 gpm

Features

- Single-function showerhead provides superior spray coverage
- Multifunction handshower with advanced spray engine provides three experiences: full coverage, powerful massage, and gentle mist, plus pause feature
- Full coverage spray produces an encompassing spray ideal for everyday use
- Powerful massage spray is a focused stream that targets sore muscles, or use as a utility spray to rinse kids, pets, and your shower
- Gentle mist spray restores, with a thick cloud of silky, super-fine water droplets
- Pause feature temporarily pauses water flow to conserve water while you lather, shave, or shampoo
- Simple thumb tab smoothly transitions between sprays
- Can be used as a showerhead, handshower, or both
- Magnetic docking securely holds handshower in place
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- 1.75 gpm (6.6 lpm) maximum showerhead/handshower flow rate at 80 psi (5.5 bar)
- Box includes: Showerhead, handshower, and 72" (1829 mm) hose



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

- CP Polished Chrome
- BN Vibrant Brushed Nickel
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 15:32 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards



ASME A112.18.1/CSA B125.1
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)

Technical Information

All product dimensions are nominal.

Flow Rate

Shower/Rainhead Rated 1.75 gpm (6.6 l/min)

Maximum Flow:

Handshower Rated Maximum 1.75 gpm (6.6 l/min)

Flow:

Material


- Select KOHLER finishes feature ScratchShield® technology which withstands even the toughest daily use
 - KOHLER finishes resist corrosion and tarnishing
-

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty





Installation

- $1/2''$ - 14 NPSM connection
- Required for installation: Sealant tape and adjustable wrench

Installation Notes

Install this product according to the installation instructions.

