

Oakridge® Shingles in Traditional Colors.



Driftwood†

**Oakridge® Shingles** are designed to provide long-lasting performance and striking beauty. In addition to a wide range of inviting, popular colors, they also offer a Limited Lifetime Warranty<sup>\*/\*\*</sup> (for as long as you own your home), a 110/130-MPH<sup>††</sup> Wind Resistance Limited Warranty\* and an Algae Resistance Limited Warranty\* available on a regional basis.

Oakridge® National Colors



Desert Tan<sup>†††</sup>




Brownwood†



Driftwood<sup>†††</sup>



Onyx Black†



Estate Gray<sup>†††</sup>

Oakridge® Regional Colors (See Map)



Amber†

Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 13.



Antique Silver†

Not available in Service Areas 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13.



Teak†

Not available in Service Areas 1, 3.



Sierra Gray<sup>†††</sup>

Not available in Service Areas 2, 3, 6, 8, 11.



Williamsburg Gray†

Not available in Service Areas 1, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14.



Chateau Green†

Not available in Service Areas 1, 2, 3, 6, 8, 12, 13, 14.



Beachwood Sand†

Not available in Service Areas 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14.



Shasta White†

Not available in Service Areas 2, 3, 6, 8.




**Oakridge® Shingles** are specially designed to provide a unique blend of artistry and craftsmanship that will give your home a look that is anything but ordinary. Blacks and grays are rich and warm, earth tones capture the vibrancy of nature's brightest hues, and bold color combinations help enhance a wide variety of exterior accents and landscaping.



**Aged Cedar†**  
Not available in Service Areas 2, 3, 6, 8.



**Black Walnut†**  
Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 14.



**Flagstone†**  
Not available in Service Areas 2, 3, 6, 8.



**Peppermill Gray†**  
Not available in Service Area 2, 3, 6, 8.



**Sand Castle†**  
Not available in Service Areas 2, 3, 6, 8, 12, 13.



**Woodland Path†**  
Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 14.



**Twilight Black†**  
Not available in Service Areas 2, 3, 6, 8, 12, 13.



**Oyster Shell†**  
Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13.

**Product Attributes**

**Warranty Length\***

Limited Lifetime\*\*  
(for as long as you own your home)

**Wind Resistance Limited Warranty\***

110/130 MPH††

**Algae Resistance Limited Warranty\***

10 Years

**TruPROtection® Non-Prorated Limited Warranty\***

10 Years



Algae Resistance available in areas shown in white.

**Oakridge® Shingles Product Specifications**


|                     |                   |
|---------------------|-------------------|
| Nominal Size        | 13 1/4" x 39 3/8" |
| Exposure            | 5 5/8"            |
| Shingles per Square | 64                |
| Bundles per Square  | 3                 |
| Coverage per Square | 98.4 sq. ft.      |

**Applicable Standards and Codes**

- ASTM D228
- ASTM D3018 (Type 1)
- ASTM D3462
- ASTM D3161 (Class F Wind Resistance)
- ASTM D7158 (Class H Wind Resistance)
- ASTM E108/UL 790 (Class A Fire Resistance)
- Florida Product Approval§
- ICC-ES AC438\*
- Miami-Dade County Product Approval§§
- UL ER2453-01\*\*

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).

Colors availability varies by Service Area.



†† 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning® Starter Shingle product application in eaves and rakes in accordance with installation instructions.

§ Applicable only in Service Area 3.

§§ Applies for all areas that recognize Miami-Dade Product Control Section.

\*\* Available in Algae Resistance in Service Area 13 (see map).

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

## Underwriters Laboratories Evaluation Service Evaluation Report.

For more information on Owens Corning® roofing products, or any of our wide range of building products and systems, it's easy to reach us:

**1-800-GET-PINK® | [owenscorning.com/roofing](http://owenscorning.com/roofing)**



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

**1-800-GET-PINK®**  
**[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)**

THE PINK PANTHER™ & © 1964–2016 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.  
© 2016 Owens Corning. All Rights Reserved.



† Owens Corning Roofing strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

\* See actual warranty for complete details, limitations and requirements.

\*\* 40-Year Limited Warranty on commercial projects.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners and wood decking.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

SureNail Technology U.S. Patent 7,836,654 and other patents pending.