

OR30SDE6X1

Electric Range 30"Ceramic Radiant

Contemporary

A refined, minimalist style with attention to the smallest details. High performance cooking technology with multiple cooking functions.

Brushed Stainless Steel with black glass

Dimensions

| Depth | 25 1/4" |
|--------|------------------|
| Height | 35 3/4 - 37 5/8" |
| Width | 29 7/8" |

Features & Benefits

Cooking flexibility

Accourate, electronically-controlled oven heat, ensures a great result every time with 9 functions and pre-set temperatures including bake, grill, pastry bake with pizza mode and fan forced, for a variety of cooking styles.

A modern legacy

A refined, minimalist style with attention to the smallest details. High-performance cooking technology offers multiple cooking functions.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, machined stainless dials and glowing halo dials all add up to an exceptional, premium range.

Large capacity oven

The generous 3.5 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Easy to clean

Cleaning up spills is effortless. The flat ceramic cooktop is easily wiped after use, and the self-cleaning oven breaks down food residue at a very high temperature leaving a light ash that's easily removed with a damp cloth.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time. Dishes on the top shelf turn out as perfectly as the ones on the bottom due to our $AeroTech^{TM}$ convection system that circulates air evenly throughout the entire oven.


Specifications

Pyrolytic self-clean

Pyrolytic-proof shelf runners

Accessories 2-pc grill system (Broil pan & Grill rack) Broil pan Full extension telescopic shelves Crill rack Hob rear trim (optional) Kick strip, stainless steel (optional) Part 81660 Pyrolytic-proof shelf runners 1 set Cleaning Acid resistant graphite enamel Drop down broil element Flat easy clean glass surface

Removable oven door/s
Removable shelf runners



| Controls | |
|---|--------------|
| Audio feedback | • |
| Automatic cooking/minute timer | • |
| Automatic pre-set temperatures | • |
| Celsius/Fahrenheit temperature | • |
| Electronic clock | • |
| High resolution display | • |
| Interior light | • |
| Laser etched graphics | • |
| Precise electronic temperature control | • |
| Sabbath mode | • |
| Toughened fused glass graphics | • |
| Turned stainless steel clock buttons | • |
| Turned stainless steel clock crown (dial) | • |
| Turned stainless steel dials with | |
| illuminated halos | · |
| Cooktop features | |
| Dual element | • |
| HiLight high speed ribbon elements | • |
| Cooktop performance | |
| Number of elements | 4 |
| Details | |
| UPC Code | 822843813216 |
| Installation cutout dimensions | |
| Depth | 25 1/4 " |
| Width | 30 " |

| Oven features | |
|--|------------------------|
| AeroTech™ technology | • |
| Automatic rapid pre-heat | • |
| Combined Warming/Storage Drawer | • |
| Concealed element | • |
| Electronic capacitive touch controls | • |
| Full extension telescopic sliding shelves | 2 sets (part 578776) |
| Internal light | 2 x 25W halogen (rear) |
| Pyrolytic-proof shelf runners | • |
| Self cleaning | • |
| | |
| Soft open/close door | • |
| | • |
| Soft open/close door True Convection Oven functions | • |
| True Convection | • |
| True Convection Oven functions Aero™ Bake | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Maxi Broil | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Maxi Broil Number of Functions | • |
| True Convection Oven functions Aero™ Bake Aero™ Broil Aero™ Pastry with Pizza mode Bake Maxi Broil Number of Functions Rapid proof | |
| True Convection Oven functions | |

| Oven performance | |
|---|---------------|
| Broil | 4050 W |
| Combined Warming/Storage Drawer | 220 W |
| CoolTouch door | Triple glazed |
| Shelf positions | 7 |
| Total oven capacity | 3.5 cu ft |
| Power requirements | |
| AMP draw | 50 A |
| Supply frequency | 60 Hz |
| Supply voltage | 208 - 240 V |
| Safety | |
| Advanced cooling system | • |
| Anti-tilt bracket | • |
| Balanced oven door | • |
| Catalytic venting system | • |
| CoolTouch door | • |
| Full extension telescopic sliding shelves | • |
| Individual hot surface indicators | • |
| Non-tip shelves | • |
| Spill containment | 1/8 gallon |
| Style And Series | |
| Product Style | Contemporary |
| Warranty | |
| Warranty | 2 years |

| Zone ratings | |
|--------------|-------|
| Left front | 1200W |
| Left rear | 2100W |
| Right front | 2100W |
| Right rear | 1200W |
| | |
| SKU | 81321 |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com