

MANTEL

MODEL

X5414-1WHT X5414-1NAT X5414-1MAH X5414-1SBL



PACKAGE CONTENTS



HARDWARE CONTENTS



































Bolt Qty.25

Metal Connector Qty.25

Ca Da Hi

Cabinet Door Hinge Qty.4

Panel Screw Qty.24

Screw M4*18 Qty.4

v Shelf Pin 8 Qty.8

Handle Qty.2

X2

X2

X1

X1

X2 (4*35MM)

X2 (4*15MM)

X2 (4*15MM)


Safety Chain Qty.1


PACKAGE CONTENTS


PART	DESCRIPTION	QTY.	PART NO.
А	Bed Plate	1	
В	Base Across Panel	1	
С	Base Erect Panel	1	
D	Left Side Panel	1	
Е	Right Side Panel	1	
F	Left Inner Panel	1	
G	Right Inner Panel	1	
Н	Back Panel	2	
I	Shelf Rail	1	
J	Тор	1	
K	Left Door	1	
L	Right Door	1	
М	Left Adjustable Shelf	1	
N	Right Adjustable Shelf	1	
AA	Bolt	25	
ВВ	Metal Connector	25	
CC	Cabinet Door Hinge	4	
DD	Panel Screw	24	
EE	Screw M4*18	4	
FF	Shelf Pin	8	
GG	Handle	2	
SS	Safety Chain	1	


Some parts and specifications may change without notice.


Carefully remove all pieces from the carton and make sure that you have all parts listed (refer to parts list on page 2-3).









































IMPORTANT-Safety Chain Installation

WARNING:

This mantel is heavy furniture. Please be sure to correctly attach the safety chain to both the mantel and an adjacent wall. Failure to do so can cause serious injury or death.



INSTALLATION:

- Assemble the mantel and place it in position
- Attach one end of the chain to a wall stud using the screw included
- Attach the other screw through a link in the chain to the center of the mantel's top board(you may need to drill a small starter hole). Put the screw through the chain link that allows the least amount of slack in the chain.
- Carefully test that the installed chain adequately prevents tipping or tilting of the mantel.

NOTE: The chain must be as short as possible to prevent the mantel tippping forward. Do not allow slack in the chain.