

Lindor™ Technical Specification

Pivoting Paper Holder

MY8708


Stock Numbers:

- **MY8708CH – Paper Holder**
Chrome
- **MY8708BN – Paper Holder**
Brushed Nickel
- **MY8708BL – Paper Holder**
Matte Black

Materials:

Pivoting Paper Holder is constructed of zinc.

Dimensions:



Installation Instructions:

1. Position the mounting template on the wall in the desired location. Using a level, align the template and tape it to the wall.
2. Remove both mounting posts by loosening each set screw.
3. Place each mounting posts on the template. The notch should be facing downward. To ensure correct alignment, it is very important that the mounting post is installed straight.
4. One at a time, place each anchor screw through the mounting post, centered in each large hole. Using a Phillips screwdriver, turn the anchor screw while applying pressure. Screw will self-drill and tap into drywall. Only insert screw 1/2 to 3/4 of the way into the wall.
5. After all screws are installed, tear the template away from the wall.
6. Tighten all four screws. Do not over tighten.
7. Place the square back plate over each mounting post.
8. Place each post over the mounting post (set screw down). Pivoting post with bar should be on the left side. Tighten both set screws

Cleaning Instructions:

To preserve the fine finish of this product, clean only with a soft damp cloth. Dry well. Do not use commercial or abrasive cleaners.

Stock Number: _____ **Pivoting Paper Holder**
By Moen Incorporated

MOEN®

25300 AL MOEN DRIVE • NORTH OLMSTED, OH 44070
CORPORATE HEADQUARTERS: (800) 321-8809 • FAX: (800) 848-6636
INTERNATIONAL: (440) 962-2000 • FAX: (440) 962-2726
CUSTOMER SERVICE (USA): 800-882-0116 • FAX: (888) 379-2720
WWW.MOEN.COM

© 2020 Moen Incorporated. Moen is a registered trademark and Lindor is a trademark of Moen Incorporated. All rights reserved.

Lindor™ Technical Specification

18" & 24" Towel Bar

MY8718, MY8724


Stock Numbers:

- **MY3518CH – Towel Bar**
Chrome
- **MY3518BN – Towel Bar**
Brushed Nickel
- **MY3518BL – Towel Bar**
Matte Black
- **MY3524CH – Towel Bar**
Chrome
- **MY3524BN – Towel Bar**
Brushed Nickel
- **MY3524BL – Towel Bar**
Matte Black

Materials:

Towel Bar Posts are constructed of zinc.
Bar is constructed of brass.

Dimensions:



Installation Instructions:

1. Position the mounting template on the wall in the desired location. Using a level, align the template and tape it to the wall.
2. Remove both mounting posts by loosening each set screw.
3. Place each mounting posts on the template. To ensure correct alignment, it is very important that the mounting post is installed straight.
4. One at a time, place each anchor screw through the mounting post, centered in each large hole. Using a Phillips screwdriver, turn the anchor screw while applying pressure. Screw will self-drill and tap into drywall. Only insert screw 1/2 to 3/4 of the way into the wall.
5. After all screws are installed, tear the template away from the wall.
6. Tighten all four screws. Do not over tighten.
7. Place the square back plate over each mounting post.
8. Assemble the towel bar and posts.
9. While assembled, position each end post with the set screw down and place over both mounting posts. Tighten the set screw at the bottom of each base.

Cleaning Instructions:

To preserve the fine finish of this product, clean only with a soft damp cloth. Dry well. Do not use commercial or abrasive cleaners.

Stock Number: _____ **Towel Bar**
By Moen Incorporated

MOEN®

25300 AL MOEN DRIVE • NORTH OLMSTED, OH 44070
CORPORATE HEADQUARTERS: (800) 321-8809 • FAX: (800) 848-6636
INTERNATIONAL: (440) 962-2000 • FAX: (440) 962-2726
CUSTOMER SERVICE (USA): 800-882-0116 • FAX: (888) 379-2720
WWW.MOEN.COM

© 2020 Moen Incorporated. Moen is a registered trademark and Lindor is a trademark of Moen Incorporated. All rights reserved.

Lindor™ Technical Specification

Towel Ring

MY8786


Stock Numbers:

- **MY8786CH** – Towel Ring
Chrome
- **MY8786BN** – Towel Ring
Brushed Nickel
- **MY8786BL** – Towel Ring
Matte Black

Materials:

Towel Ring Post is constructed of zinc.
Ring is aluminum.

Dimensions:



Installation Instructions:

1. Remove mounting posts from the product assemblies by loosening each setscrew.
2. Position the mounting plate on the wall at desired location with "UP" facing you. Mark hole locations.
3. Drill 2 holes as marked using 5/16" drill bit.
4. Fold ends of the plastic toggle anchor together and insert into each hole in the wall.
5. Lightly tap anchors until flush with the wall.
6. One at a time, insert plastic pin into each anchor and lightly tap to activate anchor. Remove pin and repeat on other anchor.
7. Place the mounting plate on the wall over the installed wall anchors with "UP" facing you.
8. Tighten screws.
9. Place decorative product over the mounting plate with the setscrew facing down. Tighten setscrew.

Cleaning Instructions:

To preserve the fine finish of this product, clean only with a soft damp cloth. Dry well. Do not use commercial or abrasive cleaners.

Stock Number: _____ **Towel Ring**
By Moen Incorporated

MOEN®

25300 AL MOEN DRIVE • NORTH OLMSTED, OH 44070
CORPORATE HEADQUARTERS: (800) 321-8809 • FAX: (800) 848-6636
INTERNATIONAL: (440) 962-2000 • FAX: (440) 962-2726
CUSTOMER SERVICE (USA): 800-882-0116 • FAX: (888) 379-2720
WWW.MOEN.COM

© 2020 Moen Incorporated. Moen is a registered trademark and Lindor is a trademark of Moen Incorporated. All rights reserved.