

M.BARC PRODUCTS

1. IDENTIFICATION

Product

names: M.BARC STAIN & ODOR REMOVER / Severe Mess

M.BARC URINE & ODOR DESTROYER

M.BARC LAUNDRY BOOSTER STAIN & ODOR REMOVAL ADDITIVE

Additional identification

Chemical name: Water based Mixture

Product is designed, packaged and labeled for consumer use per USCPSC guidelines.

Consumer container size range of 32 oz – 128 oz

Recommended use and restriction on use

Recommended use: As described

Restrictions on use: Follow Label Directions.

Responsible Party

Company Name: M.BARC, 17821 Sky Park Circle, Address: Suite L-M Irvine, CA 92614

1-949-407-6014

Telephone:

Emergency telephone number: 1-877-805-0399

2. HAZARD(S) IDENTIFICATION

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 1
Causes Serious Eye Irritation Category 1
May be harmful if inhaled (aspirated) Category 1

Toxicity

Acute toxicity values for, oral dermal or inhalation are not known however this product in thought to be relatively non-toxic when used in accordance with label instructions. It does not contain any chemicals subject to the reporting requirements of SARA Section 313 (40 CFR 372).

Page 1 of 9

Printed: 6/2/18

Copyright © 2018

Hazard Statements:

May cause skin irritation and eye irritation. Harmful if inhaled (aspirated).



M.BARC PRODUCTS

Precautionary Statement:

Prevention: Wash thoroughly after handling. Wear protective eyewear Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use additional personal protective equipment as

required.

Response: If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing. IF ON SKIN: Wash with

plenty of water. If skin irritation occurs: Get medical advice/attention

immediately if ingested or aspirated call a POISON CENTER (1-800-222-1222) or consult a doctor. See product label for specific treatment. Remove

contaminated clothing and launder before reuse.

Storage: Store in closed containers in restricted location.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws, regulations, and product

characteristics at time of disposal.

Other hazards not resulting in GHS classification: None identified.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS number	Percent by Weight
Disodium Cocamido MEA Sulfosuccinate	61791-66-0	0.100% - 3.000%
Disodium Cocamido MIPA	68515-65-1	0.100% - 3.000%
Disodium Laureth Sulfosuccinate	39354-45-5	0.100% - 3.000%
N,N – dimethyl-9-decenamide	1356964-77-6	0.100% - 3.000%
Water	7732-18-5	88.00% - 99.00%

Trade secret information: We reserve the right to withhold specific chemical identities and/or percentages

of composition as trade secrets.

4. FIRST-AID MEASURES

General information: IF exposed or concerned: Get medical advice/attention.

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Take off contaminated clothing and launder before re-use. Wash skin thoroughly

with soap and water. If skin irritation occurs, get medical attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing. Call a POISONCENTER or doctor/physician if

irritation persists.



M.BARC PRODUCTS

Most important symptoms/effects, acute and delayed:

Symptoms: Symptoms may be delayed.

Immediate Medical Attention and Special Treatment Requirements:

Treatment: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

General Fire Hazards: Product is water based, No unusual fire or explosion hazards noted.

Extinguishing Media:

Suitable Appropriate to primary fire source. Product will tolerate CO₂, dry chemical,

foam, water spray, water fog.

Unsuitable: Avoid water reactive media.

Specific hazards: Material will not burn until water has boiled off or evaporated. When heated

hazardous gases may be released including carbon monoxide, Closed

containers may rupture on heating.

Special Protective Equipment and Precautions for Firefighters

Special procedures: Dike runoff areas to avoid release to storm sewers or navigable waterways.

Special protective

equipment:

Wear full protective fire gear including self-containing breathing apparatus

operated in the positive pressure mode with full face piece, coat, pants,

gloves and boots for all fires involving chemicals.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Do not handle damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ventilate area if spilled in confined space or other poorly ventilated areas.

Personal Protective Equipment must be worn,

Methods and material for containment and cleaning up:

Dike spillage area for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Wash area with soap and water. Spilled liquid and dried film are slippery. Use care to avoid falls. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.

Environmental Precautions: Avoid release to the environment. Do not contaminate water sources or

allow to enter storm sewer. Safely prevent further spillage.

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018 Page 3 of 9 Printed: 6/2/18 Copyright © 2018



M.BARC PRODUCTS

7. HANDLING AND STORAGE

Precautions for safe handling: Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use. Do not get in eyes. Avoid contact with skin. Observe good industrial hygiene practices. Provide adequate ventilation. Use personal protective equipment as required. Wash hands thoroughly after handling. Launder contaminated clothing before reuse. Avoid environmental contamination. Avoid breathing mists or vapors. When using do not eat, drink or

smoke. Keep containers closed when not in use.

Handling Temperature: Ambient indoor storage. Do not allow to freeze.

Conditions for safe storage,

including any incompatibilities:

Store away from water reactive, acidic and other incompatible materials. Do not store in open, unlabeled or mislabeled containers. Keep away from

children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

Occupational Exposure Limits

Chemical name	Type	Exposure Limits	Source of Information
Listed ingredients	Exposure Limits	EU Only (None)	CDC - NIOSH

Engineering Controls: Use material in well ventilated area only. Adequate ventilation should be

provided. Mechanical ventilation or local exhaust ventilation may be required.

Individual Protection Measures:

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Eye/face protection: Wear tight-fitting goggles or face shield.

Skin Protection:

Hand Protection: Use good industrial hygiene practices to limit or avoid skin contact. If contact may

occur wear chemically protective gloves

Other skin protection: Wear apron or protective clothing in case of contact. Do not wear rings, watches

or similar apparel that could entrap the material.

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018 Page 4 of 9 Printed: 6/2/18 Copyright © 2018



M.BARC PRODUCTS

Respiratory Protection: Under normal use conditions, respirator is not usually required. Use

appropriate respiratory protection if exposure to mist or vapors is likely. Use self-contained breathing apparatus for entry into confined space, for other

poorly ventilated areas and for large spill clean-up sites.

Hygiene measures: Observe good industrial hygiene practices. Do not get in eyes. Avoid contact

with skin. Wash contaminated clothing before reuse. Wash hands before

breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Liquid

Color: Clear Colorless

Odor: Characteristic of fragrance

Odor threshold: No data available.

Chemical Properties

pH Range: Slightly Alkaline

Freezing point:

Boiling Point:

Approximately that of water

Approximately that of water

Approximately that of water

Boils without Flashing)

Evaporation rate:

Approximately that of water

Flammability (solid, gas):

Upper limit - upper (%): Not Flammable.

Lower limit - lower (%): Not Flammable.

Explosive limit - upper (%): Not Explosive

Explosive limit - lower (%): Not Explosive.

Vapor pressure: Approximately that of water

Vapor density: Approximately that of water vapor

Relative density: Not determined

Solubility

In water: Miscible

Other: No data available.

Auto-ignition temperature: Not Flammable

Decomposition temperature: Boils without decomposing. Viscosity: Similar to that of water.

Other information

Bulk density: 8.5 lb/gal

Percent Non-Volatile Solids: Approximately 1%

Volatile Organic Compounds (VOC): Less than 1% Low Vapor Pressure (LVP) per California Air Resources

Board (CARB)

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018

Page 5 of 9 Printed: 6/2/18 Copyright © 2018



M.BARC PRODUCTS

10. STABILITY AND REACTIVITY

Reactivity: Stable under ambient conditions

Chemical Reactivity: Performance deteriorates in the presence of acidic material...

Hazardous Polymerization or

Other Reactions:

Not expected to occur.

Conditions to Avoid: Do not freeze or blend with acids.

Incompatible Materials: Strong acids and water reactive chemicals or metals.

Hazardous Decomposition

Products:

Thermal decomposition or combustion following loss of water content

may liberate carbon oxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: Avoid inhaling mist.

Ingestion: Do not swallow.

Skin Contact: Causes skin irritation. Wash off with water if exposed.

Eye contact: Causes eye irritation.

Information on toxicological effects

Acute Toxicity

Oral: Swallowing material may cause irritation of the gastrointestinal lining, nausea,

vomiting, diarrhea, and abdominal pain. Swallowing this material causes irritation of mouth, esophagus and stomach, with nausea, vomiting, diarrhea and abdominal

pain. Seek immediate medical attention.

Dermal: Not classified for acute toxicity based on available data.

Inhalation: Avoid inhalation of mists or vapors. Not classified for acute toxicity based on

available data.

Skin Corrosion/Irritation: Prolonged or repeated skin contact as from clothing wet with material may cause

dermatitis. Symptoms may include redness, edema, drying, and cracking of the

skin.

Eye Damage/Eye Irritation:

Mist may cause irritation. Causes eye irritation.

Respiratory sensitization: No data available

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018 Page 6 of 9 Printed: 6/2/18 Copyright © 2018



M.BARC PRODUCTS PRODUCTS

Skin sensitization: Not believed to be a skin sensitizer.

Specific Target Organ Toxicity - Single Exposure:

Mist or vapors from heating may cause irritation of upper respiratory tract.

Aspiration Hazard: No data available

Chronic Effects

Carcinogenicity: It is not anticipated that the hazard of carcinogenicity will result from

workplace exposure to this product or its solutions.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Not classifiable as to its carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

See section 8 of this SDS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

See section 8 of this SDS

Germ Cell Mutagenicity: Not classified per NIOSH

Reproductive Toxicity: Not classified per NIOSH.

.Specific Target Organ Toxicity - Repeated Exposure:

Prolonged or repeated skin contact product mixture may cause dermatitis with redness, edema, drying, and cracking of the skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Waste from normal product use may be disposed of in an EPA Permitted

Publicly Owned Treatment Works (POTW) in compliance with applicable Federal / Provincial / State / Local / Municipal pretreatment requirements or

a qualified Septic system.

13. DISPOSAL CONSIDERATIONS

Disposal instructions: Treatment, storage, transportation, and disposal must be in

accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue which may exhibit hazards of

product.

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018 Page 7 of 9 Printed: 6/2/18 Copyright © 2018



M.BARC PRODUCTS PRODUCTS

Used Packaging: Container packaging may exhibit residual hazards.

California Waste Code: 561 (Detergent and Soap)

14. TRANSPORT INFORMATION

DOT

Not Regulated

IMDG

Not regulated.

IATA

Not regulated.

Shipping descriptions may vary based on mode of transport, quantities ,temperature of the material, package size, and/or origin and destination It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. Review classification requirements before shipping materials at elevated temperatures.

15. REGULATORY INFORMATION

US Federal Regulations:

Toxic Substances Control Act (TSCA)

The ingredients in this product are listed or are exempt from listing on the U.S. Toxic Substances control Act (TSCA) Chemical Substance Inventory

Superfund Amendments and Reauthorization Act of 1986 (SARA)

This product does not contain any SARA 302 Extremely Hazardous Substances in regulated quantities.

US State Regulations:

California Proposition 65

This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects.

Canadian Regulations:

Complies with Canada's CEPA Environmental Toxic Substances List

Controlled Document-Version 1.4 SDS Revision Date 6/2/2018 Replaces SDS Issued: 2/2/2018 Page 8 of 9 Printed: 6/2/18 Copyright © 2018




M.BARC PRODUCTS PRODUCTS

16. OTHER INFORMATION

HMIS Hazard ID

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect"



Flammability Minimal Health Moderate Physical Hazards Minimal

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.