



DuraRidge[®] Hip & Ridge Shingles

Dimensional Hip & Ridge Shingles with SureNail[®] Technology



DEFEND.

**HELPS PROTECT AGAINST
NATURE'S ELEMENTS**



TruDefinition[®] Duration[®]
Driftwood[®]



TOTAL PROTECTION. TOTAL CONFIDENCE.™



SEAL.



DEFEND.



BREATHE.



The perfect finishing touch.

A new roof can give your home a whole new look and DuraRidge® Hip & Ridge Shingles provide the finishing touch. Featuring a bold, dramatic appearance and vibrant TruDefinition® colors,¹ DuraRidge® Hip & Ridge Shingles are a beautiful complement to our TruDefinition® Duration® Series shingles. In fact, Owens Corning and your contractor can help you choose a DuraRidge® Hip & Ridge Shingle and TruDefinition® Duration® Series Shingle that are perfectly matched to deliver beauty and performance for many years to come.

Add beauty. And protection.

DuraRidge® Hip & Ridge Shingles are the first to feature the Triple Layer Protection® of our patented SureNail® Technology. SureNail® Technology adds a layer of reinforcing fabric that clearly defines the nailing zone, taking the guesswork out of nail placement for top performance.

The first hip & ridge shingles with the strength of SureNail® Technology

DuraRidge® Hip & Ridge Shingles feature a woven engineered fabric embedded in the nailing area to provide reinforcing strength right where it does the most good.



DuraRidge® Hip & Ridge Shingles at a glance:	DuraRidge® Hip & Ridge Shingles	Traditional Cut-up 3-tab
Tapered headlap and clean lines add depth and dimension	✓	—
Simple, ready-to-install design with precut pieces	✓	—
Engineered to deliver 130-MPH wind warranty performance ²	✓	—
Limited Lifetime Warranty* when installed with TruDefinition® Duration® Series as well as other Owens Corning® laminate shingles	✓	—
Designed to be flexed over the ridge	✓	—
Part of the Owens Corning® Total Protection Roofing System**	✓	—



The SureNail® difference. A technological breakthrough in roofing.

DuraRidge® Hip & Ridge Shingles are the first hip & ridge shingles with the strength of patented SureNail® Technology.

Breakthrough Design

A tough, woven engineered reinforcing fabric in the nailing area promotes easy, fast and consistent fastening, and provides excellent blow-through and nail-pull resistance.



Durable construction.

Granules on the front and back of the shingle help deliver long-term durability while adding dimension to your roof.




Easy installation.

SureNail® Technology provides a prominent nailing area for faster installation while adding strength to help eliminate contractor callbacks due to shingle blow off.



Excellent curb appeal.

High-profile and layered design enhances your roof line and adds a refined look to your entire home.



Excellent Adhesive Power

Specially formulated, wide adhesive bands help keep shingle layers laminated together.

Triple Layer Protection^{®3}

A unique "triple layer" of reinforcement occurs when the fabric overlays the common bond of the laminated layers, offering excellent fastener holding power.



It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside. The Owens Corning® Total Protection Roofing System[™] gives you the assurance that all of your Owens Corning roofing components are working together to help increase the performance of your roof — and to enhance the comfort and enjoyment of those who live beneath it.

APPLICABLE STANDARDS AND CODES

- ASTM D228
- ASTM D3018 (Type 1)
- ASTM D3462
- ASTM D3161 (Class F Wind Resistance)
- ASTM E108/UL 790 (Class A Fire Resistance)
- CSA A123.5⁴
- Florida Product Approval
- Miami-Dade Product Approval⁵
- UL ER2453-01⁶

PRODUCT COLOR & AVAILABILITY VARY BY REGION¹

Color Selection

- Aged Copper
- Amber
- Antique Silver
- Brownwood
- Chateau Green
- Colonial Slate
- Desert Tan
- Driftwood
- Estate Gray
- Harbor Blue
- Merlot
- Onyx Black

Color Selection

- Pacific Wave
- Quarry Gray
- Sand Dune
- Sedona Canyon
- Shasta White
- Sierra Gray
- Slatestone Gray
- Storm Cloud
- Summer Harvest
- Teak
- Terra Cotta
- Williamsburg Gray

PRODUCT SPECIFICATIONS

Product Width	12"
Exposure	8"
Pieces per Box	30
Lineal Coverage per Box	20 ft.
Boxes per Pallet	48

TOTAL PROTECTION SIMPLIFIED[™]

SEAL.

HELPS CREATE A WATER-PROOF BARRIER

Ice & Water Barrier
Synthetic Underlayment

DEFEND.


HELPS PROTECT AGAINST NATURE'S ELEMENTS

Starter Shingles
Shingles
Hip & Ridge Shingles

BREATHE.

FOR BALANCED ATTIC VENTILATION

Intake Vents
Exhaust Vents



+ COMFORT.

Add comfort and energy performance with proper attic insulation.



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK^{*}
www.owenscorning.com/roofing

[†] Actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

[^] Excludes Non-Owens Corning Roofing products such as flashing, fasteners, and wood decking.

^{*} Limited Lifetime (for as long as you own your home). See actual warranty for complete details, limitations and requirements.

¹ Color availability varies by region. Visit owenscorning.com/roofing for more information.

² 130 MPH is applicable only with 4-nail application in accordance with installation instructions.

³ The amount of Triple Layer Protection[®] may vary on a shingle-to-shingle basis.

⁴ Only on product sold in Canada.

⁵ Applies for all areas that recognize Miami-Dade County Product Control Section.

⁶ Underwriters Laboratories Evaluation Service Evaluation Report.

SureNail[®] Technology is proprietary with U.S. and foreign protection including U.S. Patent Nos. 6,471,812; 7,836,654; 8,156,704; 8,181,413; 8,240,102; 8,430,983; 8,607,521; patents pending.

SureNail[®] Technology is not a guarantee of performance in all weather conditions.

SureNail[®] Technology is available only on Owens Corning Duration[®] Series Shingles.