





































A  32PCS	B  32PCS	C  29PCS	D 300MM  1PCS	E 300MM  1PCS	F 300MM  1PCS	G 300MM  1PCS	H  4PCS	I  8PCS
J 3.5*14  16PCS	K 3.5*25  8PCS	L 3.5*35  4PCS	LED  1PCS					




1  1300*334 1PC	2  700*334 1PC	3  700*334 1PC	4  434*334 1PC	5  434*334 1PC	6  220*334 1PC	
7  220*334 1PC	8  164*334 2PCS	9  698*248 1PCS	10  120*300 1PCS	11  120*300 1PCS	12  612*120 1PCS	13  284*60 1PCS
14  370*80 1PCS	15  370*80 1PCS	16  1300*80 1PC	17  622*294 1PC	18  678*230 1PC	19  330*282 2PC	


1




	A*28
	C*11
	I*4
	J*4

2




	B*8
	C*8
	D*1
	E*1
	J*4
	H*4
	K*8

③




x2




	B*4
	C*8
	I*4
	J*4

4






B*8

5




B*8

6





	A*4
	B*4
	C*2
	F*1
	G*1
	J*4
	J*4

7



8



After the installation was complete, remove the plastic gasket on the remote control, then align the sensor on the LED light for remote operation.