



# Certificate of Compliance

**Certificate:** 80154159

**Master Contract:** 303568

**Project:** 80154159

**Date Issued:** April 27, 2023

**Issued To:** Shuangpai JC Intelligent Technology Co., Ltd.  
Suite 5F Building 2, Shuangpai  
Industry Park at Longpo Town  
Shuangpai, Hunan, 425200  
China

**Attention:** Yeming- Zhong

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*



*Tony Wang*

**Issued by:** Tony Wang

## PRODUCTS

CLASS 2811 03 - HEATERS-Air - Stationary Type

CLASS 2811 83 - HEATERS-Air - Stationary Type - Certified to US Standards

Wall-insert Heater, household use, stationary type, grounded, cord-connected or permanently connected, rated 120 V, 60 Hz, 1400 W.

Models	JC-	<u>XX</u>	01E	*
Position		1		2

Position 1: XX's suffix are ('18','23','26,') denoting the length of product.

Position 2: \* suffix are ('A','B','C', 'D,') denoting the difference between the models of same size.

Note: See description report for detailed listed model numbers.



**Certificate:** 80154159  
**Project:** 80154159

**Master Contract:** 303568  
**Date Issued:** April 27, 2023

---


**APPLICABLE REQUIREMENTS**

C22.2 No. 46-13	-	Electric Air-Heaters
UL 2021 (4th Edition, Feb 2, 2021)	-	Fixed and Location-Dedicated Electric Room Heaters

**Notes:**

---

Products certified under Class C281103 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). [www.scc.ca](http://www.scc.ca)





## *Supplement to Certificate of Compliance*

**Certificate:** 80154159

**Master Contract:** 303568

*The products listed, including the latest revision described below,  
are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

---

<b>Project</b>	<b>Date</b>	<b>Description</b>
80154159	2023-04-27	Original certification of electric fireplace, household use, cord-connected, grounded, models JC-XX01E*, rated 120 V, 60 Hz, 1400 W. And IFE for new factory.