

# **VEVOR<sup>®</sup>**

## **TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate [www.vevor.com/support](http://www.vevor.com/support)

### **LINEAR DRAIN**

**MODEL:IDP**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and dose not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

# VEVOR®

TOUGH TOOLS, HALF PRICE

## LINEAR DRAIN

MODEL:IDP



### NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**  
**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Warning-To reduce the risk of injury, user must read instructions manual carefully.

Check carefully to make sure there are no missing or defective parts. Improper installation may cause damage or serious injury. We cannot be liable for damage or injury caused by improper mounting, incorrect assembly, or inappropriate use.

**WARNING:**

1. Do not allow children to climb on the unit.
2. Keep children and pets away during assembly.
3. To avoid the danger of suffocation, always keep plastic bags away from children and pets.

**ASSEMBLY PRECAUTIONS**



1. Please assemble the product in strict accordance with the instructions. Incorrect assembly could be hazardous.
2. Please wear safety goggles and work gloves properly during assembly.
3. Do not try to assemble the product when feeling tired or when under the influence of alcohol, drugs or medication.
4. Waterflow capacity and other product parameters are applied to the properly and completely assembled product only.
5. Separate and count all parts and hardware.
6. Prepare the following tool: Philips Head Screwdriver.
7. If using power tools, please be careful to slow down and stop when needed.
8. Two people are required for assembly.
9. Follow the intended uses only. Do not sit or stand on the above. Save these instructions.

| Part List |                  |                                                                                                   |                                                                                              |
|-----------|------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| NO.       | Model            | <br>Gutter Group | <br>End Cap |
| 1         | IDP 100*45-3000  | 3                                                                                                 | 3                                                                                            |
| 2         | IDP 100*45-4000  | 4                                                                                                 | 4                                                                                            |
| 3         | IDP 100*45-5000  | 5                                                                                                 | 5                                                                                            |
| 4         | IDP 100*45-6000  | 6                                                                                                 | 6                                                                                            |
| 5         | IDP 100*100-3000 | 3                                                                                                 | 3                                                                                            |
| 6         | IDP 100*100-6000 | 6                                                                                                 | 6                                                                                            |
| 7         | IDP 100*150-4000 | 4                                                                                                 | 4                                                                                            |
| 8         | IDP 100*150-5000 | 5                                                                                                 | 5                                                                                            |



## Product introduction

| Model            | Length(mm) | Max. Waterflow Rate (L/min) | Trench Drain Colour |
|------------------|------------|-----------------------------|---------------------|
| IDP 100*45-3000  | 3000       | 1080                        | Black               |
| IDP 100*45-4000  | 4000       | 1080                        | Black               |
| IDP 100*45-5000  | 5000       | 1080                        | Black               |
| IDP 100*45-6000  | 6000       | 1080                        | Black               |
| IDP 100*100-3000 | 3000       | 2142                        | Black               |
| IDP 100*100-6000 | 6000       | 2142                        | Black               |
| IDP 100*150-4000 | 4000       | 3342                        | Black               |
| IDP 100*150-5000 | 5000       | 3342                        | Black               |



## IDP 100\*45



## IDP 100\*100




## IDP 100\*150



## Installation


## Trench drain assemble method:




### Attention:

The length of the plastic ditch body is 1000 mm, and the length of the stainless steel cover plate is 995 mm. The cover plate is shorter than the ditch body for freely installing and disassembling the end cap. Please install the stainless steel cover plate on the side position of the ditch body, as shown in Image 1, other ditch bodies and stainless steel cover plates are installed in accordance with the scheme shown in Image 1. After the connection of each piece of stainless steel cover plate, as Image 1 showed, there will be 5 mm space left for drainage without affecting its appearance. On the other hand, if you connect the 100 pcs cover plate piece by piece on one side, as Image 2 showed, there will left a 5 mm ditch body without any covering still. This extra space facilitates end Cap installation and disassembly. If you do not use the installation scheme shown in image 1, you are likely to face the end cap will not fit smoothly into the ditch body.

### Image 1:



**Image 2:**



**Pipe assembly method:**



**Manufacturer:** Shanghaimuxinmuyeyouxiangongsi

**Address:** Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

**Imported to AUS:** SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

**Imported to USA:** Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH  
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.  
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

# VEVOR®

**TOUGH TOOLS, HALF PRICE**

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**