
10'×12'


SKU:LGMF8160A

HARDTOP GAZEBO WITH DOUBLE ROOF



Assembly Manual





Pre-assembly

TOOLS THAT MAY BE REQUIRED (Not included in boxes)

*NOTE: Tools / equipment are not shown to actual size and scale.



LEVEL



RUBBER MALLET



PHILLIPS SCREW



DRILL



ALLEN KEY



ALLEN KEY

EQUIPMENT REQUIRED (Not included in boxes)

*NOTE: Equipment are not shown to actual size and scale.



SAFETY HAT



GLOVES



SAFETY GOGGLES



STEPLADDER

Matters needing attention




Two or more people are required for assembly.





Do not fully tighten screws prior to complete assembly.


MOUNTING BLUEPRINT

Gazebo 10×12












CHECK LIST































































▲ It's a normal situation that there's a gap between the 2 beams, please use silicone sealant (part #H2) and bracket #H to affix the gap.(see P52-53)











STEP 1






























Don't fully tighten the screw 1#, It might cause problem on roofs installation.















Check the the frame as pictures below shows.
























































































































STEP 4
















































STEP 4














Care and Cleaning

Wash frame parts and fabric with mild soap and water, rinse thoroughly.

Dry frame completely and allow the fabric to drip dry.

Do not use bleach, acid, or other solvents on the fabric or frame parts.

Please inspect and tighten all bolts or fasteners on a regular basis to ensure proper performance and safety of your gazebo.