


**ASSEMBLY INSTRUCTIONS**  
**TEAK CONSOLE TABLE**  
**IT-350275T**



**CUSTOMER SERVICE INFORMATION**

**Please do not return to the store. If any pieces are missing call our toll free number at 1-888-287-4275 from 9:00 am to 5.00 pm CST (Monday to Friday) for replacement parts. For faster service, have the style number handy when calling.**



## GENERAL INFORMATION & TIPS

1. Please read the assembly instructions prior to assembling the Console Table.
2. To avoid damage, assemble the console table on a non-abrasive surface such as carpet.
3. Make sure all bolts tightly fastened before use the console table.
4. This console table is not for commercial use.




Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts.

### TOOLS REQUIRED :


1. 8" Philips screwdriver (Not provided).  
- For tightening all screws.
  
2. Rubber Mallet (Not provided).  
- For tapping in the wooden caps.



## PARTS AND HARDWARE LIST


A. Leg Frame	B. Table Top	C. Tray	D. Apron
			
Qty : 2 Pcs	Qty : 1 Pc	Qty : 1 Pc	Qty : 2 Pcs
E. 1 1/2" Bolt	F. 2 1/2" Bolt	G. Wooden Cap	
			
Qty : 8 + 1 Pcs	Qty : 6 + 1 Pcs	Qty : 8 + 1 Pcs	

### STEP 1




Attach two Aprons (D) onto Table Top (B).  
Secure using 2 1/2" bolts (F), As shown.  
Do not tighten bolts yet.

### STEP 2




Attach Leg frame (A) into the pre-assembled and then,  
attach Tray (C) into Leg frame (A), secure using 1 1/2"  
bolts (E). As shown

### STEP 3



Attach the other Leg frame (A) into pre-assembled  
frame and secure using 1 1/2" bolts (E).

### STEP 4



Next, upright the table.  
Make sure all parts are correctly connected and tighten  
all bolts using screwdriver.  
Tapping in the wooden cap (G) to cover bolts head using  
rubber mallet.

**CONGRATULATION !**

THE TABLE BENCH IS NOW READY FOR USE.