
PARTS SUPPLIED:

Mounting bolts (2) Short screws (2)

Short screws (2)

INSTALLATION

- Run HDMI cable(s) from the desired source through the wall into the electrical box.
- Plug the HDMI cable into the HDMI jack on the back of the wall plate.
- Put the wall plate on the electrical box, insert the supplied mounting bolts into the top and bottom large holes on the mounting bracket, then tighten them.
- Place the decorated plate over the wall plate and secure it with the two supplied short screws.
- Plug the receiving device's HDMI cable into the HDMI jack on the front of the wall plate.




PARTS SUPPLIED:

Mounting bolts (2) Short screws (2)

SHOIL SCIEWS (2)

INSTALLATION

- Run HDMI cable(s) from the desired source through the wall into the electrical box.
- Plug the HDMI cable into the HDMI jack on the back of the wall plate.
- Put the wall plate on the electrical box, insert the supplied mounting bolts into the top and bottom large holes on the mounting bracket, then tighten them.
- 4. Place the decorated plate over the wall plate and secure it with the two supplied short screws.
- Plug the receiving device's HDMI cable into the HDMI jack on the front of the wall plate.




PARTS SUPPLIED:

Mounting bolts (2) Short screws (2)

INSTALLATION

- Run HDMI cable(s) from the desired source through the wall into the electrical box.
- Plug the HDMI cable into the HDMI jack on the back of the wall plate.
- Put the wall plate on the electrical box, insert the supplied mounting bolts into the top and bottom large holes on the mounting bracket, then tighten them.
- 4. Place the decorated plate over the wall plate and secure it with the two supplied short screws.
- Plug the receiving device's HDMI cable into the HDMI jack on the front of the wall plate.



PARTS SUPPLIED:

Mounting bolts (2)

Short screws (2)

INSTALLATION

- Run HDMI cable(s) from the desired source through the wall into the electrical box.
- Plug the HDMI cable into the HDMI jack on the back of the wall plate.
- Put the wall plate on the electrical box, insert the supplied mounting bolts into the top and bottom large holes on the mounting bracket, then tighten them.
- 4. Place the decorated plate over the wall plate and secure it with the two supplied short screws.
- Plug the receiving device's HDMI cable into the HDMI jack on the front of the wall plate.

