SAFETY DATA SHEET

16-Aug-2019

1. IDENTIFICATION

Product identifier

Product Name Clorox Pool&Spa D.E. Media + Filter Aid

Other means of identification

Product Code 50124CLX

Recommended use of the chemical and restrictions on use
Recommended Use Swimming Pool Product.
Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address Easy 123 Pool Care LLC 1725 N. Brown Road Lawrenceville, GA 30043 Telephone: 800-767-7665

Emergency telephone number

Emergency Telephone Chemtrec (Transportation) 1-800-424-9300, 703-527-3887

Poison Control Center (Medical): (877) 800-5553

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

May cause cancer by inhalation

Causes damage to lungs through prolonged or repeated exposure.



Color white, off-white Physical state Solid Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wear eye/face protection Wear respiratory protection

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up Store in a dry place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

155% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
diatomaceous earth (Dust and natural)	68855-54-9	100
cristobalite (Fr = 100%)	14464-46-1	35-50%

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Do not rub affected area. If

eye irritation persists: Get medical advice/attention.

Skin contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician. Use moisture renewing lotions if dryness occurs.

Inhalation Remove to fresh air. Drink water and blow nose to remove dust.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If

symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid creating dust. Avoid

inhalation of the product. Avoid contact with eyes and skin.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Prevent dust cloud.

Methods for cleaning up

Use personal protective equipment as required. Do not dry sweep dust. Wet dust with

water before sweeping or use a vacuum to collect dust. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface

thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid creating dust.

Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep out of the reach of children.

Incompatible materialsDo not mix with other swimming pool/spa chemicals in their concentrated forms.

Hydrofluoric acid.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
cristobalite (Fr = 100%)	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m³ TWA: 50 μg/m³	IDLH: 25 mg/m³ respirable dust
14464-46-1	particulate matter	excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays	TWA: 0.05 mg/m³ respirable dust

(vacated) TWA: 0.05 mg/m ³
respirable dust
: (1/2)(250)/(%SiO2 + 5) mppcf
TWA respirable fraction
: (1/2)(10)/(°wSiO2 + 2) mg/m³
TWA respirable fraction

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection Respirator must be worn if exposed to dust. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

(dust, vapor, mist, gas). Avoid contact with eyes, skin and clothing. Wash hands thoroughly

This product is not flammable.

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid Appearance powder

AppearancepowderOdorOdorlessColorwhite, off-whiteOdor thresholdNo information available

PropertyValuesRemarks • MethodpH8 - 1110% Slurry

pH 8 - 11 Melting point / freezing point > 1300 °C / 2372 °F

Boiling point / boiling range
Flash point
Evaporation rate

No information available
No information available
No information available

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 2.3 Water solubility negligible

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Dynamic viscosityNo information availableDensityNo information availableBulk densityNo information available

Explosive propertiesNo information available
Oxidizing properties
No information available

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Do not mix with other swimming pool/spa chemicals in their concentrated forms. Hydrofluoric acid.

Hazardous Decomposition Products

Silicon Dioxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact Dust contact with the eyes can lead to mechanical irritation.

Skin contact PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.

Ingestion May cause irritation.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
diatomaceous earth (Dust	-	Group 3	-	-
and natural)		·		
68855-54-9				
cristobalite (Fr = 100%)	A2	Group 1	Known	X
14464-46-1		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Not classifiable as a human carcinogen

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicitySTOT - single exposure
No information available.
No information available.

STOT - repeated exposureCauses damage to lungs through prolonged or repeated exposure.

Chronic toxicity Crystalline silica (quartz) has been classified by the International Agency for Research on

Cancer (IARC) as a known human carcinogen (Group 1). Inhalation overexposure to free crystalline silica may cause delayed lung injury including silicosis, a disabling and potentially fatal lung disease. May cause respiratory impairment and lung damage.

Target Organ Effects Eyes, lungs, Respiratory system.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The material is generally considered non-hazardous to the environment as a naturally mined and processed inorganic mineral.

155% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

Not readily biodegradable.

Bioaccumulation

Bioaccumulation is unlikely.

Mobility

None known.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Refer to all federal, state and local regulations prior to disposal of

container and unused contents by reuse, recycle or disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardNoChronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product can expose you to crystalline silica and quartz which are known to the State of California to cause cancer.

Chemical Name	California Proposition 65
cristobalite (Fr = 100%) - 14464-46-1	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
diatomaceous earth (Dust and	-	-	X
natural)			
68855-54-9			
cristobalite (Fr = 100%)	X	X	X
14464-46-1			

U.S. EPA Label Information

EPA Pesticide Registration Number This product does not contain any substances regulated as pesticides **Difference between SDS and CPSC label**

This product is regulated under Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act (16 CFR Part 1500). These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace product labels.

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1* Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Regulatory Affairs Revision Date Regulatory Affairs

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet