



Technical Support and E-Warranty Certificate www.vevor.com/support

Baseball Practice Net

We continue to be committed to provide you products with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain products with us compared to the major top brands and does not necessarily mean to cover all categories of products offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Baseball Practice Net



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Model:YC-SS-BN001



Model:YC-SS-BN002



Model:YC-SS-BN003



Model:YC-SS-BN004




Model:YC-SS-BN005



Model:YC-SS-BN006



Model:YC-SS-BN007



Technical Specifications

Model	N. W.	G. W.	Package Size
YC-SS-BN001	11.5LBS (5.2 kg)	13 LBS (5.9 kg)	36.4×6.3×5.5 inch (925×160×140 mm)
YC-SS-BN002	10.4 LBS (4.73 kg)	12.3 LBS (5.6 kg)	42.7×5.9×5.5 inch (1085×150×140 mm)
YC-SS-BN003	10.7 LBS (4.86 kg)	13 LBS (5.9 kg)	42.7×5.9×5.5 inch (1085×150×140 mm)
YC-SS-BN004	16.1 LBS (7.3 kg)	18.1 LBS (8.2 kg)	42.7×5.9×5.9 inch (1085×150×150 mm)
YC-SS-BN005	18.8 LBS (8.54 kg)	21.2 LBS (9.6 kg)	42.7×6.7×6.7 inch (1085×170×170 mm)
YC-SS-BN006	21.9 LBS (9.92 kg)	23.9 LBS (10.84 kg)	44.3×6.3×7.5 inch (1125×160×190 mm)
YC-SS-BN007	3.1 LBS (1.4 kg)	3.6LBS (1.63 kg)	12×7.9×4.9 inch (305×200×125 mm)

SAFETY



Note / Remark.



Caution / Warning.



Read the instruction manual.



Read this material before using this product. Failure to do so can result in serious injury. Save This Manual.



Assembly precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Keep assembly area clean and well lit.
3. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities apply to properly and completely assembled product only.



Use precautions

TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:

1. CHOKING HAZARD - Small parts. Not for children under 3 years
2. Use as intended only.
3. Inspect before every use; do not use if parts are loose or damaged.




WARNING!


- 1、 Always install the Baseball Practice Net securely.
- 2、 To prevent serious injury, securely install Baseball Practice Net and use it according to manufacturer's instructions.
- 3、 Incorrect installation can be dangerous.

- 4、 Danger to older children if climbing over the product.
 - 7、 Take care to avoid pinching at all joint locations.
 - 8、 Baseball Practice Net shall be checked regularly to ensure that it is secured and functioning in accordance with these instructions.
 - 9、 Additional or replacement parts shall only be obtained from the manufacturer or distributor.
- DO NOT** let comfort or familiarity with product (gained from repeated use) replace strict adherence to the product safety rules. You can suffer serious personal injury if you use this product unsafely or incorrectly.


Installation INSTRUCTIONS




1. Join two straight Pipes together.(Fig. A) Then attach both end legs(Fig. B)




2. Install two lower Black Rods with Coupling Tubes up, into angled Pipes.




3. Thread Sleeve over Black Rod. Make sure logo is not upside down.




4. Repeat with Sleeve pocket over other Black Rod.




5. Take Black Rod and slide into lower rod's Coupling Tube.




6. Hold Black Rod while pulling Sleeve up. Loop white cord over rod top.



7. Take the last Black Rod and slide into Rod Coupling Tube.



8. Grip Black Rod and pull Sleeve up. Loop Cord over pole top. (X in Fig.8)



9. Take lower Elastic Loops and place under stud on both end legs. 10. Wrap velcro around frame.

MAINTENANCE/ Service

Have a qualified repair person serviced your Baseball Practice Net using only identical replacement parts. This will ensure that the safety of the Baseball Practice Net is maintained. A dusty, damp or corrosive environment can cause damage to the Baseball Practice Net .

Please note that: Lack of maintenance may result in warranty cancellation. The guarantee of this tool will be void if the Baseball Practice Net had been modified without the consent of an authorized manufacturer representative.

Warranty

1. This warranty shall only cover claims for damage due to a fault in the product's manufacture
2. If a warranty claim is made, the party entitled to warranty cover must present the proof of purchase, including the purchase date.
3. Customers' satisfaction is always the motivation of our brand growth. We promise to help you solve any issues . Please just let us know if you need help.

OUR SERVICE TEAM PROMISES TO REPLY TO YOUR MESSAGE WITHIN 24H.

Scope of Warranty

1. We guarantee that VEVOR products are produced in accordance with ISO 9001 Quality Management procedures and are free of manufacturing defects for the period of warranty.
2. This warranty covers faults in the products due to manufacturing defects within 1 year from date of purchase. After inspection by sales representative, defective products will be replaced or repaired with equivalent goods free of charge.
3. Any warranty claim made during warranty period shall not extend the overall warranty coverage period.
4. Warranty periods: Warranty claim date

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate
www.vevor.com/support
Made In China