Safety Data Sheet:

Supercedes Date: 12/16/2021 Issuing Date: 01/20/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Liquid Rhyno DRAIN OPENER

Recommended use Drain opener Information on Manufacturer DANCO, Division of NCH Corporation 2727 Chemsearch Blvd. Irving, TX 75062 Product Code: 9DLR010963

Chemical nature Sodium Hypochlorite Solution

Emergency Telephone CHEMTREC® 800-424-9300

Telephone inquiry 1-800-523-5135

2. HAZARD IDENTIFICATION

Color Colorless - Light yellow Physical state Liquid Odor Slight chlorine

GHS

Classification

Physical Hazards Corrosive to Metals

Category 1

Health Hazard

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1 Category 1

Other hazards

None

Labeling Signal Word **DANGER**



Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P103 - Read label before use

P280 - Wear protective gloves, protective clothing and eye protection.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P260 - Do not breathe fumes

P270 - Do not eat, drink or smoke when using this product

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332 + P313 - If skin irritation occurs, get medical attention.

P363 - Wash contaminated clothing before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a physician.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms, call a physician.

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Call a physician if unwell.

P390 - Absorb spillage to prevent damage.

P406 - Store in a corrosion-resistant container.

P501 - Dispose of contents and container in accordance with applicable regulations

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Sodium hypochlorite	7681-52-9	10-15
Sodium hydroxide	1310-73-2	1-5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General advice Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist.

Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove

contact lenses, if worn, Get medical attention,

Skin Contact Wash with soap and water. Remove contaminated clothing and launder. Get medical

attention if irritation develops or persists. Thoroughly wash or discard clothing and shoes

before reuse.

Inhalation Remove person to fresh air. If signs/symptoms continue, get medical attention.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention if symptoms

occur.

Notes to physicianTreat symptomatically. The product causes burns of eyes, skin and mucous membranes.

Control of circulatory system, shock therapy if needed.

5. FIRE-FIGHTING MEASURES

Flash Point No information available.

Upper: No data available

Method No information available

Lower: No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

Material can create slippery conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NOHSC (approved or equivalent) and full protective

gear.

NFPA Health 3 Flammability 0 Instability 1
HMIS - Health 3 Flammability 0 Physical Hazard 1

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Prevent further leakage or spillage if safe to do so.

Material can create slippery conditions.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

Neutralizing Agent None known.

7. HANDLING AND STORAGE

Handling Do not get in eyes, on skin or on clothing. Do not breathe mist, vapors, or spray.

Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated

place. Metal containers must be lined.

Storage TemperatureMinimumNo information availableMaximumNo information availableStorage ConditionsIndoorOutdoorHeatedRefrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	10 mg/m ³
		_	Ceiling: 2 mg/m ³

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal Protective Equipment

Eye/Face Protection Skin Protection

Tightly fitting safety goggles. Face-shield.

Wear suitable protective clothing, Impervious gloves.

In case of inadequate ventilation wear respiratory protection. When workers are facing **Respiratory Protection**

concentrations above the exposure limit they must use appropriate certified respirators. Remove and wash contaminated clothing before re-use. Ensure that eyewash stations and **General Hygiene Considerations**

safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid Viscosity No information available Physical state

Color Colorless - Light yellow Odor Slight chlorine **Odor Threshold** Not applicable **Appearance** No information available.

Ha 12 **Specific Gravity** 1.1 **Evaporation Rate** No information available Percent Volatile (Volume) 95

VOC Content (%) No data available VOC Content (g/L) No data available Vapor pressure 17.5 mmHg @ 68°F Vapor Density No information available Solubility Completely soluble n-Octanol/Water Partition No data available Melting Point/Range 21 °F / -6 °C **Decomposition Temperature** No data available 104 °F / 40 °C **Boiling Point/Range** Flammability (solid, gas) No data available **Flash Point** No information available. Method No information available

Autoignition Temperature No information available. **Upper:** No data available **Lower:** No data available

10. STABILITY AND REACTIVITY

Chemical Stability

Conditions to Avoid

Incompatible Products

Decomposition Temperature Hazardous Decomposition Products

Possibility of Hazardous Reactions

Stable. Hazardous polymerization does not occur.

Keep away from open flames, hot surfaces, and sources of ignition, Extremes of temperature and direct sunlight.

Ammonia, Amines, Ammonium salts, Acids, Strong oxidizing

agents. Metals. No data available

Carbon oxides, Chlorine gas, Sodium oxides.

None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral LD50 Dermal 8200 mg/kg Rat 10,000 mg/kg Rabbit

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 No information available **Dermal LD50** No information available

Inhalation LC50

Gas No information available Mist No information available No information available Vapor

Principle Route of Exposure Skin contact, Eye contact.

Skin contact, Eye contact, Inhalation. **Primary Routes of Entry**

Acute Effects:

Eyes Corrosive to the eyes and may cause severe damage including blindness.

Skin Causes severe skin burns. Inhalation Severe respiratory irritant.

Ingestion If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Chronic Toxicity Inhaled cor

Inhaled corrosive substances can lead to a toxic edema of the lungs.

Target Organ Effects: Aggravated Medical Conditions Skin, Eyes, Respiratory system. Skin disorders, Respiratory disorders.

Component Information

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	Draize Test	Other
Sodium hypochlorite 7681-52-9	= 8.91 g/kg (rat)	> 20000 mg/kg (rabbit)	> 10.5 mg/L (rat) 1 h	No data available	No data available
Sodium hydroxide 1310-73-2	325 mg/kg (rat)	= 1350 mg/kg (rabbit)	No data available	No data available	No data available

Chronic Toxicity

om om o roxion					
Chemical name	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium hydroxide 1310-73-2	No data available	No data available	No data available	No data available	Skin; Eyes; Respiratory system

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

				, , , , , , , , , , , , , , , , , , ,	
Chemical name	ACGIH	IARC	NTP	OSHA	Other
Sodium hypochlorite	Not applicable	Group 3	Not applicable	Not applicable	Not applicable
7681-52-9					

12. ECOLOGICAL INFORMATION

Product Information

No information available.

Additional Ecological

No information available

Information:

Component Information

Chemical name	Toxicity to Algae	Toxicity to Fish	Microtox	Crustacea	Partition coefficie nt
Sodium hypochlorite	CE50 (Skeletonema costatum, 24h) = 0.095 mg/L	CL50 (Lepomis macrochirus, 96h): 0.39 mg/L	No information available	CE50 (Dapnhia magna, 48h): 0.033 - 0.055 mg/L	N/A
Sodium hydroxide	No information available.	CL50 (Oncorhynchus mykiss, 96h) = 45.4 mg/L	No information available	No information available.	N/A

Persistence and Degradability

Bioaccumulation Mobility

No information available. Not likely to bioaccumulate. No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Container Disposal Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery, or waste disposal. Do not

re-use empty containers.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8

UN-No UN1791 Packing Group III

Reportable Quantity (RQ) SODIUM HYPOCHLORITE, RQ kg = 864.7619 UN1791,HYPOCHLORITE SOLUTION,8,PG III

TDG

Proper shipping name HYPOCHLORITE SOLUTION

Hazard Class 8 UN-No UN1791 Packing Group III

Description UN1791,HYPOCHLORITE SOLUTION,8,PG III

ICAO

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group III

Shipping Description UN1791,HYPOCHLORITE SOLUTION,8,PG III

IATA

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group III
ERG-Code 8L

Shipping Description UN1791,HYPOCHLORITE SOLUTION,8,PG III

IMDG/IMO

UN proper shipping name HYPOCHLORITE SOLUTION

Hazard Class 8
UN Number UN1791
Packing Group III
EmS No. F-A, S-B

Description UN1791,HYPOCHLORITE SOLUTION,8,PG III

15. REGULATORY INFORMATION

Inventories

TSCA Listed DSL / NDSL Listed

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

See Section 2

CERCLA

Chemical name	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hypochlorite	100 lb	Not applicable
Sodium hydroxide	1000 lb	Not applicable

U.S. State Regulations California Proposition 65

This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By Kim Franklin Supercedes Date: 12/16/2021 Issuing Date: 01/20/2022

Reason for Revision
Glossary
No information available.
No information available.
No information available.

DANCO, Division of NCH Corporation assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material

designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.