


OWNER'S MANUAL

34" WOOD SIDEBOARD



Contact Us

If you have any questions,
Please contact customer service.





Email: service@cozfurn.com

Scan the QR code to watch the installation video.



SAFETY PRECAUTIONS

Assembly Checklist


 Read through the instructions carefully before you begin.	 Make sure you have all the required tools. Never use power tools unless instructed.
 Identify and lay out all of the components before you begin assembly.	 Two people are required to assemble.

Useful Information

- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please email us.


SAFETY PRECAUTIONS

QUICKFIT




Tighten quickfit until shoulder is flush with panel. Do not overtighten or undertighten.

CAM LOCK



When fitting cam lock, ensure starting position is correct before you insert connecting quickfit.

Quickfit head should be in the centre of the cam lock when the two panels are joined. Cam lock should be inserted before quickfit.



PRODUCT WARRANTY INSTRUCTION



Free Warranty Period:

The free warranty period starts from the product receipt date and lasts one year.



Coverage during the Free Warranty Period:

1. If any components of the purchased product are damaged due to non-human-induced reasons natural wear and tear excluded corresponding new parts will be replaced free of charge.

2. If the entire purchased product is damaged due to non-human-induced reasons natural wear and tear excluded and cannot be further used, corresponding parts or a brand-new product will be replaced free of charge.



Coverage after the Free Warranty Period:

After the warranty period expires, replacement components will be provided to customers at cost price for continued service.




Additional Services:

After purchasing the product, customers can consult our staff for any product-related inquiries.























Contact Email : Service@cozfurn.com

ACCESSORIES DISPLAY






ACCESSORIES DISPLAY



 ① x1	 ② x1	 ③ x1	 ④ x1	 ⑤ x1	 ⑥ x1
 ⑦ x1	 ⑧ x1	 ⑨ x1	 ⑩ x2	 ⑪ x1	 ⑫ x1
 ⑬ x2	 ⑭ x2	 ⑮ x4			
 Ax13	 Bx13	 Cx26	 Dx16	 Ex28	 Fx2
 Gx4	 Hx1	 Ix4	 Jx16	 Kx8	 Lx1
 Mx4	 Nx2	 Ox4	 Px4	 Qx2	

PRODUCT ASSEMBLY

Step 1




Step 2





PRODUCT ASSEMBLY

Step 3




Step 4



PRODUCT ASSEMBLY


Step 5

3xB	
2xC	



Step 6

4xB	
6xC	




Email: Service@cozfurn.com

PRODUCT ASSEMBLY


Step 7

6xC



Step 8


6xB




Email:Service@cozfurn.com


PRODUCT ASSEMBLY


Step 9

4xC	
1xH	



Step 10



4xD	
-----	---




Email: Service@cozfurn.com


PRODUCT ASSEMBLY


Step 11

6xC	
10xD	



Step 12


4xI	
16xJ	




Email:Service@cozfurn.com

PRODUCT ASSEMBLY


Step 13

8xK	
4xO	



Step 14


4xM	
-----	---



Email: Service@cozfurn.com


PRODUCT ASSEMBLY

Step 15



Step 16


8xE	
4xG	



PRODUCT ASSEMBLY


Step 17

4xE	
2xF	




Step 18

16xE	
2xN	







Email:Service@cozfurn.com





PRODUCT ASSEMBLY






This adjustment is used if your doors have a big gap at the top or the bottom, or if one door sits straight but is lower than the other door.



This adjustment is used if your doors are TOO CLOSE to the main cavity. You can loosen the screw and then move the door hinge closer or further out depending on the outcome you want to achieve





This adjustment is used if your doors are overlapping in the middle OR there is a larger gap through the middle or on the sides



PRODUCT ASSEMBLY


Step 19

4xP	
2xQ	



Step 20

2xQ	
-----	---



Email: Service@cozfurn.com

PRODUCT ASSEMBLY

Wall Mounting & Fixing Guide

NOTE: Supplied wall plugs are only suitable for use in masonry walls.

If you have any doubts about using the correct plug for your wall, please seek professional advice. Failure of the product due to using incorrect fixings is the responsibility of the installer.



IMPORTANT:

When drilling into walls, always check for hidden wires or pipes, etc.



Tips & Tricks


Make sure that the hardware used is suitable for supporting your unit.

Please consult a qualified tradesperson if unsure.

- ✓ If you are unsure, please select a larger screw and wall plug.
- ✓ Ensure that you use the recommended drill bit to match the wall plug and hole size.
- ✓ Take extra care when drilling high walls, ceiling and ceramic tiles. Ensure wall plugs are inserted beyond the thickness of the ceramic tiles to avoid splitting or cracking.
- ✓ Ensure that wall plugs are well fitted and are a tight fit in the drilled hole.


Types Of Walls

Use one of the following types of wall plug (not included) if your walls are made of brick, breeze block, concrete, stone or wood. Screws may be able to be fixed directly to solid wood walls as they will provide a secure anchor point.




1. General Purpose Wall Plug

Generally, aerated blocks should not be used to support heavy loads, use a specialist fitting in this case. For light loads, general purpose wall plugs can be used.




2. Plasterboard Wall Plug

For use when attaching light loads onto plasterboard partitions.




3. Cavity Fixing Wall Plug

For use with plasterboard partitions or hollow wooden doors.




4. Cavity Fixing Heavy Duty Wall Plug

For use when fitting or supporting heavy loads such as shelving and wall cabinets.



5. Hammer Fixing Wall Plug

For use with concrete block or brick walls, or walls stuck with plasterboard. The hammer fixing allows it to be fixed to the wall rather than the plasterboard. Always check the fixing is secure to the retaining wall.



6. Shield Anchor Wall Plug Heavy Loads

For use with concrete or brick walls, or for use with heavier loads such as TV & HiFi speakers and satellite dishes, etc.

Email:Service@cozfurn.com