
## ASSEMBLY INSTRUCTION N817P296138 N817P296139




### **Before Installation**


### Important-Please read these instructions fully before starting assembly

Thank you for purchasing this quality product.Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.


- •We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
- •Please do not over tighten screws or bolts until the assembly is completed.
- •Keep children and animal away from the work area, small parts could choke if swallowed. Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficiently.

### **Cam Lock Assembly Instructions**







Box 1: N817P296138



Box 1: N817P296138





Box 2: N817P296139




Box 1: N817P296138

Ф6x35mm А x 26+2	Ф15х10mm В х 26+2	Ф6х30mm С х 10+1	M4x16mm D x 4
TA ZOIZ	D X 20:2	O X 1011	
M3x30mm	M3.5x14mm		
E x 16+2	F x 90+2	G x 4	H x 1
M7x60mm	M4	M4x55mm	M4x35mm
J x 16	K x 1	Lx4	M x 5
		M4x20mm	M4x20mm
N x 12	0 x 8	P x 4	Q x 6
6 Granding Control of the Control of		M4x14mm	M6x60mm
Rx2	S x 2	T x 16+2	U x 4
Ф8х40mm			
V x 4			











# Step 4 2 B x 4 Ф15х10mm В х 4 Step 5





M4x35mm M x 1







# Step 8 M x 4 2 M4x35mm M x 4 Step 9 B x 8 3 Ф15х10mm В х 8








Step 15





# Step 16 Q x 3 Q x 3 E x 4 E x 4 E x 4 E x 4 15 (15) CHILLIAN O M4x20mm M3x30mm Q x 6 E x 16



### Step 19









### To adjust the vertical height.


Loosen the four screws "c" on both hinges. Two of them are usually in slotted holes which allows you to adjust up or down by a few mm. Then tighten back up.



### To adjust depth.


Loosen screw "a" and adjust door,if the door can not be adjusted,please loosen screw "b" ,then try again. Tighten screw "a" and "b" .





### To adjust side ways.

Turning the screw "b" on BOTH hinges on each door.



## Step 21

