SAFETY DATA SHEET

ProForm[™] Paper Joint Tape

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

ProForm™ Paper Joint Tape

IDENTIFIERS

75' Joint Tape

250' Joint Tape

500' Joint Tape

OTHER MEANS OF IDENTIFICATION

Drywall tape

RECOMMENDED USE

Joint tape is used to reinforce gypsum board joints. Use per manufacturer's recommendations.

RESTRICTIONS ON USE

None.

MANUFACTURER/SUPPLIER DETAILS

ProForm Finishing Products, LLC 2001 Rexford Road Charlotte, NC 28211

Website: proformfinishing.com

EMERGENCY TELEPHONE NUMBER

Director Quality Services - National Gypsum Services Company (704) 551-5820 - 24 Hour Emergency Response

National Gypsum Company is the exclusive service provider for products manufactured by ProForm Finishing Products, LLC.

SECTION 2: HAZARDS IDENTIFICATION

UNITED STATES (US)

According to OSHA 29CFR 1910.1200 (HCS)

GHS CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Not classified

PICTOGRAM

None

SIGNAL WORD

None

HAZARD STATEMENTS

None

PRECAUTIONARY STATEMENTS

PREVENTION

Use engineering controls and wet methods to minimize dust.

RESPONSE

If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if exposed or concerned.

STORAGE

Keep dry to preserve usefulness.

DISPOSAL

Dispose of material in accordance with federal, state, and local regulations.



ProForm™ **Paper Joint Tape**

SAFETY DATA SHEET

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	COMMON NAME/SYNONYM	IDENTIFIERS/CAS NUMBER	% (WEIGHT)	IMPURITIES
Cellulose	Paper Fiber	9004-34-6	<95	

SECTION 4: FIRST-AID MEASURES

INHALATION

Inhalation exposure is unlikely.

EYE CONTACT

Do not rub or scratch eyes. Immediately flush eyes with water for 15 minutes. Remove contact lenses (if applicable). Seek medical attention if irritation persists.

SKIN CONTACT

Flush and wash skin with soap and water. Utilize lotions to alleviate dryness if present. Seek medical attention if irritation persists.

Not expected to occur. Seek medical attention if ingested.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Pre-existing upper respiratory and lung diseases such as, but not limited to, bronchitis, emphysema and asthma. Pre-existing skin diseases such as, but not limited to, rashes and dermatitis.

SECTION 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Dry chemical, foam, water, or extinguishing media appropriate for surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Mixture poses no fire-related hazard.

SPECIAL HAZARDS ARISING FROM THE MIXTURE

None known.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

A SCBA is recommended to limit exposures to combustion products when fighting any fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

No special precautions required

General recommendations:

Wear appropriate Personal Protective Equipment. (See Section 8)

Maintain proper ventilation.

ENVIRONMENTAL PRECAUTIONS

This product does not present an ecological hazard to the environment. Dispose of in accordance with applicable federal, state, and local regulations.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

No specific clean-up procedures necessary. Pick up unused product to prevent tripping hazard. Maintain proper ventilation to minimize dust.

SECTION 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Minimize generation of dust. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with eyes, skin and clothing. Wear recommended personal protective equipment when handling. (See Section 8).

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store material in a cool, dry, ventilated area, away from excessive heat or sunlight.

ProForm[™] **Paper Joint Tape**

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Limits

COMPONENT	OSHA PEL mg/m³	ACGIH TLV mg/m³				
Cellulose	15 ^(T) 5 ^(R)	10 ^(T)				
T - Total Dust R - Respirable Dust						

EXPOSURE CONTROLS/APPROPRIATE ENGINEERING CONTROLS

Work/Hygiene Practices: Utilize methods to minimize dust production.

Ventilation: Not required

PERSONAL PROTECTIVE EQUIPMENT/RESPIRATORY PROTECTION

None required

EYE PROTECTION

Safety glasses or goggles.

Gloves, protective clothing and/or barrier creams may be utilized if conditions warrant.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: white/gray solid paper

Odor: None

Odor threshold: Not available

d. pH: Not available

e. Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash point: Not available

h. Evaporation rate: Not available

Flammability (solid, gas): Not flammable

Upper/lower flammability or explosive limits: Not available j.

k. Vapor pressure: Not available Vapor density: Not available m. Relative density: 2.3 g/cc

n. Solubility(ies): 2.1 g/L @ 20° C

Partition coefficient: n-octanol/water: Not available

p. Auto-ignition temperature: Not available q. Decomposition temperature: 1450° C

Viscosity: Not available

s. Volatile organic compound (VOC) content: None

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Stable in dry environments

Possibility of hazardous reactions: None known

Conditions to avoid (e.g., static discharge, shock, or vibration): None known

e. Incompatible materials: None known

Hazardous decomposition products: None known

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS/INFORMATION ON LIKELY ROUTES OF EXPOSURE

INGESTION

Not a likely route of exposure.

INHALATION

Not a likely route of exposure.

SAFETY DATA SHEET

ProForm™ **Paper Joint Tape**

SKIN CONTACT

Possibly temporary irritation.

EYE CONTACT

Possibly temporary irritation.

SYMPTOMS RELATED TO THE PHYSICAL. CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS

Prolonged skin contact may result in temporary irritation.

TOXICOLOGICAL DATA

No toxicological data is available for this product. Toxicological information for components of this product listed below:

ACUTE TOXICITY

Not available

SKIN CORROSION/IRRITATION

Not available

SERIOUS EYE DAMAGE/EYE IRRITATION

Not available

SKIN SENSITIZATION

Not available

RESPIRATORY SENSITIZATION

Not available

SENSITIZATION

Not available

MUTAGENICITY

Not available

CARCINOGENICITY

Not available

REPRODUCTIVE EFFECTS

Not available

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Not available

ASPIRATION TOXICITY

Not available

SECTION 12: ECOLOGICAL INFORMATION

- Ecotoxicity (aquatic and terrestrial, where available): This product does not present an ecological hazard to the environment.
- b. Persistence and degradability: Unknown
- Bioaccumulative potential: None Known
- Mobility in soil: Unknown
- Other adverse effects (such as hazardous to the ozone layer): None known

SECTION 13: DISPOSAL CONSIDERATIONS

This material is not considered a hazardous waste. Dispose of according to Local, State, Federal, and Provincial Environmental Regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not a DOT hazardous material. Shipping Name: Same as product name ICAO/IATA/IMO: Not applicable

SECTION 15: REGULATORY INFORMATION

All ingredients are included on the TSCA inventory.

FEDERAL REGULATIONS

SARA Title III: Not listed under Sections 302, 304, and 313

CERCLA: Not listed RCRA: Not listed

ProForm[™] Paper Joint Tape

SAFETY DATA SHEET

OSHA: Not listed

STATE REGULATIONS: Not listed

CANADA WHMIS: All components of this product are included in the Canadian Domestic Substances List (DSL).

SECTION 16: OTHER INFORMATION

SDS PREPARED BY:

ProForm Finishing Products, LLC 2001 Rexford Road Charlotte, NC 28211 (704) 551-5820

EFFECTIVE DATE CHANGE:

January 20, 2021

KEY TO ABBREVIATIONS

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstract Services Number

CFR Code of Federal Regulations DOT Department of Transportation EPA **Environmental Protection Agency HEPA** High Efficiency Particulate Air HCS Hazard Communications Standard **HMIS** Hazardous Material Identification System IARC International Agency for Research on Cancer International Air Transport Association IATA ICA0 International Civil Aviation Organization International Maritime Organization IMO

NIOSH National Institute for Occupational Safety and Health

NFPA National Fire Protection Association

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit
PPE Personal Protective Equipment

TLV Threshold Limit Value
TSCA Toxic Substance Control Act
TWA Time Weighted Average

WHMIS Workplace Hazardous Materials Information System

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This safety data sheet was prepared to comply with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

DISCLAIMER OF LIABILITY:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without any warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material, or the results to be obtained for the use thereof.



National Gypsum Company is the exclusive service provider for products manufactured by ProForm Finishing Products, LLC.



ProForm Finishing Products, LLC 2001 Rexford Road Charlotte, NC 28211

704.365.7300

proformfinishing.com