TECHNICAL DATA



KRUD KUTTER[®] DECK & FENCE PRESSURE WASHER CONCENTRATE

DESCRIPTION AND USES

Krud Kutter[®] Deck & Fence Pressure Washer Concentrate is a proprietary formulation which contains Sporex[®], a unique additive which removes tough stains from mildew, mold, algae, fungus and moss, and restores the original look to wood decks and fences. It also dissolves the toughest stains from dirt, oil, grease, bird droppings, tree sap, and more.

Deck & Fence Pressure Washer Concentrate is recommended for cleaning vinyl, aluminum and wood siding, awnings, gutters, porch screens, driveways, pool areas, engines and equipment.

PRODUCTS

SKU	Description
DF014	1-Gallon Bottle

PRODUCT APPLICATION

DIRECTIONS

IMPORTANT – READ ENTIRE LABEL BEFORE USE

- When using a pressure washer to clean painted surfaces, please be aware that water pressure alone may remove paint, or highlight existing discoloration caused by the sun's UV rays.
- From the garden hose, rinse any nearby plants with clean water.
- Always test on an inconspicuous area first.
- Any overspray can be neutralized with large volumes of water.
- On extremely soiled or mildewed surfaces it may be necessary to scrub with a bristle brush, and a second application may be needed. Mildew may not be completely removed from porous surfaces.
- Do not mix this product with any other chemicals.

PRODUCT APPLICATION (cont.)

COVERAGE

When mixed 1:10 (12 oz. of concentrate with 1-gallon of water), one bottle of concentrate will make 11 gallons of premix and clean up to 3,200 sq. ft.

DIRECTIONS: PRESSURE WASHER APPLICATION

Wet the surface to be cleaned, prior to applying the product. Place detergent application siphon tube and screen filter directly into container. Open meter valve (if applicable) for maximum product flow. For reservoir machines, pour product (full strength) into pressure washer. Spray at low pressure onto a wet surface. On vertical surfaces, always spray from the top down. Allow product to remain on the surface for 3 to 5 minutes to penetrate. Do not allow product to dry on surface. Remove siphon tube from solution and rinse surface with highpressure spray thoroughly. Flush siphon tube with clean water prior to storage.

DIRECTIONS: MANUAL APPLICATION

Wet the surface to be cleaned, prior to applying the product. Mix approximately 12 oz. of product with 1-gallon of water in a bucket. Severe stains may require a larger amount of concentrate per gallon. Clean in sections with a soft bristle brush, working from the top down on vertical surfaces. Allow product to remain on the surface for 3 to 5 minutes to penetrate. Do not allow product to dry on surface. With a hose at highest pressure, rinse the cleaner from the surface. Move to a new section and repeat the process.

NOTE: For use in a pump up sprayer, mix 12oz. of concentrate with 1-gallon of water

NO BLEACH OR AMMONIA. SAFE FOR PEOPLE, PETS AND PLANTS.

CAUTION! EYE AND SKIN IRRITANT. This product contains alkaline detergents. Do not take internally. In case of contact with eyes or skin, flush with water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, take large amounts of water. **Do not induce vomiting.** Get medical attention.

KEEP OUT OF REACH OF CHILDREN.



TECHNICAL DATA

KRUD KUTTER[®] DECK & FENCE PRESSURE WASHER CONCENTRATE

PHYSICAL PROPERTIES

	DECK & FENCE PRESSURE WASHER CONCENTRATE
Composition	Proprietary Ingredients in a Water-based Solution
Color	Blue
рН	11-12
VOC	0%
Practical Coverage	1-Gallon – 2,000-3,200 square feet
Shelf Life	NA
Flash Point	Non-flammable
Caution!	EYE AND SKIN IRRITANT. This product contains alkaline detergents. Do not take internally. In case of contact with eyes or skin, flush with water for at least 15 minutes. If irritation persists, seek medical attention. If swallowed, take large amounts of water. Do not induce vomiting. Get medical attention. Do not induce vomiting. Get medical attention. KEEP OUT OF REACH OF CHILDREN .
Safety Information	For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.



Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, Illinois 60061 An RPM Company

Phone: 877•385•8155 www.rustoleum.com