

# Assembly Instructions



**Caution: You must read this before you proceed**

## BAR STOOL






**WARNING:** These barstools are intended only for normal use with all four legs on the ground. These consumer barstools have relatively thin legs and are not designed to be sat in with only two chair legs on the ground (as from tipping back, forward, or to the side), and such can cause stress and failure of one or more barstool legs. Any misuse of the barstools voids any warranties, express or implied.

### Part List

| Label | Picture                                                                             | Description   | QTY |
|-------|-------------------------------------------------------------------------------------|---------------|-----|
| A     |  | Leg A (Left)  | 1   |
| B     |  | Leg B (Right) | 1   |


|   |                                                                                   |                  |   |
|---|-----------------------------------------------------------------------------------|------------------|---|
| C |  | Top Stretcher    | 2 |
| D |  | Bottom Stretcher | 2 |
| E |  | Cushion Seat     | 1 |

## Hardware

| Label | Picture                                                                             | Description                                | QTY             |
|-------|-------------------------------------------------------------------------------------|--------------------------------------------|-----------------|
| ①     |    | JCBC M6 x 45mm + S/W<br>M6 + F/W M6 x 13mm | 5               |
| ②     |  | Allen Key M4                               | 1               |
| ③     |  | L Bracket                                  | 5               |
| ④     |  | Wood Dowel M8 x 25mm                       | 3               |
| ⑤     |  | CSK Screw M3.5 x 12mm                      | 9               |
| ⑥     |  | FH Screw #8 x 32mm                         | 5               |
| ⑦     |  | Screwdriver                                | Not<br>Provided |

# Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


# Assembly Steps

## Overview



This Bar Stool has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Bar Stool parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


## Step 1



1.1 Slot in the wood dowel (4) onto the side leg frame (A) and (B) as shown. Repeat the other leg.

1.2 Fix the L-Braket (3) on the side leg frame using screw (5) with Screwdriver (not provided).

## Step 2




2.1 Place the Leg (A) and Leg (B) with Top Stretcher (C) and Bottom Stretcher (D) as shown.

2.2 Align the tenon of Top Stretcher (C) into the Leg.

2.3 Align the tenon Bottom Strechter (D) into the Leg.

### Step 3




Then, 3.1 fix the Top Stretcher with JCBC Bolt ① + Spring Washer + Flat Washer using Allen Key ②.

Then, 3.2 fix the Bottom Rail with Screw ⑥ using Screwdriver (not provided).


**DO NOT FULLY TIGHTEN SCREWS.**

### Step 4



Place the Bar Stool with Cushion Seat (E) on the table as shown. Align the Wood Dowel ④ into the Cushion Seat.


## Step 5



Then, fix the Cushion Seat (E) with L-Bracket (3) and Screws (5) using Screwdriver (not provided).

**DO NOT FULLY TIGHTEN THE BOLT.**

## Step 6



Place the bar stool on a Level Surface to check if it wobbles.  
If it wobbles, lift the bar stool some 30mm to 50mm high from the ground, keep your feet and toes well away from the drop zone, and drop the bar stool freely and vertically with the four legs, hitting the ground at the same time.  
This Drop Test will help to ensure that all the bolts and gaps to all reach full alignment.  
Test again for evenness on Level Surface.  
If no wobbles are found, proceed to tighten all the Bolts.

Caution: When tightening the Bolts, tighten sequentially.  
Do not tighten any screw fully and then towards the next one, this would cause the frame to warp. If it still wobbles, loosen the bolts and execute this same drop test.  
If the bar stool is not Stable it could lead to damage to the product.

### Step 7



Inspect and make sure all parts are connected.  
The bar stool is ready for use.  
**Caution: This bar stool can only be used on a flat, level surface.**

## Care & Maintenance



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Not for commercial use. For residential use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth.