



**GRANULAR REPELLENT** 

## **EASY TO APPLY INSTRUCTIONS**

**FOR BEST RESULTS: USE A SPREADER** 

SET YOUR SPREADER SETTING TO 60% OPEN.


Each spreader has holes that dispense product. Because of the variety of spreader styles - look at your spreader's holes' open & close. Typically left is lowest & right is wide open. Middle point is 50%. You may need to adjust for proper coverage as

spreader conditions, rate of walk are just some of the variables that can affect the rate of application.

Cover the area where armadillo damage has been observed and/or is occurring. Extend the coverage to about thirty (30) feet around and beyond the damaged

area. For lawn & garden areas of 5,000 or less square feet, we recommend covering the entire area.

Hand sprinkle within the damaged garden plots and beds. Be sure to look behind any shrubs & along buildings for excavated nesting areas and apply liberally within them. If burrow entrances can be located, drop a 1/2 cup into each hole and flush down thoroughly with water.



organic

Water the affected area where

Armadillo Scram has been sprinkled or spread for approximately 5 minutes.

Reapply Armadillo Scram in 14 days after the initial application and then every 30 days or as needed. Heavy or extended periods of rainfall will shorten the effective period.

## SCRAM COVERAGE

When used as directed the treated area will cover the square feet listed & give you the desired results! EPIC stands behind all our granular repellents with the industry's best 100% PERFORMANCE GUARANTEE! For detailed information, visit our

website at epicrepellents.com