Buffalo Technology Group 2200 4th Ave, Suite 303 Canyon, TX 79015 Telephone 1 (806) 223-2776

Safety Data Sheet PAINT-GUARD™ MOLD PREVENTION ADDITIVE



Date: July 8th, 2019

1. PRODUCT IDENTIFICATION

PRODUCT NAME:

USE:

Treat coatings and materials

PAINT-GUARD MOLD PREVENTION ADDITIVE

GENERIC DESCRIPTION: Mold and mildew inhibiting paint additive

2 <u>COMPOSITION / INFORMATION ON INGREDIENTS</u>

CAS NO	INGREDIENT	PERCENT	ACGIH	OSHA
8007-02-1	Lemongrass Oil	0.2%		
1314-13-2	Zinc oxide	Proprietary		

3. <u>HAZARD IDENTIFICATIONS</u>

HMIS Hazard Classifica	tion:	NFPA Hazard Classification	on:
Health:	1	Health:	1
Flammability:	0	Flammability:	0
Reactivity:	0	Reactivity:	0

ROUTES(S) OF ENTRY: Inhalation, eye and dermal contact, ingestion

POTENTIAL HEALTH EFFECTS: Irritant to eyes, skin and respiratory passages.

Risk and Safety Phrases

R Phrases:	R36/37. Irritating to eyes and skin.
S Phrases:	S20/21-36/37-46-61. When using, do not eat, drink, or smoke. Wear
	suitable gloves and protective clothing. If swallowed, seek medical advice

Product Name: PAINT-GUARD [™] MOLD PREVENTION ADDITIVE	Effective Date: July 8, 2019
---	------------------------------

immediately and show this container or label. Avoid release to the

environment.

Symbols: Xi (Irritant)

Additional Information: None

4. <u>FIRST AID MEASURES</u>

- EYES: Immediately flush eyes with running water for at least 15 minutes. Call a physician at once.
- SKIN: Immediately flush with water for 15 minutes. Wash with mild soap and water. If irritation occurs, get medical attention. If clothing is contaminated, remove and wash before reuse.

INGESTION: Immediately drink large quantities of water. Induce vomiting. Call a physician at once. DO NOT give anything by mouth if the person is unconscious or if having convulsions.

INHALATION: If person experiences nausea, headache, or dizziness, remove to fresh air. If breathing is difficult, administer oxygen, keep the person warm and at rest. Get medical attention. If breathing has stopped, artificial respiration should be given immediately.

5. FIRE AND EXPLOSION HAZARDS

FLAMMABILITY LIMITS	Not Flammable
FLASH POINT:	Not Flammable
FLAMMABLE LIMITS IN AIR-LOWER:	N/A
FLAMMABLE LIMITS IN AIR-UPPER:	N/A
AUTO-IGNITION TEMPERATURE:	N/A

GENERAL HAZARDS: None known.

FIRE FIGHTING EXTINGUISHING MEDIA: Carbon dioxide, water fog, foam

FIRE FIGHTING EQUIPMENT: Firefighters should wear self-contained (NIOSH approved) breathing apparatus with full-face shield and protective clothing when fighting fires involving chemicals.

FIRE AND EXPLOSION HAZARDS: None.

HAZARDOUS COMBUSTION PRODUCTS: Decomposition and combustion products may be toxic.

Product Name: PAINT-GUARD[™] MOLD PREVENTION ADDITIVE Effective Date: July 8, 2019

EMERGENCY RESPONSE GUIDEBOOK INFORMAITON: None

6 <u>ACCIDENTAL RELEASE MEASURES</u>

ACCIDENTAL RELEASE MEASURES:Gently sweep powder with fine bristled broom or brush. Do
not inhale airborne particulate.WATER SPILL:Prevent material from entering sewers, waterways, or low
areas. There are no methods available to completely
eliminate any toxicity this product may have on aquatic
environments.

7. <u>HANDLING AND STORAGE</u>

Do not take internally. Avoid contact with skin, eyes, and clothing. Wear protective eyewear and rubber gloves. Nuisance dust masks required when the TLV may be exceeded. Upon contact with the skin or eyes, wash off with water.

Minimize formation or generation of dusts. Powdered material may form explosive dust-air mixtures. Molten material may produce burns.

8 <u>EXPOSURE CONTROLS / PERSONAL PROTECTION</u>

PERSONAL PROTECTIVE EQUIPMENT:	Wear appropriate equipment to prevent probability of exposure and personal contact. Deluge safety shower and eyewash should be located near work area.
EYE PROTECTION:	Wear side-shield safety glasses, chemical goggles or face shield.
SKIN PROTECTION:	Wear appropriate gloves as a standard handling procedure.
RESPIRATORY PROTECTION:	If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be worn. Type: MSHA-NOSH approved respirator with a high efficiency filter combined with cartridge for ammonia and methylamine. If respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998.
ENGINEERING CONTROLS:	Good general ventilation, typically 10 air changes per hour. Local exhaust recommended, mechanical exhaust acceptable.
EMERGENCY RESPONSE PROTECTION:	No additional specialized equipment should be required. Page 3

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM:	Liquid From
COLOR:	White
ODOR:	Odorless
ODOR THRESHOLD:	Not Available
BOILING POINT:	Not Available
MELTING POINT:	Not Available
FREEZING POINT:	Not Available
BULK DENSITY:	1.1g/cc
pH:	Not Available
SOLUBILITY IN WATER:	Soluble
DECOMPOSITION TEMPERATURE:	Not Available
SPECIFIC GRAVITY:	1
EVAPORATION RATE:	3x10 ⁻⁵ Kg/s/m ²
VAPOR PRESSURE:	1.8 kPa
VAPOR DENSITY:	Not Available
10. <u>STABILITY AND REACTIVITY</u>	
STABILITY:	Stable
INCOMPATIBILITY:	Strong acids, oxidizing agents
HAZARDOUS POLYMERIZATION:	Will not occur.
HAZARDOUS DECOMPOSITION:	Will not occur.

11. TOXICOLOGICAL INFORMATION

This product has not been tested due to ingredients falling under EPA minimum risk pesticide . The following estimate is based upon the available toxicity data for the constituents.

ORAL TOXICITY:	Not evaluated	
	Not evaluated	
DERMAL TOXICITY:	Not evaluated.	
INHALATION TOXICITY:	Not evaluated.	
EYE IRRITATION:	Eye irritant (mechanical). Page 4	

Product Name: PAINT-GUARD[™] MOLD PREVENTION ADDITIVE Effective Date: July 8, 2019 SKIN IRRITATION: Skin irritant (mechanical). CHRONIC EFFECTS: Chronic effects of this product have not been fully evaluated. **ECOLOGICAL INFORMATION** 12 None available. 13. **DISPOSAL CONSIDERATIONS** WASTE DISPOSAL METHOD: Incinerate in a furnace where permitted under appropriate federal, state, and local regulation. 14 **TRANSPORT INFORMATION** Non-hazardous for air, sea and road freight. DOT: Not regulated. Not regulated. IATA: IMDG: Not regulated. **REGULATORY INFORMATION** 15. **TSCA Section8b:** All components are either exempt or listed in TSCA inventory. SARA 302Extremely Hazardous Substance(s): CAS# Amount Component None SARA 311/312 Hazard Categories: None. SARA 313 Health Hazard: None. SARA 313 Toxic Chemical List: Not listed.

CERCLA: The following components of this product are specifically listed as hazardous substances in 40

Component	CAS#	Amount
None		

CleanWaterAct – PriorityPollutants:Doesnot contain any priority pollutants listed under the U.S. Clean Water Act Section 307 (2)(1) Priority Pollutant List (40 CPR 401.15).

Product Name: PAINT-GUARDTM MOLD PREVENTION ADDITIVE Effective Date: July 8, 2019

RCRA: Not a hazardous waste under RCRA (40 CPR 261.21).

CALIFORNIA PROPOSITION 65 (SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986):

This product contains the following chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm:

Component	CAS#	Amount
None		

Risk and Safety Phrases

R Phrases:	R36/37. Irritating to eyes and skin.
S Phrases: SZ0/21-36/37-46-61. When using, do not eat drink or smoke. We gloves and protective clothing. If swallowed, seek medical advice immediately and show this container or label. Avoid release to the environment.	
Symbols:	Xi (Irritant).
Additional Information:	None

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressedor implied is made with respect to the information contained herein. This material safety data sheet was prepared to comply with the OSHA Hazard Communication Standard (29 CFR 1910.1200) and with the Workplace Hazardous Materials informationSystem(WHMIS).