Version 1.0
 Revision Date 08/27/2020
 Print Date 09/01/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP HAND SAN GEL 70% W/PUMP_4-1GL		
Material number	:	ZUIHSG128P		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	404-352-1680		

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	gel
Colour	colourless, clear
Odour	citrus

GHS Classification

Flammable liquids Eye irritation	: Category 3 : Category 2A
GHS label elements	
Hazard pictograms	Flame Exclamation mark
Signal word	: Warning
Hazard statements	 H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting

Version 1.0	Revision Date 08/27/2020	Print Date 09/01/2020
	equipment.	
	P242 Use only non-sparking tools.	
	P243 Take precautionary measures a	
	P264 Wash skin thoroughly after han	5
	P280 Wear protective gloves/ eye pro Response:	
	P303 + P361 + P353 IF ON SKIN (or	hair): Take off
	immediately all contaminated clothing	,
	water/shower.	
	P305 + P351 + P338 IF IN EYES: Rir	
	for several minutes. Remove contact	lenses, if present and
	easy to do. Continue rinsing.	
	P337 + P313 If eye irritation persists: attention.	Get medical advice/
	P370 + P378 In case of fire: Use dry	sand dry chemical or
	alcohol-resistant foam to extinguish.	sand, dry chemical of
	Storage:	
	P403 + P235 Store in a well-ventilate	d place. Keep cool.
	Disposal:	
	P501 Dispose of contents/container in regulation.	n accordance with local

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

	No. C	concentration [%]
ethanol 64-17	7-5 >	= 50 - < 70

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 This product is formulated for use on skin. Discontinue use if irritation and redness develop. In the workplace, if a significant exposure or spill occurs on the skin, immediately wash off with plenty of water.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. If in eyes, rinse with water for 15 minutes. Keep eye wide open while rinsing.

Version 1.0	Revision Date 08/27/2020	Print Date 09/01/2020
	If eye irritation persists, consult a speci	alist.
If swallowed	Keep respiratory tract clear. DO NOT induce vomiting unless directed physician or poison control center. Never give anything by mouth to an une If symptoms persist, call a physician.	•
Most important symptoms and effects, both acute and delayed	Effects are immediate and delayed. Symptoms may include irritation, redne Causes serious eye irritation. Review section 2 of SDS to see all pote	
Notes to physician	Treat symptomatically. Symptoms may	/ be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods		Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Material can create slippery conditions.
protective equipment and	Use non-slip safety shoes in areas where spills or leaks can
emergency procedures	occur.
	Refer to protective measures listed in sections 7 and 8.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

Version 1.0	Revision Date 08/27/2020	Print Date 09/01/2020
Environmental precautions	: Prevent product from entering dra Prevent further leakage or spillage If the product contaminates rivers respective authorities.	e if safe to do so.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, saw Sweep up or vacuum up spillage a container for disposal.	dust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Avoid contact with eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL

Engineering measures

: No special ventilation requirements necessary during product use. In the workplace or during a spill, utilize effective exhaust ventilation.

Version 1.0

Revision Date 08/27/2020

Personal protective equipmen		
Respiratory protection	To personal respiratory protective equipment normal equired. In the workplace- If a significant exposure or spill occ espiratory protection unless adequate local exhaust rentilation is provided or exposure assessment demo hat exposures are within recommended exposure gr	curs, use
Hand protection Remarks	This product is formulated for use on skin. No special protection is required.	al
Eye protection	Eye protection is not required while sanitizing with th product. In the workplace, the use of safety glasses is recomm woid eye exposure during the handling of containers luring spill clean-up.	nended to
Skin and body protection	lo special protection is required.	
Hygiene measures	Vash hands before breaks and at the end of workda	у.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Colour	: colourless, clear
Odour	: citrus
рН	: 6.5 - 8
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: 23.33 °C Method: closed cup
Vapour pressure	: No data available
Density	: 0.896 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Viscosity	
Viscosity, dynamic	: 15 - 30 mPa.s

Version 1.0

Revision Date 08/27/2020

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition Symptoms of Overexpos	 None known. Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
OSHA	ethanol 64-17-5 No component of this product present at levels greater than or
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg

Version 1.0

Revision Date 08/27/2020

Print Date 09/01/2020

Acute inhalation toxicity

: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available Persistence and degradability

Version 1.0	Revision Date 08/27/2020	Print Date 09/01/2020
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> ethanol :	: Remarks: No data available	
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 Cl + B).	s defined by the U.S.
Additional ecological information	: No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1993, Flammable liquids, n.o.s., , 3, III - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., , 3, III - Limited quantity

Transportation Regulation: IATA (Cargo Air):

Version 1.0

TSCA list

Revision Date 08/27/2020

Print Date 09/01/2020

UN1993, Flammable liquid, n.o.s., , 3, III - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., , 3, III - Limited quantity

Transportation Regulation: TDG (Canada): UN1993, FLAMMABLE LIQUID, N.O.S., , 3, III - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

: No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 1,2-bis(3-aminopropyl) 136504-96-6 ethylenediamine, polymer with N-butyl-2,2,6,6tetramethyl-4-piperidinamine and 2,4,6-trichloro-1,3,5triazine

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Version 1.0

Revision Date 08/27/2020

Print Date 09/01/2020

The components of this product are reported in the following inventories:

DSL This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL. **TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	2
FLAMMABILITY	3
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Version 1.0	Revision Date 08/27/2020	Print Date 09/01/2020
Hazard pictograms		
Signal word Hazard statements	Flame Exclamation mark : Warning: : Flammable liquid and vapour. Causes serious eye irrita	tion
Precautionary statements	 Prevention: Keep away from heat/sparks/open flames/ container tightly closed. Ground/bond container and red explosion-proof electrical/ ventilating/ lighting equipmer Take precautionary measures against static discharge. handling. Wear protective gloves/ eye protection/ face p Response: IF ON SKIN (or hair): Take off immediately skin with water/shower. IF IN EYES: Rinse cautiously w Remove contact lenses, if present and easy to do. Con persists: Get medical advice/ attention. In case of fire: L alcohol-resistant foam to extinguish. Storage: Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance 	/hot surfaces. No smoking. Keep ceiving equipment. Use nt. Use only non-sparking tools. Wash skin thoroughly after protection. all contaminated clothing. Rinse vith water for several minutes. tinue rinsing. If eye irritation Jse dry sand, dry chemical or

Version:	1.0
Revision Date:	08/27/2020
Print Date:	09/01/2020

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.