

MODEL: BDT20WTB
VOLTS:115
H2:60
H2:60
AMPS: 3.5
CAPACITY-PINTS: 20 PINT/24HRS
DESIGN PRESSURE:
HIGH:530 PSIG (3.65MPa)
LOW:320 PSIG (2.2MPa)

R410A 4.76 ozs. (135g)

Date Manufactured:

Made in China

S

LISTED

DEHUMIDIFIER

SA44821

HOUSEHOLD USE ONLY
USE ON SINGLE
OUTLET CIRCUIT FC
ONLY
CAN ICES-3(B) / NIMB-3(B)



MODEL: BDT30WTB
VOLTS:115
Hz:60
AMPS: 4.2
CAPACITY-PINTS: 30 PINT/24HRS
DESIGN PRESSURE:
HIGH:530 PSIG (3.65MPa)
LOW:320 PSIG (2.2MPa)
R410A 4.76 ozs. (135 g)
Date Manufactured:
Serial NO:

Made in China

S

LISTED

DEHUMIDIFIER

SA44821

HOUSEHOLD USE ONLY
USE ON SINGLE
OUTLET CIRCUIT
ONLY

CAN ICES 3(8) / ANDB 3(8)



MODEL: BDT40WTB
VOLTS:115
Hz:60
AMPS: 5.0
CAPACITY-PINTS:40 PINT/24HRS
DESIGN PRESSURE:
HIGH:530 PSIG (3.65MPa)
LOW:320 PSIG (2.2MPa)
R410A 7.76 ozs. (220 g)
Date Manufactured:
Serial NO:

Made in China

S
UL

LISTED

DEHUMIDIFIER

SA44821

HOUSEHOLD USE ONLY
USE ON SINGLE
OUTLET CIRCUIT
ONLY

CAN ICES-3(8) / NMB-3(8)



MODEL: BDT50WTB
VOLTS:115
Hz:60
AMPS: 7.0
CAPACITY-PINTS:50 PINT/24HRS
DESIGN PRESSURE:
HIGH:530 PSIG (3.65MPa)
LOW:320 PSIG (2.2MPa)
R410A 7.41ozs.(210 g)
Date Manufactured:
Serial NO:

Made in China

S

LISTED

DEHUMIDIFIER

SA44821

HOUSEHOLD USE ONLY
USE ON SINGLE
OUTLET CIRCUIT
ONLY

CAN ICES-3(8) / NMB-3(8)



MODEL: BDT50PWTB
VOLTS:115
Hz:60
AMPS: 7.0
CAPACITY-PINTS:50 PINT/24HRS
DESIGN PRESSURE:
HIGH:530 PSIG (3.65MPa)
LOW:320 PSIG (2.2MPa)
R410A 7.410zs. (210 g)
Date Manufactured:
Serial NO:

Made in China

S

LISTED

DEHUMIDIFIER

SA44821

HOUSEHOLD USE ONLY
USE ON SINGLE
OUTLET CIRCUIT
ONLY

CAN ICES 3(8) / ANDB 3(8)