Issue No : 2115

Page 1/8

Material Safety Data Sheet

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1 Product Name: Poly Adheisve

1.2 Product Code: 20095

1.3 Chemical Classification: Resin

1.4 Recommended Product Usage Sealant or Adhesive for most plastics, metal, glass, wood, vinyl, and ceramic

1.5 Company Details

and Limited Use:

Manufacturer/Supplier: US Trench Drain

Address: 89 October Hill Rd, Holliston MA 01746

Telephone Number: 774- 233 0005

Email Address: info@ustrenchdrain.com/

Emergency Telephone Number:

Emergency: 911

1.6 First Issuing Date: 2022/7/5

2. HAZARD IDENTIFICATION

2.1 Hazard Classification: Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2A

Skin sensitization: Category 1

2.2 Label Elements Including Precautionary Statements

Symbol:

(!)

Signal Word: Warning

Hazard Risk Statement: Causes skin irritation.

Causes serious eye irritation. May cause an allergic skin reaction.

Precautionary Statement: Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear suitable protective clothing, gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace.

Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water. If eye irritation persists, get medical advice/attention.

Issue No : 2115

Page 2/8

Material Safety Data Sheet

If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Dispose of in accordance with local regulations.

2.3 Other Hazard: None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Chemical characterization: Mixture

3.2 Hazardous Ingredients

 Chemical Name
 CAS No.
 % (w/w)

 Polyurethane
 26680-22-8
 25-45

 Styrene Butadiene Rubber
 9003-55-8
 20-40

 Cupling reagent
 10-30

4. FIRST AID MEASURES

4.1 First Aid Measures

Eyes: Direct contact may cause light irritation.

Skin: No significan t irrita tion expected from a single short-term exposure.

Inhalation: Inhale large amount of ammonal vapor may cause stupor.

Oral: Low ingestion hazard in normal use, such as careless ingestion hazard in normal use such

as careless ingestion by finger tip. But larger amoun tingestion may cause some damage .

Comments: Treat according to person's condition and specifics of exposure.

4.2 Important Symptoms and

Hazard Effects:

Causes skin and serious eye irritation. May cause an allergic skin reaction.

4.3 Personal Protection for First Aid or Rescue Personnel

Respiratory Protection: Use self-contained breathing apparatus (SCBA) or other supplied-air respirator.

Eye Protection: Use full face respirator.

Skin Protection: Wash at mealtime and end of shift. If skin contact occurs, change contaminated

clothing as soon as possible and thoroughly flush affected areas with cool water.

Chemical protective gloves are recommended.

4.4 Note to physicians: Treat symptomatically. For further information, the Medical Practitioner should refer to

the phone number in Section 1.

5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing

Media:

On large fires use dry chemical or foam. On small fires use CO2 or dry chemical. Water can be used to cool fire exposed containers.

Issue No : 2115

Page 3/8

Material Safety Data Sheet

5.2 Unsuitable Extinguishing

Media:

Water. Do not allow extinguishing medium to contact container contents.

5.3 Specific Hazards:

None.

5.4 Special Fire Fighting

Procedures:

Determine the need to evacuate or isolate the area according to your local emergency

plan. Use water spray to keep fire exposed containers cool.

5.5 Special protective

equipment for the Fire

Fighters:

Self-contained breathing apparatus and protective clothing should be worn in fighting

large fires involving chemicals.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions: Avoid skin and eye contact. Do not breathe vapour. Do not take internally.

6.2 Environmental

Precautions:

Do not allow large quantities to enter drains or surface waters.

6.3 Methods for Cleaning up:

Observe all personal protective equipment recommendations described in this MSDS. If diked material can be pumped, store recovered material in appropriate container. Wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which laws

and regulations are applicable.

7. HANDLING AND STORAGE

7.1 Handling Precautions: Use with adequate ventilation. Product evolves methyl ethyl ketoxime (MEKO) when

exposed to water or humid air. Provide ventilation during use to control methyl ethyl ketoxime (MEKO) within exposure guidelines or use respiratory protection. Avoid skin and eye contact. Do not breathe vapour. Do not take internally. Remove contaminated clothing immediately. Exercise good industrial hygiene practice. Wash after handling,

especially before eating, drinking or smoking.

7.2 Storage Conditions: Use reasonable care and store away from oxidizing materials. Keep container closed and

store away from water or moisture.

7.3 Unsuitable Packaging

Materials:

None established.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Industrial Hygiene Standards:

Issue No : 2115

Page 4/8

Material Safety Data Sheet

<u>Ingredients</u>	CAS No.	Exposure Limits
Polyurethane	26680-22-8	25-45
Styrene Butadiene Rubber	9003-55-8	20-40
Cupling reagent	_	10-30

Eyes: Direct contact may cause light irritation .

Skin: No significant irritation expected from a single short-term exposure.

Inhalation: Inhale large amount of ammonal vapor may cause stupor .

Oral: Low ingestion hazard in normal use, such as careless ingestion hazard in normal use such

as careless ingestion by finger tip. But larger amoun tingestion may cause some damage.

Comments: Treat according to person's condition and specifics of exposure.

8.2 Engineering Controls

Local Ventilation: Recommended.
General Ventilation: Recommended.

8.3 Personal Protective Equipment for Routine Handling

Respiratory protection: Use respiratory protection unless adequate local exhaust ventilation is provided or

exposure assessment demonstrates that exposures are within recommended exposure guidelines. IH personnel can assist in judging the adequacy of existing engineering

controls.

Suitable Respirator: Organic Vapor Type.

Eye protection: Use proper protection - safety glasses as a minimum.

Hand protection: Chemical protective gloves should be worn.

Skin protection: Wash at mealtime and end of shift. If skin contact occurs, change contaminated

clothing as soon as possible and thoroughly flush affected areas with cool water.

Chemical protective gloves are recommended.

Hygiene Measures: Remove contaminated clothing immediately. Exercise good industrial hygiene practice.

Wash after handling, especially before eating, drinking or smoking.

8.4 Personal Protective Equipment for Spills

Respiratory protection: Use self-contained breathing apparatus (SCBA) or other supplied-air respirator.

Eye protection: Use full face respirator.

Skin protection: Wash at mealtime and end of shift. If skin contact occurs, change contaminated

clothing as soon as possible and thoroughly flush affected areas with cool water.

Chemical protective gloves are recommended.

Precautionary Measures: Avoid skin and eye contact. Do not breathe vapour. Do not take internally. Use

reasonable care.

Comments: Product evolves methyl ethyl ketoxime (MEKO) when exposed to water or humid air.

Provide ventilation during use to control methyl ethyl ketoxime (MEKO) within exposure guidelines or use respiratory protection. Product evolves flammable methyl alcohol when exposed to water or humid air. Provide ventilation during use to control methyl alcohol exposures within exposure guidelines or use air-supplied or self-contained

Issue No : 2115

Page 5/8

Material Safety Data Sheet

breathing apparatus.

Note: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Physical Form: Liquid

9.2 Color: Clear

9.3 Odor: Oxime

9.4 pH: Not determined.

9.5 Melting Point: Not determined.

9.6 Boiling point/range: Not determined.

9.7 Flash Point: Not determined.

9.8 Explosive Limit: Not determined.

9.9 Vapor Pressure @ 25°C: Not determined.

9.10 Vapour Density (air=1): Not determined.

9.11 Specific Gravity: 1.05 g/cm³

9.12 Water Solubility: Not determined.

9.13 Partition Coefficient Not determined.

(n-Octanol/Water):

9.14 Autoignition temperature: Not determined.

9.15 Decomposition Not determined.

Temperature:

9.16 Odor Threshold: Not determined.

9.17 Evaporation Rate: Not determined.

9.18 Flammability (Solid, Gas): Not applicable.

The above information is not intended for use in preparing product specifications.

10. STABILITY AND REACTIVITY

10.1 Stability: Stable.

10.2 Possibility of Hazardous Hazardous polymerization will not occur.

Reactions:

10.3 Conditions to Avoid: None.

10.4 Materials to Avoid: Can react with strong oxidising agents. Water, moisture or humid air can cause hazardous

vapors to form.

Issue No: 2115

Page 6/8

Material Safety Data Sheet

10.5 **Hazardous Decomposition**

Products:

Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide.

Formaldehyde. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

11.1 Skin contact and accidental ingestion. **Route of Exposure:**

11.2 Signs and Symptoms of

Overexposure:

Causes skin and serious eye irritation. May cause an allergic skin reaction.

11.3 **Acute Toxicity:**

Chemical Name	CAS No.	LD50 (Oral)	LD50 (Dermal)	LC50 (Inhalation)
Polyurethane	26680-22-8	-	-	-
Styrene Butadiene Rubber	9003-55-8	-	-	-
Cupling reagent	-	-	-	-

Eves: Direct contact may cause light irritation.

Skin: No significan t irrita tion expected from a single short-term exposure.

Inhalation: Inhale large amount of ammonal vapor may cause stupor.

Oral: Low ingestion hazard in normal use, such as careless ingestion hazard in normal use such

as careless ingestion by finger tip. But larger amoun tingestion may cause some damage.

Comments: Treat according to person's condition and specifics of exposure.

11.4 **Chronic Toxicity**

> Skin: Repeated or prolonged contact may cause defatting and drying of skin which may result

> > in skin irritation and dermatitis.

Ingestion: Repeated ingestion or swallowing large amounts may injure internally. **Inhalation:** Prolonged or repeated exposure by inhalation may injure internally.

11.5 Other Health Hazard

Information:

During use of the material, small amount of methylethylketoxime (MEKO) will be released. Long-term or repeated exposure to high concentrations of oxime-silanes may cause narcotic type effects on the nervous system, harmful effects on the blood (anemia) and irritate nasal passages, but these effects are reversible and not considered serious.

Rodents exposed to chronic MEKO inhalation throughout their lifetimes showed

significant increases in liver tumor rates.

This material may liberate methanol upon exposure to moisture or humid air. Overexposure to methanol can result in blindness and nervous system effects.

The above listed potential effects of overexposure are based on actual data, the results of studies performed upon similar compositions, component data, and/or expert review of the products.

Issue No : 2115

Page 7/8

Material Safety Data Sheet

12. ECOLOGICAL INFORMATION

12.1 Aquatic and Terrestrial Ecotoxicity

Ecotoxicity Effects:

Acute: No adverse effects on aquatic organisms are predicted. **Chronic:** No adverse effects on aquatic organisms are predicted.

Fate and Effects in Waste Water Treatment Plants:

No adverse effects on bacteria are predicted.

12.2 Persistence and Degradability

Water: Solid material, insoluble in water.

12.3 Bioaccumulative Potential

Bioaccumulation: No bioaccumulation potential.

12.4 Mobility in Soil: This product is a solid and does not contain significant concentrations of water soluble

constituents that may be leached from the product. It is therefore not likely to present a

danger to terrestrial organisms.

12.5 Additional Environmental

Information:

No specific information is available.

13. DISPOSAL CONSIDERATIONS

13.1 Product Disposal: Dispose of in accordance with local regulations.

13.2 Packaging Disposal: Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

14.1 Road and Rail Transport

Applicable

14.2 Sea Transport (IMDG)

Applicable

14.3 <u>Air Transport (IATA)</u>

Not subject to IATA regulations.

14.4 Special Requirements and None.

Additional Information:

15. REGULATORY INFORMATION

15.1 Applicable Laws: Provisions of the Regulations for the Safe Handling of Chemicals in the Workplace

General rule for classification and hazard communication of chemicals [GB

Issue No : 2115

Page 8/8

Material Safety Data Sheet

13690-2009]

15.2 Chemical Inventories

EINECS: All ingredients listed or exempt.

TSCA: All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.

AICS: All ingredients listed or exempt. **IECSC:** All ingredients listed or exempt.

ENCS/ISHL: All components are listed on ENCS/ISHL or its exempt rule.

KECL: All ingredients listed, exempt or notified.

PICCS: All ingredients listed or exempt. HSNO: All ingredients listed or exempt.

DSL: Not determined.

16. OTHER INFORMATION

This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.