



PureFlo™ | K-37383

Rough-in cable bath drain, PVC, 30" cable with tubing

Features

- For baths 14" – 21" (356 – 533 mm) deep from center of bath overflow outlet to center of bath drain outlet
- 30" (762 mm) length external cable
- Flexible overflow joint conforms to various bath angles
- No internal linkages, reducing the potential for clogging
- For use with any PureFlo rotary or push hand controls and pop-up drain stopper kit (sold separately)
- Flexible overflow neck fits various bath angles for easy installation
- Includes a tee, drain ell, and overflow ell



Available Colors/Finishes

Color tiles intended for reference only.

^{NA} NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 17:22 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.2/CSA B125.2

Material

- Metal construction control handle and stopper
-

Recommended Products/Accessories

K-23726 Drain treatment

K-23723 Faucet cleaner

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

3-27-2026 17:22 - US-CA



Installation

- Above- or through-the-floor

Installation Notes

Install this product according to the installation instructions.

The combined length of the vertical tubing (supplied) and horizontal tubing (not supplied) after being cut for the bath installation must be equal to or less than 25" (635 mm) for 30" (762 mm) cable bath drain.

