



SPEC SHEET

KoolMore 24 in. Commercial One Glass Door Merchandiser Freezer, 12 Cu. Ft. in Black

Model: KM-MDF-1GD-12C

FEATURES

- Spacious Interior: 12 cu. ft. capacity with five adjustable steel shelves (88 lbs each).
- Energy Efficient: 2307 KWH/year, minimizes costs with optimal performance.
- Triple Pane Glass Door: Durable, insulating, and clear for visibility.
- Interior LED Lights: Bright, energy-efficient for easy access.
- No Frost: Efficient operation, no manual defrosting needed.
- Anti-Condensation Strips: Heating strips prevent door condensation.
- Digital Temperature Control: Precise adjustments from -15°F to 0°F.
- Durable Construction: Powder-coated steel exterior, steel interior.
- Easy Installation: Plug-in design with NEMA 5-15P plug, 70.8-inch cord.
- Safety Lock: Built-in to prevent unauthorized access.
- Wide Temperature Range: Operates in 32°F to 95°F ambient conditions.
- ETL Certified & Warranty: Meets ETL standards, 1-year parts and labor warranty.



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	24.2
Height	78.35
Width	25.16
Interior Depth	19.88
Interior Width	18.7
Interior Height	52.44
Shelfwidth	
Shelfdepth	
Depth Excluding Handles	25.16
Depth Including Handles	25.1
Depth Less Door	22.6
Depth With Door Open 90 Degrees	47.63
Power Cord Length	70.8
Minimum Back Air Clearance In	3.9 In.
Minimum Side Air Clearance In	3.9 In.

Capacity

Gross Cubic Feet	11.6
Net Cubic Feet	11.1
Individual Shelf Capacity	88 lbs.




Features & Materials

Door Style	Swing
Number Of Doors	1
Number Of Shelves	5
Defrost Type	No Frost
Refrigerant Type	R-290
Temperature Control Type	Digital controller
Temperature Range	-15-0 F
Ambient Temperature Range	32-95 F
Casters	N
Interior Material	Steel
Exterior Material	Powder Coated Steel
Shelf Material Type	Steel wire
Noise	59 db

Electric & Certifications

Amps	5.5
Phase	1
Voltage	110
Wattage	295
Hertz	60
Plug Type	NEMA 5-15P
Certifications	ETL Listed for Safety and Sanataion

Plan View



CERTIFICATIONS



Intertek



Intertek



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com