


VOLT®



INSTALLATION INSTRUCTIONS

VOLT® SOLAR LANDSCAPE LIGHTING

VOLT® Solar Modernelle Integrated LED Path & Area Light
ITEM: VSPL-1054-BBZ

1-813-978-3700 • Mon-Fri 8am-8pm • Sat-Sun 10am - 6pm (EST)

 **IMPORTANT: PLEASE READ BEFORE INSTALLATION**

This luminaire is intended for installation in accordance with local codes and the National Electric Code (NEC). Failure to adhere to these codes and instructions may result in serious injury, property damage and void the warranty.

These instructions do not intend to cover all variations in installation, operation maintenance or mounting situations.

Please note that these solar fixtures are equipped with built-in photocells, so they will not turn on until it is dark enough. These fixtures will also require plenty of sunlight to function properly. It's best to have the fixture in an area where the sun will get to it at all times throughout the day and where no ambient lighting will affect the photocell at night.

 **IMPORTANT SAFETY INSTRUCTIONS****INSTRUCTIONS PERTAINING TO A RISK OF FIRE, OR INJURY TO PERSONS**
LIGHTED LAMP IS HOT!

WARNING – To reduce the risk of FIRE OR INJURY TO PERSONS.

1. Lamp gets HOT quickly!
2. Do not touch the hot lens, guard or enclosure.
3. Keep lamp away from materials that may burn.
4. Do not touch lamp at any time. Use a soft cloth. Oil from skin may damage lamp.
5. Do not operate the luminaire fitting with a missing or damaged shield.

SAVE THESE INSTRUCTIONS

PACKAGE CONTENTS


A. (1) Fixture Body


B. (2) Batteries

PARTS REQUIRED (SOLD SEPARATELY)


A. (1) Mounting Accessory

PRODUCT DIMENSIONS




1 REMOVE SOLAR COMPONENTS FROM FIXTURE BODY

Remove the screws to separate the solar components from the fixture body.

2 REMOVE BATTERY COVER


Remove the battery cover.

3 INSTALL BATTERIES




Insert two batteries into the battery compartment.


4 INSTALL BATTERY COVER



Place the battery cover back onto the battery compartment and secure with previously removed screws.

5 INSTALL SOLAR COMPONENTS BACK INTO FIXTURE BODY


Place the solar components back into the fixture body and secure with previously removed screws.

6 TEST SOLAR LIGHT

Cover solar panels completely by using black materials. The fixture will light up when the solar panel is covered and turn back off when it is uncovered.


Now you can proceed to next steps of installations knowing the fixture is functional.

7 INSTALL STAKE TO FIXTURE BODY



Thread the stake onto the bottom of the fixture body.

8 INSTALL STAKE INTO SOIL



Insert the stake into the soil until flange of stake is flush to the ground.



1-813-978-3700 • Mon-Fri 8am-8pm • Sat-Sun 10am - 6pm (EST)

Specifications and product details subject to change without notice.
© Copyright 2023, VOLT® Lighting, Lutz FL USA 33549 • All rights reserved.
customersupport@voltlighting.com • www.voltlighting.com