5855-15514 | Over the Door Organizer







Part	Reference
Α	F12693
В	F12694
С	F12695
D	F12696
Е	F12697
F	F12698
G	F12699
Н	F12700
1	F12701
J	F12702
K	F12703

MAX CAPACITY: 10 lbs per shelf


No additional tools required.




A 1 ea Mesh Baskets




B 2 ea Top Poles



C 2 ea Bottom Poles



D 1 ea Top Support



E 1 ea Bottom Support



F 3 ea Horizontal Bars



G 6 ea Basket Supports



H 6 ea



2 ea Over the Door Hooks



J 18 ea Hex Screws




K 1 ea Hex Wrench



FOR EASE OF ASSEMBLY ASSEMBLE ON A FLAT SURFACE


STEP 1:

- ☐ Insert top support (**D**) into two top poles (**B**). Make sure the screw holes align.
- ☐ Insert two top poles (C) onto the two bottom poles (B). Make sure the screw holes align.
- ☐ Insert bottom support (E) onto the two bottom poles (C). Make sure the screw holes align.



STEP 2:

- ☐ Insert the two horizontal bars (F) into the mesh baskets (A).
- ☐ Insert four hex screws (J) through the aligned holes on the poles and into a horizontal bar (F).
- ☐ Install horizontal bar (F) between two bottom poles (C) using two hex screws (J).
- ☐ Tighten with the hex wrench (K).




©2023 Whitmor, Inc.

5855-15514 | Over the Door Organizer




STEP 3:

☐ Insert six basket supports (G) into the mesh baskets (A).




STEP 4:

- ☐ Insert twelve hex screws (J) through the aligned holes on the poles and into the basket support (G).
- ☐ Tighten with the hex wrench (K).



STEP 5:

☐ Slide two over the door hooks (I) into the slots as shown below.



©2023 Whitmor, Inc.





STEP 6:


☐ Lift the assembled organizer and place over an interior door.

STEP 7:

☐ Place inserts **(H)** at the bottom of the baskets.







8680 Swinnea Road • Suite 103 • Southaven, MS • 38671