

# FRIGIDAIRE GALLERY®

## Top Mount Refrigerators

FGTR2037T F/P/E

20.4 Cu. Ft. Top Mount



### Product Dimensions

|                                        |         |
|----------------------------------------|---------|
| Height<br>(Including Hinges & Rollers) | 69"     |
| Width                                  | 29-5/8" |
| Depth (Including Door)                 | 31-3/4" |

### More Easy-To-Use Features

**Smudge-Proof™ Stainless Steel<sup>1</sup>**  
Resists fingerprints and cleans easily.

### Ice-Ready

Our refrigerator is ice-ready so you have the flexibility to easily add an icemaker later if you decide you want one.

### Available in:



Stainless  
(F)



Pearl  
(P)



Ebony  
(E)

<sup>1</sup>Select models only.

### Signature Features




#### Humidity-Controlled Crisper Drawers

Our humidity-controlled crisper drawers are designed to keep your fruits and vegetables fresh so you don't have to worry about stocking up.



#### Full-Width Deli Drawer

Offers you another storage option that is conveniently located so you have easy access to foods such as deli meat and cheeses.



#### SpillSafe® Shelves

Designed to keep spills contained, making cleanup a breeze.




#### Bright LED Lighting

Find food faster in your refrigerator and freezer with bright LED lighting.

| Features                                |                                              |
|-----------------------------------------|----------------------------------------------|
| Door Design                             | UltraSoft™                                   |
| Door Handle Design                      | Stainless Steel (F), Color-Coordinated (P/E) |
| Cabinet Finish (Textured)               | Grey (F), Color-Coordinated (P/E)            |
| Door Stops                              | Yes                                          |
| Door Hinge Covers                       | Grey (F), Color-Coordinated (P/E)            |
| Door Reverse Option                     | Yes                                          |
| Rollers - Front/Rear                    | Adjustable/Yes                               |
| Sound Package                           |                                              |
| Toe Grille                              | Grey (F), Color-Coordinated (P/E)            |
| Refrigerator Features                   |                                              |
| Interior Lighting                       | LED                                          |
| Refrigerator Shelves                    | 2 Full-Width SpillSafe®                      |
| Deli Drawer                             | 1 Half-Width                                 |
| Store-More™ Crisper Drawers             | 2 Clear                                      |
| Humidity Controls                       | 2                                            |
| Dairy Compartment                       | Yes                                          |
| Fixed Door Bins                         | 3 Full-Width White                           |
| Door Racks                              |                                              |
| Non-Slip Bin Liner                      |                                              |
| Freezer Features                        |                                              |
| Door Bins                               | 2 Full-Width Clear                           |
| Door Racks                              |                                              |
| Freezer Shelves                         | 1 Full-Width Wire                            |
| Factory Ice Maker w/ Large Ice Bin      | Optional (PN# IM116)                         |
| Lighting                                | LED                                          |
| Specifications                          |                                              |
| Total Capacity (Cu. Ft.)                | 20.4                                         |
| Refrigerator Capacity (Cu. Ft.)         | 15.3                                         |
| Freezer Capacity (Cu. Ft.)              | 5.1                                          |
| Power Cord Location                     | Right Bottom Rear                            |
| Water Inlet Connection Location         | Left Bottom Rear                             |
| Voltage Rating                          | 120V / 60Hz                                  |
| Connected Load (kW Rating) @ 120 Volts¹ | 0.54                                         |
| Amps @ 120 Volts                        | 6.0                                          |
| Minimum Circuit Required (Amps)         | 15                                           |
| Shipping Weight (Approx.)               | 220 Lbs.                                     |

<sup>1</sup>For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com).



| Product Dimensions                  |         |
|-------------------------------------|---------|
| A - Height (Incl. Hinges & Rollers) | 69"     |
| B - Width                           | 29-5/8" |
| C - Depth (Incl. Door)              | 31-3/4" |
| Depth with Door Open 90°            | 60"     |

Accessories information available on the web at [frigidaire.com](http://frigidaire.com)


**FRIGIDAIRE**

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)


FGTR2037T 06/17

© 2017 Electrolux Home Products, Inc.

Specifications  
subject to change.



\* When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete crisper access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited crisper access with restricted removal.)



### Top Mount Refrigerator Specifications

- Product Shipping Weight (approx.) – 220 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating – 120V / 60 Hz
- Connected Load (kW Rating) @ 120 Volts = 0.54 kW
- Amps @ 120 Volts = 6.0 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- Minimum 3/8" clearance required for sides and top of refrigerator with 1" clearance at rear to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete crisper access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited crisper access with restricted removal.)
- To ensure optimum performance, do not install in areas where temperature drops below 55°F or rises above 110°F and avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Optional Ice Maker Kit (PN# IM116) available for installation in ice maker-ready models only.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure – Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

**Note:** For planning purposes only. Refer to Product Installation Guide on the web at [frigidaire.com](http://frigidaire.com) for detailed instructions.

### Optional Accessories

- Ice Maker Kit – (PN# IM116).

### FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

FGTR2037T 06/17

© 2017 Electrolux Home Products, Inc.



Specifications  
subject to change.