# SAFETY DATA SHEET

### Issuing Date 5/01/2015



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Victor The Ultimate Flea Trap Re-Fill Discs M231
<u>Other means of identification</u>

\_\_\_\_\_

Synonyms

Recommended use of the chemical and restrictions on use

None

Recommended Use Trap and/or Bait Station

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Supplier Address	Woodstream Corp. 69 North Locust St. Lititz PA 17543
Supplier Phone Number	US Phone:(717) 626-2125 Fax:(717) 626-1912 Contact Phone(717) 626-2125
Supplier Email	mandre@woodstream.com
Emergency telephone number	

# 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization

Category 1

### **GHS Label elements, including precautionary statements**

Signal word

Warning

U

# Hazard Statements May cause an allergic skin reaction Image: Appearance Solid Physical State Solid

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### **Precautionary Statements - Storage**

None

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### Unknown Toxicity

70% of the mixture consists of ingredient(s) of unknown toxicity

### **Other information**

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

### Interactions with Other Chemicals

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No.	Weight-%	Trade Secret
8012-95-1	15 - 40	*
9006-04-6	10 - 30	*
	9006-04-6	

The exact percentage (concentration) of composition has been withheld as a trade secret



Odor Odorless

# 4. FIRST AID MEASURES

### First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
Skin Contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Itching. Rashes. Hives. Effects

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

May cause sensitization of susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific Hazards Arising from the Chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code

Sensitizer: Solid

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with eyes. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions	
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
	7. HANDLING AND STORAGE
Precautions for safe handling	7. HANDLING AND STORAGE
Precautions for safe handling Handling	7. HANDLING AND STORAGE Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Paraffin oils	TWA: 5 mg/m <sup>3</sup> inhalable fraction	TWA: 5 mg/m <sup>3</sup>	
8012-95-1	excluding metal working fluids,	(vacated) TWA: 5 mg/m <sup>3</sup>	
	highly & severely refined TWA: 5		
	mg/m <sup>3</sup> inhalable fraction		
	excluding metal working fluids		
Rubber	TWA: 0.0001 mg/m <sup>3</sup> inhalable	-	
9006-04-6	allergenic proteins inhalable		
	fraction		
	S*		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

### **Other Exposure Guidelines**

See section 15 for national exposure control parameters



# Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical State Appearance Color	Solid Solid No information available	Odor Odor Threshold	Odorless No information available
Property	<u>Values</u>	Remarks/ Method	
pH Malting / fragging point	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas) Flammability Limit in Air	No data available	None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Insoluble	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	rNo data available	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No data available		
Oxidizing Properties	No data available		
Other Information			
Softening Point VOC Content (%) Particle Size	No data available No data available No data available		
Particle Size Distribution			

# **10. STABILITY AND REACTIVITY**

### **Reactivity**

No data available.

### Chemical stability

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known based on information supplied.

### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffin oils	-	-	= 2062 ppm (Rat) 4 h
8012-95-1			

### Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skin contact.
Mutagenic Effects	No information available.

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Paraffin oils	A2	Group 3		Х
8012-95-1				
A2 - Suspected Human C IARC (International Age Group 3 - Not Classifiable	ency for Research on Cance e as to Carcinogenicity in Hur	er)	f Labor)	
Reproductive Toxicity	No information	on available.		
STOT - single exposure	No information	No information available.		
STOT - repeated exposu	re No informatio	No information available.		
Chronic Toxicity	Repeated co	Repeated contact may cause allergic reactions in very susceptible persons.		
Target Organ Effects	Skin. Respira	Skin. Respiratory system. Eyes. Lungs.		
Aspiration Hazard	No information	No information available.		

### Numerical measures of toxicity Product Information

### The following values are calculated based on chapter 3.1 of the GHS document Not applicable

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

### Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available

### Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

### California Hazardous Waste Codes 331

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations



### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Mineral Oils	Х		Х		Х
RR-03885-7					

### International Regulations

### Mexico

### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Paraffin oils		Mexico: TWA 5 mg/m <sup>3</sup>
8012-95-1(15 - 40)		Mexico: STEL 10 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

### Canada WHMIS Hazard Class

D2B - Toxic materials



### **16. OTHER INFORMATION**

NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 2	Flammability 0	Physical Hazard 0	Personal Protection



Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Revision Date	17-Sep-2013
Revision Note	No information available

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet

