Assembly Instructions

Caution: You must read this before you proceed



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in CABINET SINK for hardware packs and legs. Sets often ship in multiple boxes and may arrive a day or two apart.

CABINET SINK: N765P334175/N765P334176 Parts List Label **Picture** Description QTY N765P334175B Α Sink 1 Parts List N765P334176B В 1 Left Frame Side С Right Frame Side 1 D 1 Shelf Frame Base Frame 1 Ε

F	Upper Connecting Bar	1
I	Middle Connecting Bar	1
J	Back Connecting Bar	1
К	Upper Door	1
L	Door	2
М	Wooden Stray	1
N	Leg	4
P1	Back Short Bar	1
P2	Front Short Bar	1

Hardware					
N765P334176B					
1	(S)	Screw (M4 x 30mm)	26 Extra1		
2		Screw (M4 x 15mm)	42 Extra1		
3		Hinge	4		
4		Lifting Arm	1		
(5)		Handle with Bolt	3		
6		Anti-Tip	2set		
7	<u> </u>	Bolt (M6x30mm)	2 Extra1		
8	3	Spring Washer (13mm)	2 Extra1		
9		Flat Washer (16mm)	2 Extra1		
10		Allen Wrench	1		
11)		Flat Hinge	2		
Assembly Preparation					
Before Beginning Assembly:					



Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

Assembly Steps

Overview




This CABINET SINK has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Lavabo 1 parts, the above picture is to help you put the various parts into perspective. Please read through the instructions herebelow to familiarise the parts and steps before assembly.



Attach Base Frame (E) to the Back Short Bar (P1), Front Short Bar (P2) by using Screw①. Carefully place the Right Frame Side (C) facedown on a clean, non-marring surface. Attach Base Frame (E) to the Right Frame Side (C) by using Screw①.




Put dowel to exactly hole.




Attach Shelf Frame (D) to the Right Frame Side (C) by using Screw (1).

Step 3

Put dowel to exactly hole.



Attach Middle Connecting Bar (I) to the Right Frame Side (C) by using Screw ①. Attach Back Connecting Bar (J) to the Right Frame Side (C) by using Bolt (7), Spring Washer (8), Flat Washer (9), Allen Wrench (10).




Attach Base Frame (E) to the Left Frame Side (B) by using Screw 1.

Attach Shelf Frame (D) to the Left Frame Side (B) by using Screw ①.

Attach Middle Connecting Bar (I) to the Left Frame Side (B) by using Screw ①.

Attach Back Connecting Bar (J) to the Left Frame Side (B) by using Bolt (7) Spring Washer (8), Flat Washer (9), Allen Wrench (10) .






Twist the Leg (N) to the Left Frame Side (B), Right Frame Side (C).





Put dowel to exactly hole.




2PCS


Attach Wooden Stray (M) to the Upper Door (K) by using Screw 2.





Attach Upper Door (K) to the Left Frame Side (B) by using Screw(2), Lifting Arm(4).






Attach Upper Connecting Bar (F) to the Left Frame Side (B), Right Frame Side (C) by using Screw(1).

<u>Step 11</u>


Put dowel to exactly hole.



Attach Hinge (3) to the Door (L) by using Screw (2).

Step 12

Put dowel to exactly hole.



Attach Hinge(3) to the Left Frame Side (B), Right Frame Side (C) assembly Door (L) by using Screw(2) The door gap can be adjusted by the hinge pin(3), moving up, down, in and out.

Step 13

Put dowel to exactly hole.



Before close the Door, remember to assembly the Handle with Bolt(5) to every Door (L) and Upper Door (K).

В

Step 14


Put dowel to exactly hole.



Place the Sink (A) carefully.


Step 15

Put dowel to exactly hole.



- 1.2 Attach the Metal Brackets,to the Wall Plugs,using Pan Head Screws.and a Screwdriver
- 2.2 Move the Cabinet Sink against the wall. Pull the anti-tip, through the Metal Bracket, on the wall and Cabinet Sink Base respectively and tighten the lock on the anti-dumping strap

Completed



Turn the CABINET SINK right side up.
Place the CABINET SINK on a LEVEL SURFACE.
Inspect it and make sure all parts are adequately connected.
Gently and gracefully, sit into to the CABINET SINK.
This would help to align all the parts at all the joint areas.

Then get off the CABINET SINK, and in a sequential manner, proceed to tighten all screws.

To tighten the Screws at the base of the Backrest, do secure assistance from your adult partner(s).

You may be required to turn the CABINET SINK, to gain easy access to the secure points.

Turn the CABINET SINK in a synchronised manner.

CAUTION 1: When tightening these screws, tighten sequentially.

DO NOT tighten any screw fully and then towards the next one.

This would cause the frame to warp.

If there is still wobbles, loosen the screws and execute this same process.

WARNING!! IF CABINET SINK IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.

Ensure all screws are fully locked into position.

The CABINET SINK is ready to be used.

Caution 2: This CABINET SINK can only be used on a flat, level surface.

Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals. Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

- What types of chemicals are on the Proposition 65 list? The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.
- What does a warning mean?
- If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals. By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.
- Where can I get more information on Proposition 65? If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.