

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : Adams Flea & Tick Collar Plus for Dogs & Puppies
 Synonyms : EPA Reg. No.: 89459-98, RF2280 DP Collar, 100530914, 100544845

1.2. Recommended use and restrictions on use

Recommended use : Flea and tick collar for dogs and puppies.
 Restrictions on use : Avoid contact with skin and eyes. Keep out of reach of children.

1.3. Supplier

Central Garden & Pet Company
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States

www.adamspetcare.com

1.4. Emergency telephone number

Emergency number : 1-800-234-2269
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4 : Harmful if swallowed
 Carcinogenicity Category 2 : Suspected of causing cancer

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning
 Hazard statements (GHS US) : Harmful if swallowed
 Suspected of causing cancer
 Precautionary statements (GHS US) : Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Wash hands, forearms and face thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Call a poison center or doctor if you feel unwell.
 If exposed or concerned: Get medical advice/attention.
 Rinse mouth.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Supplemental information : Exposure to titanium dioxide from the finished product is not expected to occur due to the manner in which the constituents are bound. Finished product is not considered carcinogenic.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Deltamethrin	(CAS-No.) 52918-63-5	4
Pyriproxyfen	(CAS-No.) 95737-68-1	1
Titanium dioxide	(CAS-No.) 13463-67-7	0.5
Phosphoric acid, triphenyl ester	(CAS-No.) 115-86-6	25
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
- First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Call a poison center/doctor/physician if you feel unwell. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after ingestion : Harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire.
- Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.
- Emergency procedures : No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal. Use appropriate PPE.

Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)		
ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
ACGIH	Remark (ACGIH)	LRT irr; A4 (Confirmed Animal Carcinogen with Unknown Relevance to Humans: The agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) that may not be relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence does not suggest that the agent is likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust)
IDLH	US IDLH (mg/m ³)	5000 mg/m ³
Phosphoric acid, triphenyl ester (115-86-6)		
ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ (Time-weighted average exposure limit 8 h; TLV - Adopted Value)
ACGIH	Remark (ACGIH)	Cholinesterase inhib
OSHA	OSHA PEL (TWA) (mg/m ³)	3 mg/m ³

8.2. Appropriate engineering controls

- Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Not required for normal conditions of use

Skin and body protection:

Not required for normal conditions of use

Respiratory protection:

Not required for normal conditions of use



Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Gray collar
Color	: Gray
Odor	: Odorless or slight vanilla
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non-flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.187 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May decompose upon heating to produce toxic vapors/gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Deltamethrin (52918-63-5)	
LD50 oral rat	66.7 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.2 mg/l/4h
Pyriproxyfen (95737-68-1)	
LD50 oral rat	5004 mg/kg
LD50 dermal	> 2000 mg/kg

Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

Pyriproxyfen (95737-68-1)	
LC50 inhalation rat (mg/l)	> 11.07 mg/l
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity (oral)	Harmful if swallowed.
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Suspected of causing cancer.
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation

Acute : Under normal conditions of use, no health effects are expected.

Skin

Acute : May be harmful if absorbed through skin. May cause a transient, localized parasthesia, characterized by tingling, burning or numbness sensation in some individuals.

Eye

Acute : May cause irritation.

Ingestion

Acute : Harmful if swallowed.

Mutagenicity

: Deltamethrin has been tested and found negative for mutagenicity potential. Pyriproxyfen has been tested and found negative for mutagenicity potential.

Carcinogenicity

: Exposure to titanium dioxide from the finished product is not expected to occur due to the manner in which the constituents are bound. Finished product not considered carcinogenic. Titanium dioxide is classified as a possible carcinogen Group 2B by IARC. Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice. Pyriproxyfen is not classified as a carcinogen by IARC, NTP or OSHA.

Reproductive Effects

: Deltamethrin is not a reproductive toxin and does not cause birth defects. Pyriproxyfen does not cause birth defects or adverse effects on reproduction.

SECTION 12: Ecological information

12.1. Toxicity

Deltamethrin (52918-63-5)	
LC50 Acute fish 3	0.00174 mg/l (Exposure time: 96h - poecilia reticulata)
EC50 Daphnia 1	0.00415 mg/l (Exposure time: 24h - Daphnia magna)
Pyriproxyfen (95737-68-1)	
LC50 Acute fish 1	> 0.325 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.27 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute fish 3	> 1.02 mg/l (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	> 0.092 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.4 mg/l (Exposure time: 48h - Daphnia magna)
NOEC Chronic fish 1	0.09 mg/l (Rainbow trout)

12.2. Persistence and degradability

Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

Deltamethrin (52918-63-5)	
Persistence and degradability	Deltamethrin: Hydrolytic Half-Life: 2.28-2.70 days @ pH 9.0 Photolytic Half-Life: 64-86 days (water); 9 days (soil) Soil Half-Life: 14-40 days (cropped plots); 37-69 days (bare ground) in field dissipation studies.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Deltamethrin (52918-63-5)	
Mobility in soil	The major routes of dissipation are soil binding and soil microbial degradation. Although soil binding is strong, it is not immediate. It appears that spray drift is the only significant route of exposure to aquatic organism. However, deltamethrin's strong binding capacity to slime, plants, sediment, etc., might rapidly prevent the availability of deltamethrin for bioconcentration in aquatic systems. Additionally, its insolubility in water will be a factor in limiting its bioconcentration as well. Deltamethrin hydrolyzes under alkaline conditions. Leaching studies indicate that Deltamethrin is immobile.

12.5. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s (Deltamethrin)	9	III	Marine pollutant
IATA	UN3077	Packaging greater than 5 kg: Environmentally hazardous substance, solid, n.o.s (Deltamethrin)	9	III	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Titanium dioxide (13463-67-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA Labelling	
EPA Registration Number	89459-98
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.	
FIFRA Hazard statements	Caution
FIFRA Precautionary statements	Do Not Let Children Play With This Collar
FIFRA Hazards to Humans and Domestic Animals	Do not open protective pouch until ready to use. Do not let children play with this collar. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Do not use on puppies under 12 weeks. Do not use on Cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. This collar is intended for use only as an insecticide and is not to be taken internally by man or animals. Applying other pesticides on the dog may not be necessary while the collar is being worn.

Adams Flea & Tick Collar Plus for Dogs & Puppies

Safety Data Sheet

FIFRA First aid	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
-----------------	---

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 05 December 2017
Revision date : 04 November 2020
Supersedes : 16 June 2020

Indication of changes:

Revised Sec. 1: Added material number(s).

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.