
YMX-33			
Accessories list			
Note: All the parts marked with * are tucked			
under or with other parts			
A	B*	C*	D*
			0 0
Left seat frame(1) E*	Seat cushion(4) F*		supporting member for left backrest(facing sofa)(2) H*
	1'*	Q*	11*
supporting member for right backrest(facing sofa)(2)	6*16 Colour screw(32) T*	M4*65*23 Wrench(2)	Ottoman side pane(4) L*
Right seat frame(1)	Corner brace connector(4)	17mm Colour gasket(16)	Ottoman base plate(1)
$\ M*\ $	N*	()*	P*
			Ommanum (f)
Ottoman panel(1) Q*	Sofa foot(10)	40x100x2 Black metal plate(1)	6x25 Black screw(2) T*
16mm Black gasket(2)	Right armrest(1)	Left armrest(1)	Right backrest(1)
Left backrest(1)	Right armrest soft bag(1)	Left armrest soft bag(1)	Instruction Manual(1)

### STEP 1:


Zip the armrest soft bag of the armrest



### STEP 2:


Fix sofa foot to the sofa pedal base plate and the foot pedal hardware.

Note: Foot pedal hardware faces the smooth surface of the sofa pedal base




### STEP 3:

Stagger the side panels of the corner brace connector of ottoman base plates, and distinguish between the top and bottom of the ottoman side panels




## STEP 4:


Place the ottoman panel on the ottoman frame



## STEP 5:


Install backrest hardware accessories on both sides of the left seat frame of the sofa and distinguish the left and right






STEP 7:

Install backrest hardware accessories on both sides of the right seat frame of the sofa and distinguish the left and right




## STEP 8:

Fasten the backrest to the backrest support pieces on both sides of the right seat frame with screws, put down the back cloth and stick the Velcro under the sofa seat frame




## STEP 9:

Insert the left seat frame into the left armrest




# STEP 10:

Insert the right seat frame into the right armrest




## STEP 11:

Insert double seat frame into double seat frame




#### STEP 12:

Take out the sofa connecting piece and 2 black screws to connect both sides of the sofa backrest




### STEP 13:

Connect the sofa seat frame and install the sofa feet



### STEP 14:


Open compression bag with scissors (seat cushion \*4, backrest cushion \*3),
Put the seat cushions and back cushions on the sofa



Seat cushion\*4

Back Cushion\*3


Sofa feet and backrest hardware are placed in the sofa seat frame





Three small back cushions and four small seat cushions are placed in the sofaseat frame

**STEP 15:** 

Put the seat cushion and then the back cushions on the sofa







## Tip:

1. Back cushions are compressed to prevent humidity and mold, sometimes it's inevitable to find some wrinkles when you get them out, you can iron them or use them to help them to get back into the original shape.

2. Hand wash is preferred for daily care.