

LED ILLUMINATED MIRROR Installation Instructions Elegance

I. Remove the packaging carefully, do not lose the screws.

**2.** Using a level, mark off a horizontal line, and ensure that the ends of the brackets are spaced to the width between the inner edges of the vertical aluminum extrusions (see illustration 1). Mark off the holes using a pencil.

**3.** Note: Screws supplied are only suitable for stud walls. For drywall walls use special wall fasteners, available from DIY or hardware stores. Seek advice from a specialist about the suitability of screws to be used. Drill the required holes and insert wall screws.

**4.** Measuring the distance between hanging holes by using the screws provided. Please ensure the screws are fully

tight but take care not to over tighten.





Illustration 1

### Portrait or Landscape



OPERATING INSTRUCTIONS Short touch for changing color Keep touching three seconds for dimming



LTL HOME PRODUCTS, INC.

125 Rt. 61 Schuylkill Haven, PA 17972 1-800-360-1585 • fax 570-385-5475 • info@ltlhomeproducts.com WWW.ltlhomeproducts.com



LED ILLUMINATED MIRROR Installation Instructions

## Elegance

# Installation for floor stand:



1. Loosen the screw to remove the stand.



3. Fix the adjusters on two sides of stand and stand holder, fasten the screw after preferred angle determined.



2. Fix the stand on the second hole of stand holder.







LED ILLUMINATED MIRROR Installation Instructions Elegance

## Installation Instructions:



#### **INSTALLATION CARE & SAFETY**

Wear suitable eye protection when drilling. Take care when using power tools. Beware of hidden cables or pipes. Take care if drilling on tiled surfaces in case the drill slips. A piece of masking tape applied to the wall before marking out the fixing holes will stop the drill from wandering.

#### IMPORTANT

DO NOT strike glass components with hard or pointed items. DO NOT place very hot or very cold items against or in close proximity to glass surfaces unless an adequately thick insulation material is used to prevent such items coming in contact with the glass. The nominal thickness of the mirror glass used in this product is ¼" and is film backed for safety. If the glass becomes chipped or broken, replace immediately.

#### IMPORTANT

This product is NOT suitable for outside zones. It is also NOT suitable for installation in saunas, steam rooms or shower cubicles. This product is only suitable for indoor use. Do not attached the product to surfaces that are damp or otherwise electrically conductive.

#### CLEANING

It is recommended that the unit is cleaned with a soft, dry, non-abrasive cloth when turned off. Never use cleaning agents or abrasive materials on any type of surface finish. Do not allow moisture to come into contact with the electrical components.