



Ealing™ | K-R8185-1

33" top-/undermount double-bowl kitchen sink

Features

- 36" (914 mm) minimum base cabinet width
- Double-equal bowls
- 9" (229 mm) depth provides generous workspace
- Single faucet hole with knockout holes for three additional accessories
- Matte finish offers rich, dimensional color
- Sink racks available (sold separately)
- Sink strainers sold separately



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

- CM1 Matte Black
- CM4 Matte Grey



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 15:12 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

CSA B45.5/IAPMO Z124

Technical Information

All product dimensions are nominal.

Number of Deck Holes:	1
Faucet Hole(s) Size:	1-7/16" (37 mm)
Drain Hole Diameter:	3-3/4" (95 mm)
Minimum Base Cabinet Width:	36" (914 mm)
Basin Configuration:	Equal Bowls
Left Basin Length:	14-9/16" (370 mm)
Left Basin Width:	16-13/16" (427 mm)
Left Basin Depth:	9" (229 mm)
Right Basin Length:	14-13/16" (377 mm)
Right Basin Width:	17-11/16" (450 mm)
Right Basin Depth:	9" (229 mm)

Material

- KOHLER Neoroc composite material is thermal shock-resistant and heat-resistant to 750°F (399°C)
 - Color-dense Neoroc material helps to minimize the appearance of scratches and stains
-

Recommended Products/Accessories

K-23726 Drain treatment

K-23730 Neoroc cleaner

Warranty

See website for detailed warranty information.

KOHLER® Neoroc® Sinks Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 15:12 - US-CA

Installation

- Top-mount or undermount
-

Installation Notes

Install this product according to the installation instructions.

