




TRAMPOLINE

WITH ENCLOSURE NET





If you can't contact the seller in case of any problems, please contact the trampoline factory through this email address and we will provide you with assistance. service@cnmersco.com



INSTALLATION WARNING





1. Please make sure at least 2 people install the trampoline.



2. Please install the trampoline on the flat and non-slippery ground.



3. Please install the springs in the X-shape order one by one as requested in the instructions.



4. Please do not move or lift the trampoline during or after installation but use the tie down stakes kit to secure it.

USE WARNING



Do not somersault or flip.



Do not dunk and hold onto the ring.



Do not jump onto the trampoline from a height.



Do not intentionally hit the safety enclosure net.



Do not use the trampoline in stormy weather but disassemble and store it.



Do not exceed 330lbs for a single user and do not exceed the total weight for multiple users.
















Do not place any sharp objects on the trampoline.









Do not use during pregnancy, high blood pressure or other injuries.

ADDITIONAL SAFETY WARNING

- Read all instructions before using the trampoline.
- Use trampoline only under adult supervision.
- Not recommended for children under six years old.
- Secure the trampoline against unauthorized use.
- Use only when the jumping mat is clean and dry.
- Do not use the trampoline without the spring cover pad.
- Do not use the trampoline while under the influence of alcohol or drugs.
- Do not smoke while using the trampoline.
- Do not use the trampoline as a spring board to jump onto other objects. Do not jump from other buildings or object surfaces, onto the trampoline or into or over the trampoline enclosure.
- Never set up or continue to use the trampoline in heavy rain, wind, or storm weather, especially lightning storms. It's recommended that disassemble and store the trampoline in bad weather.
- Inspect carefully before using and replace any worn, defective or missing parts.
- Avoid bouncing too high. Maintain control. Do not try to jump over the enclosure.
- Do not jump and try to hang onto the top of the netting or the enclosure pole.
- Don't intentionally kick, bounce against, climb on, hang from, jump over or crawl under the enclosure.
- Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the enclosure.
- Enter and exit the enclosure only through the zipper door. Do not crawl under the trampoline. Do not go through the gap between the enclosure and the mat.
- Misuse of the enclosure may result in serious injury or death.
- Users may become entangled in or strangled by loose cords or in gaps between trampoline and enclosure.
- Keep the enclosure tightly fastened to the trampoline in accordance with the manufacturer's instructions.
- Failure to properly assemble and maintain a tight, secure trampoline/enclosure boundary may result in serious injury, strangulation or death.



| NO | PART | NAME | QTy |
|----|---|------------------------------|-----|
| 1 |  | Top Rail | 10 |
| 2 |  | T-shaped Connector | 10 |
| 3 |  | Leg Extension (two holes) | 5 |
| 4 |  | Leg Extension | 5 |
| 5 |  | Base Leg | 5 |
| 6 |  | Upper pole B | 5 |
| 7 |  | Upper pole A | 5 |
| 8 |  | Frame Pad | 1 |
| 9 |  | Safety Net | 1 |
| 10 |  | Net Rope | 8 |
| 11 |  M6*75 | Bolt Pack (M6*75) | 10 |
| 12 |  | Spring | 80 |
| 13 |  | Jumping Mat | 1 |

| | | | |
|----|---|----------------|---|
| 14 |  | Spring Tool | 1 |
| 15 |  M6 | Wrench | 1 |
| 16 |  | Soft Backboard | 1 |

| | | | |
|----|---|----------------------|---|
| 17 |  | Frame Pole | 2 |
| 18 |  | Step Pole | 3 |
| 19 |  M6*35 | Bolt Pack (M6*35) | 6 |


Step 1

Attach the Top Rail (#1) to the T-shaped Connector (#2) until you form the circle. As shown in Fig. (You can use great force if it is too tight)




Step 2

Insert the Leg Extension (#3) with the Leg Extension (#4) into the Base Leg (#5) and stick out completely, totally 5 legs. As shown in Fig.




Step 3

Two people will be necessary at this point to install the trampoline. One person lifts up the circle frame, while the other lifts the W-shaped leg tubes to a standing position and inserts the T-shaped Connector (#4) into a W-shaped leg tube. Ensure the locking holes are aligned. As shown in Fig.





Step 4



Layout the Jumping Mat(#13) inside the circle frame.



Step 5



Install the Springs(#12) in the X-shape order one by one to make sure the tension is distributed evenly for the Jumping Mat(#13) and pull it with Spring tool(#14).As shown in Fig.(Tip: Please take care not to pinch your hands and other body parts during spring assembly.)





Step 6

Please lay the frame cover pad (#8) over the springs;
Tie the strap located at the under side of the frame pad to
the frame. As shown in fig.





Step 7

The Upper Pole B(#6) is locked and fixed in the two holes at
the upper end of Leg Extension (#3) with screw (#11). As shown in fig.


Step 8

Please insert the Upper Pole A (#7) into the Upper Pole B (#6). As shown in fig.




Step 9

Spread Safety Net (#9) out on the trampoline mat. Pass the strap through the ring of the Upper Pole Cap (#7), along the Upper Pole Cap (#7), and through the buckle, and lock the buckle. As shown in fig.





Step 10


Components Net Ropes (#10), Safety Net(#9) through the bottom hole components, and parts cross around spring, and fixed. As shown in fig.



Step 11


Fixed the Soft Backboard(#16) on the Safety Net(#9), the upper two bands are fixed on the top of the Upper Pole A (#7), and the bottom two belts are fixed on the Safety Net (#9), As shown in the figure.







Step 12

Take out the Frame Pole(#17), Step Pole(#18) and screw(#19). And screw the Step Pole(#18) above the Frame Pole(#17) as shown in the figure.





CARE AND MAINTENANCE

This trampoline was designed and manufactured with quality materials and craftsmanship. If proper care and maintenance is provided. It will provide all jumpers with years of exercise, fun, and enjoyment as well as reduce the risk of injury. Please follow the guidelines listed below:

This trampoline is designed to hold a certain amount of weight and use . Please make sure that only one person at any one time uses the trampoline. Also, the person should weigh less than **330lbs (150kgs)** jumpers should either wear socks, gymnastics shoes, or be barefoot .

When using the trampoline. Please be aware that street shoes or tennis shoes should NOT be worn while using the trampoline in order to prevent the trampoline mat from getting cut or damaged please do not allow any pets onto the mat. Also, jumpers should remove all sharp objects from their person prior to using the trampoline. Any type of sharp or pointed objects should be kept off the trampoline mat at all times.

Always inspect the trampoline before each use for worn, abused or missing parts. A number of conditions could arise that may increase your chances of getting injured. Please be aware of:

Punctures, holes, or tears in the trampoline mat

Sagging trampoline mat

Loose stitching or any kind of deterioration of the mat

Bent or broken frame parts, such as the legs

Broken, missing, or damaged springs

Damaged, missing, or Insecurely attached frame pad

Protrusions of any types (especially sharp types) on the frame, springs, or mat

CARE AND MAINTENANCE

WINDY CONDITIONS

In severe wind Situations, the trampoline can be blown about. If you expect windy weather conditions, the trampoline should be moved to a sheltered area or disassembled. Another option is to tie the round, outside portion (top frame) of the trampoline to the ground using ropes and stakes.

To ensure security, at least three (3) tie downs should be used. Do not just secure the legs of the trampoline to the ground because they can pull out the frame sockets.

MOVING THE TRAMPOLINE

If you need to move the trampoline, two people should be used. All connector points should be wrapped secured with weather resistant tape, such as duct tape. This will keep the frame intact during the move and prevent the connector points from dislocating and separating. When moving, lift the trampoline slightly off the ground and keep it horizontal to the ground. For any type of other move, you should disassemble the trampoline.

IF YOU FIND ANY OF THE PREVIOUS CONDITIONS, OR ANYTHING ELSE THAT YOU FEEL COULD CAUSE HARM TO ANY USER, THE TRAMPOLINE SHOULD BE DISASSEMBLED OR SECURED FROM USE UNTIL THE CONDITIONS HAS BEEN RESOLVED.

THE PRODUCT SPECIFICATIONS AND INFORMATION MENTIONED IN THESE OPERATING INSTRUCTIONS ARE FOR REFERENCE ONLY, AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

LIMITED WARRANTY

Ours trampoline products to be free from defects in material and workmanship under normal use and service conditions. The steel frame is warranted for one (1) year after the date of purchase. All other parts are warranted for six (6) months after the date of purchase. Wind or weather damage is not warranted.

All warranty coverage extends only to the original retail purchaser from the date of purchase. . This Warranty does not extend to any product or damage to a product caused by or attributable to fire, theft, flood damage, abuse, misuse, improper or abnormal usage, or to products used for commercial or rental purpose.

In addition, in order to meet the possible demand, our accessories can also be obtained for a fee. The fee will include the value of accessories and the delivery fee.

You can contact us through the following email address : service@cnmersco.com

OUR COMPANY IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT OR OTHER DAMAGES WITH RESPECT TO ANY ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL

OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU. This Warranty gives you specific LEGAL RIGHTS. You may also have other rights which vary state to state.

THIS WARRANTY IS VALID ONLY IN THE UNITED STATES.