

According to OSHA HazCom 2012, 29 CFR 1910.1200

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: STAR BRITE STAR TRON STABILIZER +	
Product code	: 148XX	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Fuel additives and fuel components.

1.3. Details of the supplier of the safety data sheet

Supplier	 Star Brite 4041 SW 47th Avenue 33314 Fort Lauderdale, Florida, United States of America
Telephone	: 001 800 3278583
E-mail	: vwaclawek@kinpakinc.com
Website	: http://www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS US - Telephone : 001 703 5273887	/FIRE BRIGADE/POLICE only:	(During office hours only)		
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):				
Chemtrec	001 703 5273887	(24/7)		

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification (HCS : Flammable liquid, category 4. Aspiration hazard, category 1. §1910.1200)

2.2. Label elements

Label elements (1910.1200) Hazard pictograms		
Signal word	Danger	
H- and P-phrases	H227 H304 P210	Combustible liquid. May be fatal if swallowed and enters airways. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P280 face hands	Wear protective gloves/eye protection/face protection.
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P331	Do NOT induce vomiting.
	P370+P378	In case of fire: Use carbondioxide, foam, dry chemical, water fog to extinguish.



P403+P235 P405

P501

Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to an official chemical waste depot.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS	Hazards
			nr.	
Hydrocarbons, C11-14, n-alkanes,	80 - 100		64742-47-8	Asp. Tox. 1; H304
isoalkanes, cyclics, < 2% aromatics				
2,6-di-tert-butylphenol	1 - < 5	128-39-2		Skin Irrit. 2; H315
				Aquatic Acute 1; H400
				Aquatic Chronic 1; H410
Hydrocarbons, C10-13, aromatics, <1%	0,1 - < 1		64742-94-5	Asp. Tox. 1; H304
naphthalene				Aquatic Chronic 2; H411
Distillates (petroleum), hydro- treated	0,1 - < 1	64742-47-8		Flam. Liq. 3; H226
light				Asp. Tox. 1; H304
				Skin Irrit. 2; H315
				STOT SE 3; H336
				Aquatic Chronic 2; H411

Occupational exposure limit(s), if relevant, are listed in section 8. The actual concentration has been withheld as a trade secret.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures	
Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists.
Eye contact Ingestion	 Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists. Do not induce vomiting. Give nothing to drink. Do rinse the mouth. As necessary give 1 or 2 soupspoons of laxative (sodium sulphate). Never give anything by mouth to an unconscious person. Consult a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms	
Inhalation	: May cause headache, dizziness and a feeling of sickness.
Skin contact	: Repeated exposure may cause skin dryness or cracking.
Eye contact	: May cause stinging of eyes and redness.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

Product name	:	Star brite Star tron Stabilizer +		
Date of issue	:	2022-05-31	Replaces issue dated	: •



SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	Will float on water and can be reignited.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

5.3. Advice for firefighters

 Special protective
 : Use adequate respiratory equipment in case of insufficient ventilation.

 equipment for fire-fighters
 :

 NFPA hazard rating
 :



SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.
 Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.



7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep away
	from food, drink and animal feedingstuffs.
Recommended packaging	: Keep only in the original container.
Non recommended	: PE and PP.
packaging	

7.3. Specific end use(s)

Use

: Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. limits

Workplace exposure limits (mg/m³):

Chemical name	Province	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Hydrocarbons, C11-14, n-	US	200	-	As total hydrocarbon vapor.	ACGIH TLV (United States,
alkanes, isoalkanes, cyclics, <				Absorbed through skin.	4/2014)
2% aromatics					
Hydrocarbons, C10-13,	US	200	-	Total hydrocarbon vapor	ACGIH TLV
aromatics, <1% naphthalene					
Distillates (petroleum), hydro-	US	200	-	as total hydrocarbon vapor	ACGIH TLV
treated light					

8.2. Exposure controls

Engineering measures	: Use only in well-ventilated areas. Comply with standard precautionary measures for working with
	chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection	: Wear appropriate protective clothing, overalls or suit, and similar boots. Suitable material: nitril.
	Indication of permeation breakthrough time: 6 hours.
Respiratory protection	n : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure.
	Suitable: gas filter type A (brown), class I or higher on e.g. a facemask.
Hand protection	: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of
	frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm.
	Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses with side shields when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Colourless.

Product name	:	S
Date of issue	:	2

: ----



Odour Odour threshold	: Characteristic. : Not known.	
рH	: Not applicable.	Waterfree product.
Solubility in water Partition coefficient (n-	Not soluble.Not applicable.	Not measured. Not relevant for mixtures.
octanol/water)		
Flash point	: 86,5 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93). Does not support combustion.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 315 °C	
Boiling point/boiling range	: > 100 °C	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,6 (Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)
	:	Upper explosion limit in air (%): 5,5 (Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	e: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not known.	
Vapour pressure (20°C)	: Not known.	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 0,8 g/ml	
Evaporation rate	: Not known.	

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity		
Reactivity	: See sub-sections below.	
10.2. Chemical stability		
Stability	: Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Reactivity	: No other hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	: See section 7.	
10.5. Incompatible materials		

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



No toxicological research has been carried out on this product. Inhalation

Acute toxicity : Calculated LC50: > 5,162 mg/l. Ingredients of unknown toxicity: 3 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness. Corrosion/irritation : Not classified - based on available data, the classification criteria are not met. Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met. Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met. Does not contain mutagenic substances. Not classified - based on available data, the classification Mutagenicity criteria are not met. Skin contact Acute toxicity : Calculated LD50: > 2055 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. Corrosion/irritation : Slight irritation possible. Repeated exposure may cause skin dryness or cracking. Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met. Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met. Eye contact Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met. Ingestion Acute toxicity : Calculated LD50: > 4916 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. : Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can Aspiration be fatal. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing. Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea. : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are Carcinogenicity not met. Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Product name Date of issue



Ecotoxicity :	Harmful to aquatic organisms. Calculated LC50 (fish): 32 mg/l. Calculated EC50 (waterflea): 18 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.			
12.2. Persistence and degra	adability			
Persistence – degradability :	May cause long-term adverse effects in the aquatic environment.			
12.3. Bioaccumulative potential				
Bioaccumulative potential :	No specific information known.			
12.4. Mobility in soil				
Mobility :	Adsorbs to soil and has low mobility. Floats on water.			
12.7. Other adverse effects				
Other adverse effects :	Not applicable.			
SECTION 13 DISPOSAL	CONSIDERATIONS			

13.1. Waste treatment methods

Product residues	Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose into the environment, in drains or in water courses.
Local legislation	 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

DOT (land) Class	: This product is not classified according to DOT.
Other information	: Does not support combustion. Not regulated as dangerous goods per CFR Title 49 Subtitle B Chapter I Subchapter C Part 173.120(a)(3).
IMDG (sea) Class Marine pollutant	This product is not classified according to IMDG.No
IATA (air) Class	: This product is not classified according to IATA.



14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	: OSHA HazCom 2012, 29 CFR 1910.1200 and other Regulations.
United States TSCA (To	oxic Substances Control Act) inventory
	 All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation

California Proposition 65

WARNING: Contains traces of the following substances known to the state of California to cause cancer, birth defects or other reproductive harm

Naphthalene 91-20-3 cancer 5.8		CAS	Type of toxicity	NSRL or MADL (ug/d)
	Naphthalene	91-20-3	cancer	5.8

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE	:	Acute Toxicity Estimate
CMR	:	Carcinogenic, Mutagenic or toxic for Reproduction
DOT	:	Department of Transportation
DSL	:	Domestic Substances List
GHS	:	Globally Harmonized System of Classification and Labelling of Chemicals
HPA	:	Hazardous Products Act
HPR	:	Hazardous Products Regulations
IATA	:	International Air Transport Association
IBC code	:	International Bulk Chemical Code
IMDG	:	International Maritime Dangerous Goods Code
LD50/LC50	:	Lethal Dose/Concentration for 50% of a population
MARPOL	:	International Convention for the Prevention of Pollution From Ships
NO(A)EL	:	No Observed (Adverse) Effect Level
OECD	:	Organisation for Economic Co-operation and Development
OSHA	:	United States Occupational Safety and Health Administration
PBT	:	Persistent, Bioaccumulative and Toxic

· ___



REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
WHMIS	: Workplace Hazardous Materials Information System

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc. Also used: OSHA HazCom 2012, 29 CFR 1910.1200.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format	:	"," used as decimal separator.
Date of preparation or latest revision	:	2022-05-31

End of safety data sheet.