

Designed by Chicago architect Stephen Katz, the Nan XL ceiling fan is a revolutionary take on ceiling fans, incorporating traditional design with superior performance and functionality to meet the aesthetic needs and challenges of any space. The Nan XL fan feels at home in any setting from casual to commercial and everything in between. This timeless ceiling fan works in residential environments, restaurants, hospitality or even office settings. The Nan XL fan has the perfect amount of design presence for any size room or season. The fully adjustable fan motor speeds makes moving the right amount of air simple and easy. The Nan XL fan will feel like a natural part of the room and enhance any space with a fresh breeze. Also available is the standard Nan fan with smaller diameter options: 42", 52" and 60".







NAN XL

FINISH AND BLADE OPTIONS				
SKU#	NKXL-XXX-XXX (Model+Finish+Blade+Dia	ameter)		
Standard Finishes	Matte Black Matte White Textured Bronze	BK MWH TB		
Blade Finish	Barn Wood Matte Black Matte White Walnut	BW BK MWH WA		
Fan Diameter	72 inches / 183 cm 90 inches / 229 cm	72 90		
TECHNICAL SPECS				
Fan Diameter	inches: 72 or 90 centimeters: 183 or 229			
Blade Material	CNC Cut Solid Wood			
Overall Drop	12 inches / 30 cm + downrod length			
Fan Weight	19 lbs			
Downrods Lengths Field cuttable. Non-threaded	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183			
Downrod Diameter	1 inch			
Voltage	110 (Contact us for 220 conversion)			
Motor Type	DC			
Environment	Damp locations for all finishes Neither coastal, saltwater nor chlorine compatible			
Ambience	Silent			
Safety Certification	ETL / CETL			
Warranty	Limited Lifetime			

INDUSTRIAL CEILING FAN ESTIMATED EFFICIENCY DATA

Fan Diameter	72 inch / 183 cm	90 inch / 229 cm
RPM (Low/High)	48 / 86	28 / 143
CFM (Low/High)	3727 / 11,302	4257 / 13,687
Watts (High)	36.08	31.59
CFM/Watt (High)	339	456
Blade Pitch	15°	15°

STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm Vaulted ceiling canopy for up to 30°

Black 6-speed RF remote control with reverse



White wireless Decora-style, 6-speed, wall control



NOTE: Only compatible with included controllers.

Blade Options






Matte White



Nan XL

TECHNICAL SPECIFICATIONS



CEILING PITCH TABLE		
0/12	0 degrees	
1/12	4.76 degrees	
2/12	9.46 degrees	
3/12	14.04 degrees	
4/12	18.43 degrees	
5/12	22.62 degrees	
6/12	26.57 degrees	
7/12	30.26 degrees	
8/12	33.69 degrees	
9/12	36.87 degrees	
10/12	39.81 degrees	
11/12	42.51 degrees	

CEILING HEIGHT / DOWNROD TABLE		
Ceiling Height	Downrod Lengths Field cuttable. Non-threaded	
10 ft or less	5 inches / 13 cm Use safety cages if applicable	
10 -12 feet	10 inches / 25 cm	
13 feet	20 inches / 51 cm	
14 feet	30 inches / 76 cm	
15 feet	48 inches / 122 cm	
16 feet +	72 inches / 183 cm	

Matthews Fan Company

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com

