

Stainless Steel Sink

Product ID. QVAEE



Scan for Support
support@garvee.com




GARVEE.com

Commercial Sink Instruction Manual

Model	Picture
24*20*41inch	
28*20*34inch	
30*16*30inch	
33*18*30inch	
39*20*37inch	
47*18*32inch	
47*20*37inch	

Product Components

Eg.	Item	Quantity
	Pool body	1 PC
	Pool chassis A	1 PC
	Long sink leg	4 PC
	Faucet sleeve box	1 set

	Sewer pipe set	1 set
	Wrench	1 PC
	Short screw	4pcs

Installation Steps

Step 1:

- Place the chassis on the ground, insert the lower legs into the corresponding holes in the chassis in turn, and then fix the chassis to the height required by the legs, tighten with screws, and fix each leg in turn.



Step 2:

Turn the upper tank upside down, then insert the assembled chassis into the corresponding upper leg, secure it, and reverse it.



Step 3:

Remove the plastic nut and black plastic rubber ring from the drainer, make sure that the white rubber ring is on the drainer, and put it into the water inlet slot.




Step4:

After inserting it, put the black rubber ring on the drainer, and then rotate and tighten the plastic nut. Connect the downpipe to the drain together. Place the black rubber ring in the drain pipe, thread the yellow fitting to the drain pipe, and then assemble the drain pipe to the drainer assembly and tighten.



Step 5:

Push in the metal fittings that come with the faucet in the following order to tighten, then thread the white plastic washer from the bottom to the top of the faucet (be sure to check that the white washer is properly installed to prevent water leakage).



Thank You!

Thank you for choosing our product.

For any questions or assistance, please contact our customer service.