



Quik Drive[®] Solutions

Rethink
repetitive
fastening.

(800) 999-5099
strongtie.com



Quik Drive Solutions

Reduce Time and Labor Cost

Quik Drive auto-feed screw driving systems turn repetitive fastening into opportunities to increase efficiency and save time. Extensive research goes into the design of each system and screw to understand the intended applications, faster performance demands and the work flow in which installations take place. This results in professional quality auto-feed solutions that truly make work easier.

- Patented Quik Drive auto-feed attachments and collated fasteners eliminate the need to handle (and fumble with) individual screws. The result: faster installations and less waste!
- Extensions allow stand-up driving for appropriate applications, making work less stressful on the back, shoulders and knees.
- Quik Drive systems require less skill training than traditional installation methods — a first-day apprentice can work as fast as a seasoned veteran.
- Collated Quik Drive fastener strips are engineered to hold screws away from the surface and not scratch the jobsite materials.
- Precise self-locking depth adjustments allow for consistent fastener drive depth.
- Compatible with most major manufacturers' screwdriver motors.
- Limited lifetime warranty (see strongtie.com/warranty for more information).

See strongtie.com/quikdrive for the complete Quik Drive product line.



Quik Drive Solutions

Individual Attachments

Already have a driver motor?

Attachments are available and sold separately.

- Precise depth adjustment
- Integrated bit release key
- Sturdy fastener feed pawl
- Application-specific fastener delivery nose
- Patented curved collation strips (US Patent 7,051,875)

Driver motor adapters are available for major manufacturers. Refer to C-F-2019 *Fastening Systems* catalog, p. 181 or strongtie.com/quikdrive, for details.



Quik Drive Attachment,
Extension and Driver Motor

System Kits

Include the essentials needed to get started.

- Quik Drive attachment
- Choice of driver motor
- Driver motor adapter and application-specific accessories (e.g., extension arm, fastener quiver, belt hook — accessories vary depending on system kit configuration)



Quik Drive System Kit

Simpson Strong-Tie Collated Fasteners for Quik Drive

Collated Screw	Material/Coating**	Quik Drive System Compatibility	Brochure Page(s)	
Drywall, Subfloor, Sheathing, Crating				
	CBSDQ Sheathing-to-CFS* Screw	Quik Guard®	PRO200S, PRO250, PRO300S	11, 13, 15
	Deck-Drive DSV Wood Screw	Quik Guard	PRO250, PRO300S	13, 15
	DWC Drywall Screw	Gray Phosphate	PRO200, PRO250, PRODW	7, 13, 9
	DWF Drywall-to-CFS Screw	Gray Phosphate	PRO200, PRO200S, PRODW	7, 11, 9
	DWFS Drywall-to-CFS Screw	Quik Guard, Yellow Zinc	PRO200, PRO200S, PRO250, PRODW	7, 11, 13, 9
	DWHL Drywall Screw	Gray Phosphate	PRO200, PRODW	7, 9
	FHSD Wood-to-CFS Screw	Type 410 Stainless Steel, Yellow Zinc	PRO200S	11
	MTH Wood Underlayment Screw	Yellow Zinc, Gray Phosphate	PRO200S	11
	Strong-Drive® WSV Subfloor Screw	Yellow Zinc, F-Coat	PRO200S, PRO250, PRO300S	11, 13, 15
	Trim-Head Screw Type-17 Point	Quik Guard	PRO250, PRO300S	13, 15
	WSC Wood Screw	N2000 Mechanically Galvanized, Yellow Zinc	PRO200S, PRO250	11, 13
	WSHL Subfloor Screw	Gray Phosphate	PRO200S, PRO250	11, 13
	WSFLRV Wood-to-CFS/Aluminum Screw	Yellow Zinc	PRO250	13

* CFS: cold-formed steel.

** For more information regarding corrosion resistance, refer to pp. 17–20 of the *Fastening Systems* catalog, C-F-2019.

For a complete list of fasteners and their corresponding Quik Drive Systems, see the *Fastening Systems* catalog, C-F-2019, pp. 188–189.

Simpson Strong-Tie Collated Fasteners for Quik Drive


Collated Screw	Material/Coating**	Quik Drive System Compatibility	Brochure Page(s)	
Decking, Docks, Boardwalks				
	Bugle-Head Screw	Type 316 and Type 305 Stainless Steel	PRO300S	15
	Deck-Drive™ DCSD Composite-to-Steel Screw	Quik Guard®	PRO250, PRO300S	13, 15
	Deck-Drive DCU Composite Screw	Quik Guard, Type 316 and Type 305 Stainless Steel	PRO300S	15
	Deck-Drive DHPD Hardwood Screw	Type 305 Stainless Steel	PRO300S	15
	Deck-Drive DSV Wood Screw	Quik Guard	PRO250, PRO300S	13, 15
	Deck-Drive DWP Wood SS Screw	Type 316 and Type 305 Stainless Steel	PRO300S	15
	Trim-Head Screw Sharp Point	Type 305 Stainless Steel	PRO300S	15
	Trim-Head Screw Type-17 Point	Quik Guard	PRO250, PRO300S	13, 15
Underlayment, Backerboards				
	CB3BLG Fiber-Cement Board Screw	C-3 Mechanically Galvanized	PROLDH	18
	CB3BLGHL Fiber-Cement Board Screw	C-3 Mechanically Galvanized	PROLDH	18
	MTH Wood Underlayment Screw	Yellow Zinc, Gray Phosphate	PRO200S	11
Metal Fastening				
	Strong-Drive® PPSD Sheathing-to-CFS Screw	Quik Guard, Yellow Zinc	PRO250	13

* CFS: cold-formed steel.

** For more information regarding corrosion resistance, refer to pp. 17–20 of the *Fastening Systems* catalog, C-F-2019.

For a complete list of fasteners and their corresponding Quik Drive Systems, see the *Fastening Systems* catalog, C-F-2019, pp. 188–189.

PRO200G2 Drywall System



• **Precise self-locking** depth adjustment for consistent fastener drive depth

Applications: Drywall to wood or cold-formed steel (CFS)

- Compact body for reduced weight and easy handling.
- Slim profile allows driving in corners.
- Smooth nosepiece will not mar drywall surface.
- Patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRO200G2 system includes:

- PRO200G2 drywall attachment (also sold separately)
- Extension for stand-up driving
- Choice of Makita® or DeWalt® screwdriver motors
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite


Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page	
DWC Drywall Screw	p. 203
DWHL Drywall Screw	p. 204
DWF Drywall-to-CFS* Screw	p. 214
DWFSD Drywall-to-CFS Screw	p. 214

* CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PR0200G2D25K
Makita 2,500 rpm screwdriver motor	PR0200G2M25K
Parts	Model No.
Attachment only	QDPR0200G2
Replacement attachment mandrel	PMANDREL65

Quik Drive PRO200G2 System

PRODW Drywall System



Limited lifetime warranty on attachment, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRODW system includes:

- PRODW drywall attachment
- Makita® 4,000 rpm screwdriver motor
- Quiver for keeping screws at your fingertips

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page	
DWC Drywall Screw	p. 203
DWHL Drywall Screw	p. 204
DWF Drywall-to-CFS Screw	p. 214
DWFSD Drywall-to-CFS Screw	p. 214

System Options	Model No.
Makita 4,000 rpm screwdriver motor	PRODWM40K
Parts	Model No.
Attachment only	QDPRODW
Replacement attachment mandrel	PMANDREL65B
#2 Phillips replacement bits — 3 pack	BIT2P-RC3
#2 Phillips replacement bits — 10 pack	BIT2P-RC10

Quik Drive PRODW System

PRO200SG2 Multi-Purpose System

• **Non-skid teeth** increase stability and provide uniform toenailing and countersinking on slick surfaces



Applications: Subfloor to wood or steel, sheathing, fiber-cement siding to steel, gypsum panel to wood or cold-formed steel (CFS)

- Expanded depth settings for high-density flooring materials.
- Reversible and replaceable non-skid teeth attachment.
- Patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRO200SG2 system includes:

- PRO200SG2 Multi-Purpose attachment
- Extension for stand-up driving
- DeWalt® screwdriver motor
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page			
Strong-Drive® WSV Subfloor Screw	p. 200	DWF Drywall-to-CFS Screw	p. 214
WSHL Subfloor Screw	p. 203	DWFSD Drywall-to-CFS Screw	p. 214
WSC Wood Screw	p. 206	CBSDQ Sheathing-to-CFS Screw	p. 213
FHSD Wood-to-CFS* Screw	p. 215	MTH Wood Underlayment Screw	p. 204
DWC Drywall Screw	p. 203		

*CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PRO200SD25K
Parts	Model No.
Attachment only	QDPRO200SG2
Replacement mandrel	PMANDREL75

Quik Drive PRO200SG2 System

PRO250G2 Subfloor System



Applications: Sheathing or subfloor to wood or cold-formed steel (CFS)

- Expanded depth settings for an appropriate countersink in a variety of applications.
- Reversible and replaceable non-skid teeth attachment.
- Uniform toenailing and countersinking on slick surfaces.
- The patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRO250G2 system includes:

- PRO250G2 subfloor attachment (also sold separately)
- Extension for stand-up driving
- Choice of Makita® or DeWalt® screwdriver motors
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page			
Strong-Drive® WSV Subfloor Screw	p. 200	WSFLRV Wood-to-CFS/Aluminum Screw	p. 215
Deck-Drive™ DSV Wood Screw	p. 190	WSC Wood Screw	p. 206
Deck-Drive DCSD Composite-to-Steel Screw	p. 199	Trim-Head Screw: Type-17 point	p. 193
WSHL Subfloor Screw	p. 203	DWC Drywall Screw	p. 203
CBSDQ Sheathing-to-CFS* Screw	p. 213	DWFSD Drywall-to-CFS Screw	p. 214
Strong-Drive PPSD Sheathing-to-CFS Screw	p. 199		

* CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PRO250G2D25K
Makita 2,500 rpm screwdriver motor	PRO250G2M25K
Makita 3,500 rpm screwdriver motor	PRO250G2M35K
Parts	Model No.
Attachment only	QDPRO250G2
Replacement attachment mandrel	PMANDREL75

Quik Drive PRO250G2 System

PRO300SG2 Decking System



• **Noseclip is reversible** — non-skid teeth on one side, non-marring smooth surface on the other side

Decking noseclip for accurate and consistent deck board fastening

Applications: Installing deck boards on decks and docks, subfloor to wood or steel, wall plates, stair treads, sheathing

- Expanded depth settings for high-density flooring materials.
- Non-skid teeth are reversible and replaceable.
- Uniform toenailing and countersinking on slick surfaces.
- Sure-grip guide tube increases stability for a broad range of screws.
- The patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRO300SG2 system includes:

- PRO300SG2 decking attachment (also sold separately)
- Extension for stand-up driving
- Choice of Makita® or DeWalt® screwdriver motors
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite
- Decking noseclip for accurate and consistent fastening

The decking noseclip positions the screw on the deck board and centers it on the joist for an easy, uniform installation from a standing position.

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page	
Deck-Drive™ DSV Wood Screw	p. 190
Deck-Drive DWP Wood SS Screw	p. 191
Deck-Drive DHPD Hardwood Screw	p. 191
Trim-Head Screw: Type-17 Point	p. 193
Trim-Head Screw: Sharp Point	p. 192
Bugle-Head Wood Screw	p. 193
CBSDQ Sheathing-to-CFS* Screw	p. 213
Strong Drive® WSV Subfloor Screw	p. 200
Deck-Drive DCU Composite Screw	p. 197

*CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PRO300SD25K
Makita 2,500 rpm screwdriver motor	PRO300SM25K
Makita 3,500 rpm screwdriver motor	PRO300SM35K
Parts	Model No.
Attachment only	QDPRO300SG2
Replacement attachment mandrel	PMANDREL75

Quik Drive PRO300SG2 System

NEW Quik Drive® Cordless Kits

SIMPSON
Strong-Tie

Select kits include the DeWalt® driver motor.



PRO300SG2



PRO250G2



PRO200SG2

Features:

- Eliminate the need for compressors, generators or power to run fastening equipment.
- Slash the set-up time. Eliminate cord and hose maintenance and tangle. Reduce tripping and electrical shock hazards.
- Powerful 2,000 rpm, 20V cordless driver motor with adjustable torque.
- Includes two 4.0-amp hour lithium-ion batteries and charger.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PRO200SG2 cordless system includes:

- PRO200SG2 cordless Multi-Purpose attachment
- Extension for stand-up driving
- DeWalt® 2,000 rpm, 20V cordless, brushless screwdriver motor
- Battery charger with two lithium-ion batteries
- Soft case to protect your equipment



The PRO250G2 cordless system includes:

- PRO250G2 cordless Multi-Purpose attachment
- Extension for stand-up driving
- DeWalt 2,000 rpm, 20V cordless, brushless screwdriver motor
- Battery charger with two lithium-ion batteries
- Soft case to protect your equipment



The PRO300SG2 cordless system includes:

- PRO300SG2 cordless Multi-Purpose attachment
- Extension for stand-up driving
- Decking noseclip
- DeWalt 2,000 rpm, 20V cordless, brushless screwdriver motor
- Battery charger with two lithium-ion batteries
- Soft case to protect your equipment

Cordless Systems	Model No.	Compatible Screws
PRO300SG2 Cordless Decking	PRO300SG2DC2K	See p. 15
PRO250G2 Cordless Subfloor System	PRO250G2DC2K	See p. 13
PRO200SG2 Multi-Purpose System	PRO200SG2C2K	See p. 11

Quik Drive Cordless Systems

PROLDHG2 Underlayment/Backerboard System



Applications: Cement board and fiber-cement board underlayment/backerboard to wood

- Slim profile allows driving in corners
- Drives fasteners that meet ANSI standards
- Compact body for reduced weight and easy handling

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PROLDHG2 system includes:

- PROLDHG2 underlayment/backerboard attachment (also sold separately)
- Extension for stand-up driving
- Makita® screwdriver motor
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page	
CB3BLG Fiber-Cement Board Screw	p. 194
CB3BLGHL Cement Board Screw	p. 194

System Options	Model No.
Makita 2,500 rpm screwdriver motor	PROLDHG2M25K
Parts	Model No.
Attachment only	QDPROLDHG2
Replacement attachment mandrel	PMANDREL65

Quik Drive PROLDH System

PROSDD Multi-Purpose Combo System



• Noseclip is reversible — non-skid teeth on one side, non-marring smooth surface on the other side

• PRO300SG2 Decking Attachment

• PRO200G2 Drywall Attachment

• Sure-grip guide tube increases stability for a broad range of screws

Applications: Decks/docks, subfloor, drywall, wall plates, stair treads, fiber-cement siding to steel

- Expanded depth settings for high-density flooring materials.
- Uniform toenailing and countersinking on slick surfaces.
- Non-skid teeth are reversible and replaceable.
- The patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PROSDD combo system includes:

- PRO300SG2 decking attachment (also sold separately)
- PRO200G2 drywall attachment (also sold separately)
- Extension for stand-up driving
- Choice of DeWalt® or Makita® screwdriver motors
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page			
Strong-Drive® WSV Subfloor Screw	p. 200	Bugle-Head Wood Screw	p. 193
Deck-Drive™ DCU Composite Screw	p. 197	WSC Wood Screw	p. 195
Deck-Drive DSV Wood Screw	p. 190	WSFLRV Wood-to-CFS*/Aluminum Screw	p. 215
Deck-Drive DWP Wood SS Screw	p. 191	WSHL Subfloor Screw	p. 203
Deck-Drive DHPD Hardwood Screw	p. 191	CBSDQ Sheathing-to-CFS Screw	p. 213
Deck-Drive DCSD Composite-to-Steel Screw	p. 199	DWC Drywall Screw	p. 203
Trim-Head Screw: Type-17 Point	p. 193	DWF Drywall-to-CFS Screw	p. 214
Trim-Head Screw: Sharp Point	p. 192	DWFSD Drywall-to-CFS Screw	p. 214

*CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PROSDDD25K
Makita 2,500 rpm screwdriver motor	PROSDDM25K
Makita 3,500 rpm screwdriver motor	PROSDDM35K
Parts	Model No.
PRO300S attachment only	QDPRO300SG2
PRO200 attachment only	QDPRO200G2
Replacement PRO300S attachment mandrel	PMANDREL75
Replacement PRO200 attachment mandrel	PMANDREL65

Quik Drive PROSDD Combo System

PROCCS+ Multi-Purpose Combo System



Applications: Subfloor to wood or steel, wall plates, stair treads, sheathing, decks/docks, fiber-cement siding to cold-formed steel (CFS)

- Expanded depth settings for high-density flooring materials.
- Non-skid teeth are reversible and replaceable.
- Sure-grip guide tube increases stability for a broad range of screws.
- The patented curved collation strips (US Patent 7,051,875) hold the screws up and away from the work surface, making moving and positioning the tool easier. They are also pointed on the inserted end to simplify loading.

Limited lifetime warranty on attachment and extension, one-year limited warranty on screwdriver motors (see specific manufacturer's warranty for more information)



The PROCCS+ combo system includes:

- PRO300SG2 decking attachment (also sold separately)
- PRO200SG2 Multi-Purpose attachment (also sold separately)
- Extension for stand-up driving
- Choice of DeWalt® or Makita® screwdriver motors
- Screw quiver for keeping screws at your fingertips
- Rugged tool case to protect your equipment on the jobsite

Drive These Collated Screws / C-F-2019 Fastening Systems Catalog Page			
Strong-Drive® WSV Subfloor Screw	p. 200	Bugle-Head Wood Screw	p. 193
Deck-Drive™ DCU Composite Decking	p. 197	WSC Wood Screw	p. 195
Deck-Drive DWP Wood SS Screw	p. 191	WSFLRV Wood-to-CFS*/Aluminum	p. 215
Deck-Drive DHPD Hardwood Decking	p. 191	WSHL Subfloor Screw	p. 203
Deck-Drive DCSD Composite Decking	p. 199	MTH Wood Underlayment Screw	p. 204
Trim-Head Screw: Type-17 Point	p. 193	CBSDQ Sheathing-to-CFS Screw	p. 213
Trim-Head Screw: Sharp Point	p. 192	Strong-Drive PPSD Sheathing-to-CFS screw	p. 209

*CFS: cold-formed steel

System Options	Model No.
DeWalt 2,500 rpm screwdriver motor	PROCCS+D25K
Makita 2,500 rpm screwdriver motor	PROCCS+M25K
Parts	Model No.
PRO300S attachment only	QDPRO300SG2
PRO200S attachment only	QDPRO200SG2
Replacement attachment mandrel	PMANDREL75

Quik Drive PROCCS+ Combo System

Accessories and Replacement Parts

Accessories	Model No.
Feed pawl, 250, 200S, 300S attachments	PFEEDPAWL
Feed pawl, twist lock for SDS, 200 attachments	PFEEDPAWLTL
Feed pawl, HSD attachments	PFEEDPAWL3
Feed pawl, PROHX, PROPH, PROLDH, PROPP attachments	PFEEDPAWL2
Feed pawl PROPP, PROPH attachments	PFEEDPAWL5

Replacement Parts	Model No.
Case, PRO kits	TOOLCASE-LG
Deck clip, PRO300S, PRO200S, PRO250	QDDECKCLIP-RC
Extension, 16" (short), G2 series	QDEXTG2-16
Extension, 20" (standard), G2 series	QDEXTG2
Lightweight extension, 16" (long), G3 series	QDEXTG3-16
Lightweight extension, 22" (long), G3 series	QDEXTG3-22
Extension replacement handle, G2 Series	G2HANDLE
Noseclip, 250, 200S, 300S attachments	PNOSECLIP
Noseguard, HX516 attachment	PNOSEGUARD-5
Profile guide, 5V	PPROFILEGUIDE5V
Screw quiver, worn on belt, carries up to 500 screws	QUIVER
Protective soft case	QDTOOLBAG



Mandrels	Model No.
Mandrel, 6½"	PMANDREL65-RC
Mandrel for PRODW, 6 1/2"	PMANDREL65B
Mandrel, 7½"	PMANDREL75-RC
Mandrel, 10"	PMANDREL10
Mandrel, 5/16" hex with driver bit for PROPP150 series attachment	BPHXLBPPG2
Mandrel, HX516 attachment, with 5/16" driver bit	BPHX516G2
Mandrel, 5/16" hex with driver bit for PROSDX150 series attachment	BPHXLBSDG2



PFEEDPAWL



PNOSECLIP




QUIVER



QDDECKCLIP-RC


Replacement Driver Bits

It is necessary to use the right driver bit to ensure optimum results with a Quik Drive system. The bit(s) included in each box of Quik Drive screws should be sufficient to drive the entire box; however, variations in materials and driving techniques can shorten driver-bit life. Replacement bits are available in Bit Packs; reference the label on the bit included in the box or the box label to ensure correct driver-bit selection.

Drive Type/Size	Bit	Description
 #2 square drive	 R2	BIT2S — for most screws with #2 recess and interior-grade coating
 #2U (#2 undersized)	 R2U	BIT2SU — for most screws with #2 recess and exterior-grade coating
 #3 square drive	 R3	BIT3S — for most screws with #3 recess and interior-grade coating
 #3U (#3 undersized)	 R3U	BIT3SU — for most screws with #3 recess and exterior-grade coating
 #2 Phillips		BIT2P — for all Quik Drive screws with Phillips recess
 5/16" lobular hex drive		BITHEXLB516 — for most screws with 5/16" lobular hex drive
 T20 6-lobe		BITTX20 — for Quik Drive systems with T20 6-lobe drive
 T25 6-lobe		BITTX25 — for Quik Drive systems with T25 6-lobe drive

Schematic

Attachment



What are the Quik Drive attachment features?



Precise self-locking depth adjustment for consistency



Reversible and replaceable noseclip increases stability



Built-in bit wrench, making bit changes quick and easy



Simple one-handed screw loading

Troubleshooting Guide

Simpson Strong-Tie Quik Drive tools are easy to use. As with any power tool, there are a few basic things to remember for best performance.

Problem	Solution
Screws won't drive. They spin for a second, then lay over on their side. Little or no penetration.	Make sure the screwdriver motor is not in reverse.
Screws won't drive completely. They go down about halfway, then the bit spins out.	Check to be sure you are using the correct bit for the type of screws you are driving. Check for bit wear. It may be time to install a new bit. Push harder when driving.
Screws won't drive completely. They are almost completely driven, but won't countersink completely.	Check the depth adjustment on the attachment. Reset if necessary. You may have missed the substrate. Example: In flooring, this will occur if you miss the joist.
Screws don't advance properly, causing tool to jam.	Use only Simpson Strong-Tie Quik Drive brand collated screws. Be sure the screw strip is inserted correctly — pointed end first. Lift the tool completely off the work surface after driving each screw. Don't drag screw strips on the work surface as you move to the next position. Be sure the feed pawl assembly is intact and feed lever is engaged. Avoid the use of wet or spray lubricants that may attract wood or drywall dust.



Decks



Subfloors



Drywall



Underlayment

This flier is effective until December 31, 2022, and reflects information available as of May 1, 2020. This information is updated periodically and should not be relied upon after December 31, 2022. Contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2020 Simpson Strong-Tie Company Inc. • P.O. Box 10789, Pleasanton, CA 94588

S-Q-QDBROC20 5/20 exp. 12/22

(800) 999-5099
strongtie.com