

5-in-1 Pine Wood Barn Door - Frame

Installation Manual




SAFETY PRECAUTIONS


!CAUTION!


- Power tools can cause serious damage if not professionally used. Safety gear must be worn before installation to prevent unexpected injuries.
- Pick an area free of hazardous condition before you start on the project.
 Please use tools and power tools responsibly any loss of control and accident deaths may occur due to abuse of tools.
- Big objects required in this project are needed to be carefully and responsibily moved. Be sure to wear safety gloves and shoes to prevent any serious injury.
- Be extremely careful to not put any parts of your body against a moving part
 of the hardware. This may cause bruising, punctures, and other results of
 injuries when for example when fingers are caught in the closing area
 of the doors.
- Precautions should be taken when opening or closing the door(s). Handles should be used when attempting to slide the door(s). Always keep you and children aware and safe from any unexpected situations.
- Any extreme uncontrolled pressure opening or closing the door(s) can damage the hardware gradually. Use handle(s) to open and close the door(s) with care at all times


5-in-1 Frame Door Design


This package comes with all 5 designs panels that you can to make so please check page 5 & 6 to build the door design you desire.













HARDWARE INCLUDED

Please check that you have the correct quantity of hardware before installation.

Different door sizes comes with different quantity of hardware.







Checklist for items you should have for each door size.

| Size | Α | В1 | В2 | В3 | C1 | C2 | C3 | D1 | D2 | Н1 | H2 | Е | F | G |
|------|---|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 20in | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 22in | 2 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 24in | 2 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 26in | 2 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 28in | 2 | 1 | 1 | 1 | 2 | 6 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 30in | 2 | 1 | 1 | 1 | 2 | 6 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 32in | 2 | 1 | 1 | 1 | 2 | 6 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 34in | 2 | 1 | 1 | 1 | 2 | 8 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 36in | 2 | 1 | 1 | 1 | 2 | 8 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 38in | 2 | 1 | 1 | 1 | 2 | 10 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 40in | 2 | 1 | 1 | 1 | 2 | 12 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 42in | 2 | 1 | 1 | 1 | 2 | 12 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 44in | 2 | 1 | 1 | 1 | 2 | 12 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 46in | 2 | 1 | 1 | 1 | 2 | 14 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 48in | 2 | 1 | 1 | 1 | 2 | 14 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 54in | 2 | 1 | 1 | 1 | 2 | 16 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |
| 60in | 2 | 1 | 1 | 1 | 2 | 22 | 2 | 2 | 2 | 4 | 4 | 10 | 10 | 64 |

All decorative panels are included in the box, please see check list below for the panels you need to build your desired door design.


| Door Design | D1 | D2 | Н1 | H2 |
|-------------|----|----|----|----|
| Classic | 0 | 0 | 0 | 0 |
| Single X | 1 | 1 | 2 | 2 |
| Double X | 2 | 2 | 4 | 4 |
| Left Arrow | 2 | 2 | 0 | 0 |
| Right Arrow | 2 | 2 | 0 | 0 |


INSTRUCTIONS

WARNING


If you purchased any of our Sliding Barn Door Hardware Kit to accommodate with this door please do not install the long bolts on the first hole. This will interfere with the installation of the rollers. You may cover up the hole with the wooden dowels given only. Having one screw installed for the top horizontal slab will not interfere with the stability of the door, having wood glue used in the process of putting the slabs together will help to secure them in place.


STEP 1





STEP 2







WARNING

If you purchased our Sliding Barn Door Hardware Kit to accommodate with this door please do not install the long bolts on the first hole. This will interfere with the installation of the rollers. You may cover up the hole with the wooden dowels given only. Having one screw installed for the top horizontal slab will not interfere with the stability of the door, having wood glue used in the process of putting the slabs together will help to secure them in place.

STEP 3





ON YOUR OWN PREFERENCE


You may fill in the extra holes left from the dowels with wood glue or cut down the dowels that is sticking out of the door after installing. Then sand off to smoothen the sides and the whole door to prepare for the finishes need for your door. This will help to make the sides of the door flawless and help camouflage the predrilled holes.

If you want the classic design, your installation is complete!


NOTICE

But if you want to build other designs besides the classic please continue to page 5.


Single X Door Design




Double X Door Design



Left Arrow Door Design





YOUR INSTALLATION IS COMPLETE!



SLIDING HARDWARE / BARN DOORS

High Quality • Exquisite Design • Outstanding Services

ABOUT US

At Homacer, our goal is to provide the finest sliding barn door hardware products and services for our valued customers. We keep polishing our products to make their quality better, prices lower and installation easier. We make it possible for you to get everything you need from us when you think about installing sliding barn doors.

CONTACT US

Customer Services

Office #: 1(770) 864-5437 Website: www.homacer.com Email us: info@homacer.com

Bulk Order Program

To learn more about bulk order program you may contact us at

Office #: 1(770)-559-5849

Website: www.homacer.com/pages/membership-program

Email us: sales@homacer.com

LOCATION

1885 Beaver Ridge Cir, Ste A Norcross, GA 30071