

AXOR Montreux

Thermostat for concealed installation with lever handle and shut-off/ diverter valve

Surfaces: **Polished Nickel** Article Number: **16821831**



Description

product features

- 2 functions
- volume control and diverter for 2 outlets
- maximum flow rate at 3 bar: 26.5 l/min
- thermostat cartridge, shut-off/ diverter valve
- safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection type: basic set
- dirt filter included
- CEC/California/Watersaving
- cUPC/IAPMO/3016/ cUPC mark
- MASS/Massachusetts

Product image



AXOR Montreux


Thermostat for concealed installation with lever handle and shut-off/ diverter valve

Surfaces: **Polished Nickel** Article Number: **16821831**



Exploded Drawing

Year of production: >08/13



AXOR Montreux

Thermostat for concealed installation with lever handle and shut-off/ diverter valve

Surfaces: **Polished Nickel** Article Number: **16821831**



Spare part list

Year of production: >08/13

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	16694831	0	1
2	hollow set screw M5x16	97666000	0	1
3	cover cap	95991000	0	1
4	hollow set screw M4x8	97669000	0	1
5	handle	98637830	0	1
6	adapter for handle	96435000	0	1
7	adapter for handle	96451000	0	1
8	escutcheon	98638830	0	1
9	escutcheon for exchanged connections	95829000	0	1
10	O-Ring 48x3	95508000	0	1
11	O-ring 29x3	98371000	0	1
12	sleeve	96446830	0	1
13	sleeve	96439830	0	1
14	sub plate	96447000	0	1
15	set of fixing screws	96454000	0	1
16	thermostat cartridge	94282000	0	1
17	sealing set	95037000	0	1
18	shut off unit with selector	98283000	0	1
19	set of screws	96525000	0	1
20	installation unit cpl.	92592000	0	1
21	O-ring 16x2	98133000	0	1
22	set of non return valves DW 15	97350000	0	1
23	noise reduction	94073000	0	1
24	extension 25 mm	13595000	0	1
25	extension 22 mm (Ø 170 mm)	13596830	0	1