

1. Identification

Product Identifier: **Amazing Clear Cast A Side**
 Use: Component for Mold Making and Casting. For Industrial/Professional use only.
 Manufacturer: Alumilite
 1458 S. 35th Street, Galesburg, MN 49053
 Phone Number: +1 800-447-9344 (9 a.m. to 5 p.m. EST)
 Emergency Phone: CHEMTREC 800-424-9300 or +1 703-527-3887
 E-mail: info@alumilite.com

2. Hazards Identification

GHS Classification:

Skin Irritation Category 2
 Eye Irritation Category 2A
 Skin Sensitizer Category 1

Label Elements: Warning



Hazard Phrases

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.

Precautionary Phrases

P261 Avoid breathing fumes, vapors, mists, or sprays.
 P264 Wash hands thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the work area.
 P280 Wear protective gloves, eye protection, face protection.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333 + P317 If skin irritation or rash occurs: Get medical help.
 P337+P317 If eye irritation persists: Get medical help.
 P362+P364 Take off contaminated clothing and wash before reuse.
 P501 Dispose of contents and container in accordance with local, regional and national regulations.

Supplemental Information: Read and understand the hazard information on Part B before using.

3. Composition/Information on Ingredients

Chemical Name	CAS #	%
Bisphenol A-epichlorohydrin epoxy resin	25068-38-6	90-100
Alkyl (C12-14) glycidyl ether	68609-97-2	0-10
Exact concentrations are withheld as trade secret. Other ingredients are not classified as health, physical or environmental hazards, or are present below cut-off/concentration limits.		

4. First-Aid Measures

Eye Contact: Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Remove contact lenses if safe and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Skin Contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation develops or persists.

Inhalation: Remove person to fresh air. Get medical attention if symptoms develop or persist.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

Most Important Symptoms/Effects: Causes skin and eye irritation.

Indication of Immediate Medical Attention/Special Treatment: Treat symptoms.

5. Fire-Fighting Measures

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or spread fire.

Specific Hazards: Not classified as flammable or combustible. Product will burn under fire conditions. Combustion products include oxides of carbon, phenolics, aldehydes and other toxic organic compounds.

Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus and full-body protective clothing.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency

Procedures: Clear unnecessary, unprotected personnel from the area.

Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment. Dispose of in accordance with applicable local and federal environmental laws and regulations.

7. Handling and Storage

Safe Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep container closed when not in use.

Safe Storage: Store indoors at temperatures below 120°F (49°C). Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: None established.

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Respiratory Protection: If needed, an approved respirator with organic vapor cartridges may be used. Respirator selection and use should be based on contaminant type, form and concentration. For higher exposures or in an emergency, use a supplied-air respirator.

Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.

Eye Protection: Wear chemical safety glasses/goggles.

Other Protective Measures: Prevent skin contact and contamination of personal clothing. An eye wash facility and washing facility should be available in the work area. Follow applicable regulations and good Industrial Hygiene practice.

9. Physical and Chemical Properties

Appearance: Liquid, blue tint

Odor: Epoxy

Odor Threshold: No data available

pH: No data available

Melting Point: No data available

Boiling Point: No data available

Flash Point: >205°F

Evap. Rate: No data available

Upper/Lower Flammability Limits: No data available

Vapor Pressure: No data available

Vapor Density: No data available

Relative Density: 1.15
Solubility: No data available
Partition Coefficient: n-octanol/Water: No data available
Auto-Ignition Temp: No data available
Decomposition Temp: No data available
Viscosity: 10,000-12,000 cps

10. Stability and Reactivity

Reactivity: Not normally reactive.
Chemical Stability: Stable under recommended conditions. After prolonged storage, may crystallize.
Possibility of Hazardous Reactions: Masses of ≥ 1 lb (0.5 kg) plus aliphatic amine will cause irreversible polymerization with considerable heat build-up. Material will polymerize with sodium hydroxide.
Conditions to Avoid: Avoid excessive heat.
Incompatible Materials: Avoid contact with strong oxidizing agents, acids, alkalis, amines, mercaptans.
Hazardous Decomposition Products: Uncontrolled exothermic reaction of epoxy resin releases carbon monoxide, carbon dioxide, phenolics, and aldehydes.

11. Toxicological Information

Eye Contact: Causes serious eye irritation.
Skin Contact: Causes skin irritation. May cause sensitization. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Inhalation: Vapors from heated product may cause respiratory irritation.
Ingestion: No data available.
Chronic Health Effects: May cause an allergic skin reaction.
Acute Toxicity Values: Estimated Oral rat LD₅₀ >5,000 mg/kg; Dermal rabbit LD₅₀ >20,000 mg/kg.
Respiratory Sensitization: Components are not respiratory sensitizers.
Skin Sensitization: Components are classified as skin sensitizers.
Germ Cell Mutagenicity: Components are not classified as mutagens.
Carcinogenicity: Components are not classified as carcinogens.
Reproductive Toxicity: Components are not classified as reproductive toxins.
Specific Target Organ Toxicity: Not classified based on available data.

12. Ecological Information

Ecotoxicity: No data available. Do not release into waterways.
Persistence and Degradability: Not readily biodegradable.
Bioaccumulative Potential: Low potential to bioaccumulate in aquatic organisms.
Mobility in Soil: No data available.

13. Disposal Considerations

Do not dump to ground, sewers, or watercourses. Dispose according to local, state and federal regulations.
For U.S.: Upon disposal, this product is not a RCRA hazardous waste (per 40 CFR 261).

14. Transport Information

DOT: Non-bulk packagings (<882 lbs. or <119 gal.) are not regulated for transport
Bulk packaging (>882 lbs. or >119 gal.) are UN 3082, Environmentally hazardous substance, liquid, n.o.s. (epoxy resin), 9, III.
IMDG/IATA: UN 3082, Environmentally hazardous substance, liquid, n.o.s. (epoxy resin), 9, III.
Marine Pollutant: Yes
Excepted from IMDG and IATA regulations in containers of 5 liters or less (see IATA SP A197 and IMDG 2.10.2.7).

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or +1-703-527-3887

15. Regulatory Information

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements.

SARA TITLE III

Section 311/312: Acute Health

Section 313 Toxic Chemicals: This product contains chemicals subject to SARA Title III Section 313 Reporting requirements:

2,2'-oxybisethanol (CAS 111-46-6) <0.5%

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All components in this product are listed on TSCA.

STATE REGULATIONS:

California Proposition 65: WARNING: This product can expose you to chemicals including Epichlorohydrin which is known to the State of California to cause cancer and/or reproductive harm.
www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: Mold making and casting.

SDS Revision Notes: New GHS Format February 28, 2019; Updated: October 15, 2021.

Disclaimer: The information contained herein is considered accurate; however, Alumilite makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

1. Identification

Product Identifier: **Amazing Clear Cast B Side**
Use: Component for Mold Making and Casting. For Industrial/Professional use only.
Manufacturer: Alumilite
1458 South 35th Street, Galesburg, MI 49053 USA
Phone Number: +1 800-447-9344 (9 a.m. to 5 p.m. EST)
Emergency Phone: CHEMTREC 800-424-9300 or +1 703-527-3887
E-mail: info@alumilite.com

2. Hazards Identification

GHS Classification:

Acute Toxicity – Oral Category 4
Skin Corrosion Category 1
Serious Eye Damage Category 1
Skin Sensitization Category 1
Toxic to Reproduction Category 2
Aquatic Toxicity - Acute and Chronic Category 3

Label Elements: Danger



Hazard Phrases

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Phrases

P203 Obtain, read, and follow all safety instructions before use.
P260 Do not breathe fumes, vapors, mists, or sprays.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing, eye protection, and face protection.

P301+P317 IF SWALLOWED: Get medical help.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P302+P361+P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P316 Get emergency medical help immediately.

P318 IF exposed or concerned, get medical advice.

P330 Rinse mouth.

P333+P317 If skin irritation or rash occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local, regional, and national regulations.

Supplemental Information: None.

3. Composition/Information on Ingredients

Chemical Name	CAS #	%
4-Nonylphenol, branched	84852-15-3	40-65
Diaminopolypropylene glycol	9046-10-0	20-45
Trimethylolpropane poly (oxypropylene) triamine	39423-51-3	20-45
Other ingredients are not classified as health, physical or environmental hazards, or are present below cut-off/concentration limits.		

4. First-Aid Measures

Eye Contact: Immediately rinse with water, holding the eyelids open to be sure the material is washed out. Get immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get immediate medical.

Inhalation: Remove person to fresh air. Get medical attention if symptoms develop or persist.

Ingestion: Rinse mouth. Do not induce vomiting unless directed to do so by medical personnel. Get immediate medical attention.

Most Important Symptoms/Effects: Harmful if swallowed. Causes severe skin burns and eye damage.

Indication of Immediate Medical Attention/Special Treatment: Get immediate medical attention if on skin, in eyes, or swallowed.

5. Fire-Fighting Measures

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or eruption.

Specific Hazards: Not classified as flammable or combustible. Product will burn under fire conditions.

Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus and full-body protective clothing. Cool fire-exposed containers with water.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency

Procedures: Clear non-emergency personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment.

7. Handling and Storage

Safe Handling: Use with adequate ventilation. Avoid contact with the eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink, or smoke in the work area. Keep container closed when not in use.

Safe Storage: Store indoors at temperatures below 120°F. Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: None Established

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Respiratory Protection: If ventilation is inadequate, use a properly fitted, NIOSH-approved, air-purifying respirator with organic vapor cartridges. For higher exposures or in an emergency, use a supplied-air respirator. Use respirators in accordance with OSHA's Respiratory Protection Standard (29 CFR 1910.134).

Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.

Eye Protection: Wear chemical safety glasses or goggles.

Other Protective Measures: An eye wash facility and washing facility should be available in the work area. Avoid skin contact. Follow good Industrial Hygiene practices.

9. Physical and Chemical Properties

Appearance: Clear, colorless to light amber liquid

Odor: Ammonia-like

Odor Threshold: No data available

pH: Alkaline

Melting Point: No data available

Boiling Point: No data available

Flash Point: >205°F

Evap. Rate: No data available

Flamm. Limits: No data available

Vapor Pressure: No data available

Vapor Density: >1 (Air = 1)

Relative Density: 0.97 @ 25°C

Solubility: No data available

Partition Coefficient: n-octanol/Water: No data available

Auto-Ignition Temp: No data available

Decomposition Temp: No data available

Viscosity: 1200 cP @ 25°C

10. Stability and Reactivity

Reactivity: No specific data is available for this product.

Chemical Stability: Stable under recommended conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid: No data available.

Incompatible Materials: Reactive or incompatible with acids and epoxy resins.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition should not occur.

11. Toxicological Information

Eye Contact: Causes serious eye damage.

Skin Contact: Causes severe skin burns. May cause allergic reaction to skin.

Inhalation: Vapors or mists may cause respiratory irritation.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

Chronic Health Effects: Not fully determined.

Acute Toxicity Values: For Nonylphenol (CAS 84852-15-3):

Oral (rat) LD₅₀: 1,246 mg/kg

For Diaminopolypropylene glycol (CAS 9046-10-0):

Oral (rat) LD₅₀: 3,069 mg/kg

Dermal (rabbit) LD₅₀: 3,170 mg/kg

Inhalation (rat) LC₅₀: >0.74 mg/L, 8hr.

For Trimethylolpropane poly (oxypropylene) triamine (CAS 39423-51-3):

Oral (rat) LD₅₀: 550 mg/kg

Dermal (rabbit) LD₅₀: >1,000 mg/kg

Respiratory Sensitization: Components are not respiratory sensitizers.

Skin Sensitization: Components are classified as skin sensitizers.

Germ Cell Mutagenicity: Components are not known mutagens.

Carcinogenicity: Components are not designated as carcinogens by NTP, IARC, or OSHA.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity: No data available.

12. Ecological Information

Ecotoxicity: Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Persistence and Degradability: Not readily biodegradable.

Bioaccumulative Potential: Low potential for bioaccumulation.

Mobility in Soil: No data available.

13. Disposal Considerations

Minimize waste generation. Dispose of with a licensed waste disposal contractor. Do not dispose of down the drain. Dispose according to local, state, and federal regulations.

14. Transport Information

U.S.: UN3267, Corrosive liquid, basic, organic, n.o.s. (nonylphenol, Polyoxypropylenediamine diamine), 8, III. Product sold in 4-oz., 8-oz. 16-oz. and 1-gal. container sizes are LTD QTY.

IMDG & IATA: UN3267, Corrosive liquid, basic, organic, n.o.s. (nonylphenol, Polyoxypropylenediamine diamine), 8, III, MARINE POLLUTANT.

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or +1-703-527-3887.

15. Regulatory Information

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product does not contain reportable quantities of CERCLA 103 chemicals.

SARA TITLE III Section 311/312: Acute/Chronic Health

Section 313 Toxic Chemicals: This product contains chemicals subject to SARA Title III Section 313 Reporting requirements:

Nonyl Phenol (CAS 84852-15-3) 40-65%

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: Components in this product are listed on TSCA.

STATE REGULATIONS:

California Proposition 65: WARNING: This product can expose you to chemicals including Propylene oxide which is known to the State of California to cause cancer. www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: This product is intended for industrial/professional use only.

SDS Revision Notes: GHS format: February 28, 2019; Updated GHS: June 3, 2021; Updated: September 1, 2021.

Disclaimer: The information contained herein is considered accurate; however, Alumilite makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

1. Identification

Product Identifier: **Pigment Powder**
Use: Colorants for Liquid Rubbers and Plastics. For Industrial/Professional use only.
Manufacturer: Alumilite Corp.
1458 S. 35th Street, Galesburg, MI 49053
Phone Number: 800-447-9344 (9 a.m. to 5 p.m. EST)
Emergency Phone: CHEMTREC 800-424-9300 or +1 (703) 527-3887
E-mail: info@alumilite.com

2. Hazards Identification

GHS Classification: Not classified as hazardous under OSHA's Hazard Communication Standard (29 CFR 1010.1200).

Label Elements: Not required.

Supplemental Information: May cause mild eye and possibly skin irritation and/or staining. Avoid contact with eyes, skin and clothing.

Read and understand the hazard information on Liquid Rubber or Liquid Casting Plastic components before use.

3. Composition/Information on Ingredients

Chemical Name	CAS #	%
Ingredients are not classified as health and/or environmental hazards, and/or are present below cut-off/concentration limits.		

4. First-Aid Measures

Eye Contact: Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Get medical attention if irritation persists.

Skin Contact: Wash contact area thoroughly with soap and water. Get medical attention if irritation develops and persists.

Inhalation: If breathing is difficult, remove person to fresh air and keep comfortable. If experiencing respiratory symptoms: Call a doctor.

Ingestion: If swallowed, rinse mouth. Drink water. Induce vomiting only with medical supervision.

Most Important Symptoms/Effects: Mild skin and eye irritation.

Indication of Immediate Medical Attention/Special Treatment: Not expected to be required.

5. Fire-Fighting Measures

Extinguishing Media: Carbon dioxide, dry chemical, foams, or water spray.

Specific Hazards: Not classified as flammable or combustible. May generate toxic/irritating compounds and dense smoke in fire conditions.

Special Protective Equipment and Precautions for Fire-Fighters: Wear SCBA & full-body protective suit. Cool hot containers with water.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency

Procedures: Wear protective clothing to prevent eye and skin contact.

Methods and Materials for Containment and Cleanup: Collect and containerize material. Dispose of residue in accordance with state and local regulations.

7. Handling and Storage

Safe Handling: Use in well-ventilated area. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke in work area. Wash hands after handling.

Safe Storage: Store indoors at temperatures between 60 and 95°F. Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. Exposure Controls/Personal Protection

Exposure Limits: No OSHA or ACGIH exposure limits apply to these products.

Engineering Controls: Provide general exhaust to minimize airborne concentrations.

Personal Protective Equipment: Wear eye protection (e.g., chemical safety glasses) and protective gloves (e.g., nitrile rubber).

Other Protective Measures: None.

9. Physical and Chemical Properties

Appearance: Powder, colors vary

Odor: No data available

Odor Threshold: No data available

pH: Not applicable

Melting Point: No data available

Boiling Point: No data available

Flash Point: No data available

Evap. Rate: No data available

Flamm. Limits: No data available

Vapor Pressure: No data available

Vapor Density: No data available

Relative Density: No data available

Solubility: Insoluble in water

Partition Coefficient: n-octanol/Water: No data available

Auto-Ignition Temp: No data available

Decomposition Temp: No data available

Viscosity: No data available

10. Stability and Reactivity

Reactivity: Not normally reactive.

Chemical Stability: Stable under recommended conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid: No data available.

Incompatible Materials: Avoid strong acids, strong bases, and oxidizing agents.

Hazardous Decomposition Products: No data available

11. Toxicological Information

Eye Contact: May cause mild irritation.

Skin Contact: May cause mild irritation.

Inhalation: Dusts may cause mild respiratory irritation.

Ingestion: No data available.

Chronic Health Effects: None known.

Acute Toxicity Values: No data available.

Germ Cell Mutagenicity: Components are not classified as mutagens.

Carcinogenicity: Components are not listed as known or suspected carcinogens by NTP, IARC or OSHA.

Reproductive Toxicity: Components are not classified as reproductive toxins.

Specific Target Organ Toxicity: No data available.

12. Ecological Information

Ecotoxicity: Not expected to be dangerous to aquatic organisms. Avoid release to the environment.

Persistence and Degradability: Not readily biodegradable.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. Disposal Considerations

Dispose according to local, regional and national regulations.

U.S.: Upon disposal, these products are not RCRA hazardous waste (per 40 CFR 261).

14. Transport Information

Not regulated for transport in any mode.

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or +1-703-527-3887

15. Regulatory Information

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: Not subject to reporting under CERCLA.

SARA TITLE III:

Hazard Category for Section 311/312: Not Hazardous

Section 313 Toxic Chemicals: Contains no chemicals subject to SARA Title III Section 313 Reporting requirements.

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All components are listed on TSCA.

STATE REGULATIONS:

California Proposition 65: WARNING: This product can expose you to chemicals including titanium dioxide, which is known to the State of California to cause cancer. www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: This product is intended for industrial or professional use only.

SDS Revision Notes: GHS Format: August 16, 2021; Updated: September 8, 2021

Disclaimer: The information contained herein is considered accurate; however, Alumilite Corp. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.